

Contents

--

AutoDoc:AutoDoc:BlueSpicePageTemplates

Contents

1 DescriptionMsg 3

2 License 3

3 Requirements 3

4 SpecialPages 3

5 Permissions 3

 5.1 Permissions 3

6 Config 3

 6.1 Configuration 3

7 ApiModules 4

 7.1 API Modules 4

8 Hooks 4

 8.1 Hooks 4

DescriptionMsg

Displays a list of templates marked as page templates

License

GPL-3.0-only

Requirements

- MediaWiki: 1.35.0
- BlueSpiceFoundation: 4.0

SpecialPages

- PageTemplatesAdmin

Permissions

Permissions

Name	Description	Role
pagetemplatesadmin-viewspecialpage	Access to the Special:PageTemplatesAdmin special page, where page templates can be managed	admin, maintenanceadmin, structuremanager

Config

Configuration

Name	Value
PageTemplatesExcludeNs	array (0 => -2, 1 => -1, 2 => 6, 3 => 7, 4 => 8, 5 => 9, 6 => 10, 7 => 11, 8 => 14, 9 => 15,)
PageTemplatesForceNamespace	false
PageTemplatesHideDefaults	false
PageTemplatesHidelfNotInTargetNs	true

ApiModules

API Modules

- [bs-pagetemplates-store](#)
- [bs-pagetemplates-tasks](#)

Hooks

Hooks

- [BSApiNamespaceStoreMakeData](#)
- [BSUsageTrackerRegisterCollectors](#)
- [HtmlPageLinkRendererBegin](#)
- [LoadExtensionSchemaUpdates](#)
- [MWStakeCommonUIRegisterSkinSlotComponents](#)
- [MediaWikiPerformAction](#)
- [MessagesPreLoad](#)
- [NamespaceManager::editNamespace](#)
- [NamespaceManager::getMetaFields](#)
- [NamespaceManager::writeNamespaceConfiguration](#)