

Contents

--

AutoDoc:AutoDoc:BlueSpiceReminder

Contents

1 DescriptionMsg 3

2 License 3

3 Requirements 3

4 IntegratesInto 3

5 SpecialPages 3

6 Permissions 3

6.1 Permissions 3

7 DefaultUserOptions 3

7.1 User options 3

8 ApiModules 4

8.1 API Modules 4

9 Hooks 4

9.1 Hooks 4

DescriptionMsg

Gives the user the opportunity to create reminders.

License

GPL-3.0-only

Requirements

- MediaWiki: 1.35.0
- BlueSpiceFoundation: 4.0

IntegratesInto

- BlueSpiceEchoConnector
- BlueSpicePrivacy
- BlueSpiceReminder

SpecialPages

- Reminder

Permissions

Permissions

Name	Description	Role
remindereitall	Edit others' reminders	admin, maintenanceadmin

DefaultUserOptions

User options

Name	Value
bs-reminder-forms	"
bs-reminder-oncreate	false
bs-reminder-period	6

Name	Value
echo-subscriptions-email-notification-bs-reminder-cat	1
echo-subscriptions-web-notification-bs-reminder-cat	1

ApiModules

API Modules

- [bs-reminder-store](#)
- [bs-reminder-tasks](#)

Hooks

Hooks

- [BSUserManagerAfterDeleteUser](#)
- [BeforePageDisplay](#)
- [BlueSpiceDiscoveryTemplateDataProviderAfterInit](#)
- [ChameleonSkinTemplateOutputPageBeforeExec](#)
- [GetPreferences](#)
- [LoadExtensionSchemaUpdates](#)
- [MWStakeCommonUIRegisterSkinSlotComponents](#)
- [PageSaveComplete](#)
- [PersonalUrls](#)
- [SkinTemplateNavigation::Universal](#)
- [StandardDialogsRegisterPageInfoPanelModules](#)
- [UserMergeAccountFields](#)