

AutoDoc:AutoDoc:BlueSpiceSocialTags

Contents

1 DescriptionMsg 2

2 License 2

3 Requirements 2

4 SpecialPages 2

5 Permissions 2

5.1 Permissions 2

6 Config 2

6.1 Configuration 2

7 ApiModules 2

7.1 API Modules 2

8 Hooks 3

8.1 Hooks 3

DescriptionMsg

Adds tagging functionality to social entities

License

GPL-3.0-only

Requirements

- MediaWiki: 1.35.0
- BlueSpiceFoundation: 4.0
- BlueSpiceSocial: 4.0

SpecialPages

- SocialTags

Permissions

Permissions

Name	Description	Role
social-tagging	Edit linked pages	admin, author, commenter, editor, maintenanceadmin, reviewer

Config

Configuration

Name	Value
SocialTagsTimelineAfterContentNamespaceBlackList	array ()
SocialTagsTimelineAfterContentShow	false

ApiModules

API Modules

- bs-socialtags-tasks

Hooks

Hooks

- [BSEntityConfigAttributeDefinitions](#)
- [BSEntityConfigDefaults](#)
- [BSEntityGetFullData](#)
- [BSEntitySetValuesByObject](#)
- [BSFoundationRendererMakeTagAttribs](#)
- [BSSocialEntityGetActions](#)
- [BSSocialEntityListInitialized](#)
- [BSSocialEntityOutputRenderBeforeContent](#)
- [BSSocialModuleDepths](#)
- [ChameleonSkinTemplateOutputPageBeforeExec](#)
- [PageMoveComplete](#)