

AutoDoc:BlueSpicePrivacy

Contents

1 DescriptionMsg 2

2 License 2

3 Requirements 2

4 IntegratesInto 2

5 SpecialPages 2

6 Permissions 2

6.1 Permissions 2

7 Config 2

7.1 Configuration 2

8 ApiModules 3

8.1 API Modules 3

9 Hooks 3

9.1 Hooks 3

DescriptionMsg

Management page for user privacy settings

License

GPL-3.0-only

Requirements

- MediaWiki: 1.36.0
- BlueSpiceFoundation: 4.1

IntegratesInto

- BlueSpicePrivacy

SpecialPages

- PrivacyAdmin
- PrivacyCenter
- PrivacyConsent
- PrivacyPages

Permissions

Permissions

Name	Description	Role
bs-privacy-admin	Execute Privacy administrative action	admin, accountmanager

Config

Configuration

Name	Value
PrivacyConsentTypes	array ('privacy-policy' => 'bs-privacy-prefs-consent-privacy-policy', 'terms-of-service' => 'bs-privacy-prefs-consent-tos',)
PrivacyCookieAcceptMandatory	true

Name	Value
PrivacyCookieConsentProvider	'native-mw'
PrivacyDeleteUsername	'DeletedUser'
PrivacyEnableRequests	true
PrivacyPrivacyPolicyLink	"
PrivacyPrivacyPolicyMandatory	false
PrivacyPrivacyPolicyOnLogin	true
PrivacyRequestDeadline	30
PrivacyTermsOfServiceLink	"

ApiModules

API Modules

- [bs-privacy](#)
- [bs-privacy-get-all-consents](#)
- [bs-privacy-get-requests](#)

Hooks

Hooks

- [BeforePageDisplay](#)
- [ChameleonSkinTemplateOutputPageBeforeExec](#)
- [GetPreferences](#)
- [LoadExtensionSchemaUpdates](#)
- [MWStakeCommonUIRegisterSkinSlotComponents](#)
- [OutputPageParserOutput](#)
- [SkinTemplateNavigation::Universal](#)
- [SpecialPageBeforeExecute](#)
- [TitleReadWhitelist](#)
- [WebResponseSetCookie](#)