

BlueSpice 4.1

BlueSpice 4.1 is a Minor Release.


Contents



1 Point Releases	2
2 Important new features in BlueSpice 4.1 pro	2
3 Additional added Extensions	4
4 Extensions that are no longer included	5
5 Additional changes in BlueSpice free	5

Point Releases

Release	Releasedate
4.1.4	June 15, 2022
4.1.3	April 26, 2022
4.1.2	March 17, 2022
4.1.1	February 8, 2022
4.1.0	January 19, 2022

Important new features in BlueSpice 4.1 pro

Function	Description	Screenshot
<p>New standard skin "Discovery"</p>	<p>Modern, light-weight skin. We focused on a neutral design and thought a lot about usability. As an alternative, you can still activate the previous "Calumma" skin.</p>	 <p>Skin "Discovery"</p>
	<p>With the FlexiSkin</p>	

Function	Description	Screenshot
<p>FlexiSkin</p>	<p>editor, you can change the logo, colors, and fonts within minutes directly in the wiki.</p>	 <p>FlexiSkin</p>
<p>Workflows</p>	<p>The workflow function has been completely revised. Workflows are now based on BPMN. This makes it easier to adapt them to special requirements. Four review workflows are already included.</p>	 <p>Selecting a workflow</p>
	<p>The new "My</p>	

Function	Description	Screenshot
My tasks	Tasks" overview page enables users to view and process all pending workflow tasks or read confirmations.	<p>My tasks</p>
BPMN diagrams	You can now create business processes in BPMN format. The diagrams can be exported as XML files or in SVG format.	<p>BPMN diagram</p>
Two-factor authentication	Logins to the wiki can now also be configured to require an additional one-time password or a physical security key (Fido stick).	

Additional added Extensions

Developer: MW=MediaWiki Extension HW: Hallo Welt! Extension

Extension	Developer	Description
		Allows for importing and exporting the contents of a wiki's pages in XML

Extension	Developer	Description
DataTransfer	MW	and CSV form, using template calls to define the fields
EventBus	MW	Propagates state changes (edit, move, delete, revision visibility, etc) to a RESTful event service, providing consumers of the service with the means of tracking changes to MediaWiki content.
Forms	HW	A new all-purpose forms framework for MediaWiki.
Loops	MW	Parser functions for performing loops.
OATHAuth	MW	Provides authentication support using HMAC based one-time passwords. Now by default activated in BlueSpice pro.
PageCheckout	HW	Grants a user exclusive rights on a page. Works in conjunction with the Workflows extension.
PageHeader	HW	Provides an additional user interface before the page content
RevisionSlider	MW	Shows a slider allowing selecting and comparing of revisions on a diff page.
SecureLinkFixer	MW	Rewrites URLs to HTTPS if domain always requires HTTPS.
StandardDialogs	MW	Provides dialog user interfaces for common page actions.
WebAuthn	MW	Provides authentication support using WebAuthn protocol.

Extensions that are no longer included

BlueSpiceBookshelfUI: Removed since BlueSpice 3.2.

BlueSpiceEditNotifyConnector: Removed since BlueSpice 3.2.

BlueSpiceReview and **BlueSpiceReviewExtended**: Replaced by **Workflows**.

BlueSpiceSocialArticleActions

BlueSpiceTagSearch: Removed since BlueSpice 3.2.

BlueSpiceUserMergeConnector

BluespiceVisualDiff

CookieWarning: Functionality has been integrated in BlueSpicePrivacy.

Duplicator (Copying a page): Replaced by StandardDialogs.

EditNotify: Removed since BlueSpice 3.2.

Quiz

Page Schemas

Semantic Internal Objects

Additional changes in BlueSpice free

Removal of the LDAP stack: LDAP extensions are now only bundled with BlueSpice pro.

BlueSpicePermissionManager: Custom settings are only available in BlueSpice pro.