

Contents

1. Category:Portal	2
2. Manual:Displaying page sections as cards	2
3. Quality assurance	6
4. Recent changes transclusion	6

Category:Portal

Pages in category "Portal"

The following 3 pages are in this category, out of 3 total.

D

- [Manual:Displaying page sections as cards](#)

Q

- [Quality assurance](#)

R

- [Recent changes transclusion](#)

Manual:Displaying page sections as cards

Sections of a wiki page can be displayed as "cards" with just a little bit of effort.

Contents

1 What are cards?	3
2 Create card styles	3
3 Create cards	4
4 Available card formats	5
5 Combination of cards	5

What are cards?

Cards are combinations of contiguous page sections that share the same column layout. Each wiki page can contain such cards.

Regensburg (from Latin *Castra Regina*, also lat. *Ratisbona* and *Ratispona*) is the capital of the administrative district Upper Palatinate with seat of the government of the Upper Palatinate as well as the district administrator of the district Regensburg and an independent city in Eastern Bavaria.

Introduction


With more than 165,000 inhabitants, Regensburg is the fourth-largest city in the State of Bavaria after Munich, Nuremberg and Augsburg.^[1] The medieval centre of the city is a [UNESCO World Heritage Site](#) . In 2014, Regensburg was among the top sights and travel attractions in Germany. Regensburg has three universities and is one of 3 regional centers in Bavaria. Throughout the centuries, the city was known by a variety of names. It is still known in the Romance languages by a cognate of its Latin name of "Ratisbona" (the version "Ratisbon" was long current in English). Between 1135 and 1146, the [Stone Bridge](#) across the [Danube](#) was built at Regensburg. This bridge opened major international trade routes between northern Europe and [Venice](#), and this began Regensburg's golden age as a residence of wealthy trading families. Regensburg became the [cultural](#) centre of southern Germany and was celebrated for its gold work and fabrics.

Topography

Regensburg is situated on the northernmost part of the Danube river at the geological crossroads of four distinct landscapes:

- to the north and northeast lies the Bavarian Forest (Bayerischer Wald) with granite and gneiss mountains, wide forests and its national park
- to the east and south-east is the fertile Danube plain (Gäuboden) which are highly cultivated loess plains

Gallery



Wiki page without cards

Regensburg (from Latin *Castra Regina*, also lat. *Ratisbona* and *Ratispona*) is the capital of the administrative district Upper Palatinate with seat of the government of the Upper Palatinate as well as the district administrator of the district Regensburg and an independent city in Eastern Bavaria.


Introduction

With more than 165,000 inhabitants, Regensburg is the fourth-largest city in the State of Bavaria after Munich, Nuremberg and Augsburg.^[1] The medieval centre of the city is a [UNESCO World Heritage Site](#) . In 2014, Regensburg was among the top sights and travel attractions in Germany. Regensburg has three universities and is one of 3 regional centers in Bavaria. Throughout the centuries, the city was known by a variety of names. It is still known in the Romance languages by a cognate of its Latin name of "Ratisbona" (the version "Ratisbon" was long current in English). Between 1135 and 1146, the [Stone Bridge](#) across the [Danube](#) was built at Regensburg. This bridge opened major international trade routes between northern Europe and [Venice](#), and this began Regensburg's golden age as a residence of wealthy trading families. Regensburg became the [cultural](#) centre of southern Germany and was celebrated for its gold work and fabrics.

Topography

Regensburg is situated on the northernmost part of the Danube river at the geological crossroads of four distinct landscapes:

- to the north and northeast lies the Bavarian Forest (Bayerischer Wald) with granite and gneiss mountains, wide forests and its national park
- to the east and south-east is the fertile Danube plain (Gäuboden) which are highly cultivated loess plains



Wiki page with cards

Create card styles

Before sections can be formatted as cards, a user with admin rights must add and save the following information to the page *MediaWiki:Common.css*:

```
/* Styles for section cards */
.sectionflex {display: flex; flex-wrap: wrap; justify-content:space-between;}
.sectionflex.col1 > div {flex-basis:100%; padding:10px 20px 20px 20px; margin:10px 0;}
```

```
.sectionflex.col2 > div {flex-basis:49%; padding:10px 20px 20px 20px; margin:10px 0;}
.sectionflex.col3 > div {flex-basis:32%; padding:10px 20px 20px 20px; margin:10px 0;}
.sectionflex > div h2 {margin:0 0 1em 0; font-size:1.3em}
.sectionflex.frame > div {border: 1px solid #e7e7e7}
.sectionflex.background> div {background: #f1f3f9}
.sectionflex .ve-ce-branchNode-slug, .sectionflex span.mw-editsection, .sectionflex .mw
-headline-number {display:none}
@media (max-width: 767px) {.sectionflex.col2 > div, .sectionflex.col3 > div {flex-basis
:100%; margin-top:2em}}
```

Create cards

To format sections as cards:

1. **Create** a page that contains different sections. Sections are marked by headings.
2. **Open** the page in source editing mode.
3. **Add** the start of a card container as `<div class="sectionflex col2 background">` above the first section you want to include in the card display (i.e., above the first heading of that section). A heading starts with two equal (=) signs:

```
<div class="sectionflex col2 background">
==Introduction==
With more than 165,000 inhabitants, Regensburg is the fourth-largest city in the
State of Bavaria after Munich, Nuremberg and Augsburg.
```

4. **Wrap** all sections that you want to include in this card layout in a starting `<div>` and an end `</div>` tag:

```
<div class="sectionflex col2 background">
<div>
==Introduction==
With more than 165,000 inhabitants, Regensburg is the fourth-largest city in the
State of Bavaria after Munich, Nuremberg and Augsburg.(...)
</div>
<div>
==Topography==
Regensburg is situated on the northernmost part of the Danube river at the
geological crossroads of four distinct landscapes (...)
</div>
```

5. **Close** the sectionflex container itself with an end `</div>` tag:

```
<div class="sectionflex col2 background"> <!-- Start card layout-->
<div> <!-- Start card -->
==Introduction==
With more than 165,000 inhabitants, Regensburg is the fourth-largest city in the
State of Bavaria after Munich, Nuremberg and Augsburg.(...)
</div> <!-- End card -->
<div> <!-- Start card -->
==Topography==
Regensburg is situated on the northernmost part of the Danube river at the
geological crossroads of four distinct landscapes (...)
</div> <!-- End card -->
</div> <!-- End card layout -->
```

The two sections should now be displayed as cards:

Regensburg (from Latin *Castra Regina*, also lat. *Ratisbona* and *Ratispona*) is the capital of the administrative district Upper Palatinate with seat of the government of the Upper Palatinate as well as the district administrator of the district Regensburg and an independent city in Eastern Bavaria.

Introduction

With more than 165,000 inhabitants, Regensburg is the fourth-largest city in the State of Bavaria after Munich, Nuremberg and Augsburg.^[1]

The medieval centre of the city is a [UNESCO World Heritage Site](#) . In 2014, Regensburg was among the top sights and travel attractions in Germany.

Regensburg has three universities and is one of 3 regional centers in Bavaria.

Throughout the centuries, the city was known by a variety of names. It is still known in the Romance languages by a cognate of its Latin name of "Ratisbona" (the version "Ratisbon" was long current in English).


Between 1135 and 1146, the [Stone Bridge](#) across the [Danube](#) was built at Regensburg. This bridge opened major international trade routes between northern Europe and [Venice](#), and this began Regensburg's golden age as a residence of wealthy trading families.

Regensburg became the [cultural](#) centre of southern Germany and was celebrated for its gold work and fabrics.

Topography

Regensburg is situated on the northernmost part of the Danube river at the geological crossroads of four distinct landscapes:

- to the north and northeast lies the Bavarian Forest (Bayerischer Wald) with granite and gneiss mountains, wide forests and its national park
- to the east and south-east is the fertile Danube plain (Gäuboden) which are highly cultivated loess plains



Two sections in the card layout: `<div class="sectionflex col2 background">`

Available card formats

You can choose between 1-column ("col1"), 2-column ("col2") or 3-column ("col3") cards with grey background ("background") or grey frame ("frame"). For example:

Theaters

The Regensburg Theater at the Bismarckplatz is 200 years old and is the most important theater of the city. Operas, operettas, musicals and ballets are shown. In summer, open-air performances are carried out as well. With the theater at the Bismarckplatz as the oldest and largest one, the Regensburg theater has four other stages with programmes that complement each other.

Events

Twice a year takes place the Regensburg Dult, the city's Volksfest, which is Bavaria's fourth largest.

The Bürgerfest (citizen celebration) in the Old Town is every two years, attracting over 100,000 visitors. Every second weekend in July, knights and other medieval people come together at the Regensburg Spectaculum, a medieval market, on the Stone Bridge.

Nightlife

With over 500 bars, restaurants, clubs and other locations in the inner city alone, Regensburg provides a rich and diverse nightlife due to its young population.

3 columns with frame: `<div class="sectionflex col3 frame">`

Combination of cards

It is possible to combine different card layouts on one wiki page:

```
<div class="sectionflex col2 frame">
<div>
==Section 1==
Content section 1
</div>
<div>
==Section 2==
```

```
Content section 1
</div>
</div>

<div class="sectionflex col3 background">
<div>
==Section 3==
Content section 3
</div>
<div>
==Section 4==
Content section 4
</div>
<div>
==Section 5==
Content section 5
</div>
</div>
```

Quality assurance

Template:SimplePortal2

Quality management

- [Collecting signatures](#)
- [Extension/BlueSpiceExpiry](#)
- [Page assignments](#)
- [Read confirmation](#)
- [Reminders](#)
- [Extension/BlueSpiceWikiExplorer](#)
- [Page approvals \(Acceptance\)](#)
- [Quality management](#)
- [Redirects](#)

Maintenance

Recent changes transclusion

It is possible to include the results of the "Recent changes" special page in a wiki page.

Contents

- 1 Adding the changelist to a page 8
- 2 Limiting the displayed information 8
 - 2.1 Add a wrapper and filter parameters 9
 - 2.2 Format the output 9

Adding the changelist to a page

To show the Recent changes list on any page in the wiki, you can simply transclude it by adding the following to your page source:

```
{{Special:RecentChanges}}
```

This will simply output the same content as is shown on the page *Special:RecentChanges*.

5. Mai 2022

16:15

Changelist example (8 Änderungen | Versionsgeschichte) .. (+186 Bytes) .. [Mlink-rodrigue (8×)]

15:26

Test2 (Unterschied | Versionen) .. (+19 Bytes) .. Mlink-rodrigue (Diskussion | Beiträge | Sperren) (This is my change summary. Nice!) [3 Versionen zurücksetzen] (Markierung: 2017-Quelltext-Bearbeitung)

4. Mai 2022

16:43

Smartlist (9 Änderungen | Versionsgeschichte) .. (+110 Bytes) .. [WikiSysop (9×)]

15:55

MediaWiki:Pagecheckout-alertbanner-checkout-with-comment (Unterschied | Versionen) .. (-2 Bytes) .. WikiSysop (Diskussion | Beiträge | Sperren) [2 Versionen zurücksetzen] (Markierung: 2017-Quelltext-Bearbeitung)

13:54

QM:Workflow-Standard [freigeben] (2 Änderungen | Versionsgeschichte) .. (+12 Bytes) .. [Mlink-rodrigue (2×)]

13:41

MediaWiki:Workflows-wiki-page-definition-standard-freigabe-title (Unterschied | Versionen) .. (+17 Bytes) .. Mlink-rodrigue (Diskussion | Beiträge | Sperren) (Die Seite wurde neu angelegt: „Standard Freigabe“) (Markierung: 2017-Quelltext-Bearbeitung)

13:25

MediaWiki:Erweiterte-Freigabe.bpmn (7 Änderungen | Versionsgeschichte) .. (+2.455 Bytes) .. [WikiSysop (7×)]

13:04

MediaWiki:WrWErweiterteFreigabe.form (2 Änderungen | Versionsgeschichte) .. (-390 Bytes) .. [WikiSysop (2×)]

12:58

Test.formdata (Unterschied | Versionen) .. (+337 Bytes) .. WikiSysop (Diskussion | Beiträge | Sperren) (Mit Formular bearbeiten: MediaWiki:WrWErweiterteFreigabe)

12:55

QM:Test-Erweiterte Freigabe [unfreigegebene Seite] (Unterschied | Versionen) .. (+4 Bytes) .. WikiSysop (Diskussion | Beiträge | Sperren) (Die Seite wurde neu angelegt: „test“) (Markierung: Visuelle Bearbeitung)

09:36

MediaWiki:Standard-Freigabe.bpmn (Unterschied | Versionen) .. (-27 Bytes) .. WikiSysop (Diskussion | Beiträge | Sperren) [Eine Version zurücksetzen]

Liste von Abkürzungen: [\[Einklappen\]](#)
N Neue Seite (siehe auch die Liste neuer Seiten)
K Kleine Änderung
B Änderung durch einen Bot
(±123) Die Änderung der Seitengröße in Bytes

Recent changes included in a wiki page

Limiting the displayed information

Sometimes, you might want to limit the information that is shown for recent changes.

Changes last 2 days in namespaces: (Pages), QM

5 May 2022

Changelist example - [Mlink-rodrigue (18×)]

Test2 - Mlink-rodrigue (This is my change summary. Nice!)

4 May 2022

Smartlist - [WikiSysop (9×)]

QM:Workflow-Standard - [approved] [Mlink-rodrigue (2×)]

Test.formdata - WikiSysop (Edit with form: MediaWiki:WrWErweiterteFreigabe)

QM:Test-Erweiterte Freigabe - [pending edits] WikiSysop (Created page with „test“)

Recent changes filtered view

To do this, you need to make two changes:

1. **Add a wrapper and filter parameters:** Apply a wrapper around your transclusion for formatting purposes and add some filter parameters to limit the results in the list.
2. **Format the output:** Remove the unnecessary information through some style adjustment in the page *MediaWiki:Common.css* (admin rights required)

Add a wrapper and filter parameters

You can set some parameters in the tag to filter some information. The following example shows up to the latest 100 changes in the last 7 days in the main namespace (Pages):

```
<div class="rcinclude">{{Special:RecentChanges|limit=100|days=7|namespace=0}}</div>
```

To show changes in additional namespaces, add them to the namespace parameter, separated by a semi-colon:

```
<div class="rcinclude">{{Special:RecentChanges|limit=100|days=7|namespace=0;3010}}</div>
```

Format the output

After adding the `<div class="rcinclude">...</div>` wrapper around your transclusion content, you can now use this *rcinclude* class to style the output and to hide some unnecessary information. This class is important, because it ensures that other pages in the wiki, such as the actual "Recent changes" special page or the version history pages in your wiki are not affected by these changes.

To filter out additional detail information — such as change in file size, markers, or direct links to the version comparison — add the following to the page *MediaWiki:Common.css* (admin rights required):

```
/** custom formatting for recent changes that are included on a wiki page with a div-  
wrapper of css-class .rcinclude */  
  
/* first style declaration hides all unnecessary info such as bytes, direct links to  
differences, links related to user, and markers */  
.rcinclude .mw-changeslist-line-inner-userTalkLink,  
.rcinclude .mw-diff-bytes,  
.rcinclude .mw-tag-markers,  
.rcinclude .mw-changeslist-legend,  
.rcinclude .mw-changeslist-line-inner-rollback,  
.rcinclude .mw-changeslist-links,  
.rcinclude .mw-changeslist-separator,  
.rcinclude .mw-rollback-link {display:none}  
  
/* remove the "New" indicator and the time in front of each main entry - they can only  
be removed together */  
.rcinclude td.mw-enhanced-rc {display:none}  
  
/* increase spacing between entries */  
.rcinclude .mw-changeslist-line {margin-bottom:0.6em}  
  
/* separate page title and user name */  
.rcinclude .mw-title::after {content:" -"}
```

```
/* make the day heading more compact */
.rcinclude .mw-changeslist h4 {font-size:0.95em; margin:1em 0 0.5em 0}

/* remove unnecessary space in the expanded version rows */
.rcinclude tr.mw-rcfilters-ui-highlights-enhanced-nested td:nth-child(3){display:
none}

/** end recent changes formatting */
```

After saving these changes in *MediaWiki:Common.css*, you should now see the modified output of the transcluded content as shown in the previous screenshot.

If you still see the original formatting, you will need to clear the network cache:

1. **Right-click** on the wiki page that contains the "Recent changes" transclusion.
2. **Click** *Inspect*.
3. **Activate** Disable cache
4. **Press** *F5* on your keyboard to refresh the page.

The screenshot shows a MediaWiki page titled "Changelist example" with a sidebar on the left and a main content area. The page displays a list of recent changes, including "5. Mai 2022" and "4. Mai 2022". The Chrome DevTools Network tab is open, showing a list of network requests. The "Disable cache" checkbox is checked. A right-click context menu is open over the "Inspect" option, which is highlighted. The menu includes options like "Back", "Forward", "Reload", "Save as...", "Print...", "Cast...", "Create QR Code for this page", "Translate to Deutsch", "View page source", and "Inspect".

disable network cache