

Contents

1. Community .....	2
2. Setup:Installation Guide/Security Patches 3.2.8 .....	4
3. Template:AutoDocDescriptionMsg .....	5
4. User:Margit.link-rodrique .....	6
5. User:WikiSysop .....	7

## Community

VisualWikitext

**Latest revision as of 13:08, 20 December 2021** ([view source](#))

[WikiSysop](#) ([talk](#) | [contribs](#))  
(Created page with "{{{desc}}}")  
[Tag](#): 2017 source edit

Line 1:

```
{{{desc}}}
```

**Revision as of 14:32, 14 January 2022** ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))  
No edit summary  
[Tag](#): 2017 source edit

Line 1:

```
{{Featurepage|featured=true|featuredesc=How to apply the latest MediaWiki security patch to BlueSpice 3.2.8.|featurestart=12/21/2021}}
{{Messagebox|boxtype=note|Note text=Instructions on this page only apply to BlueSpice 3.2.8. They will become obsolete once BlueSpice 3.2.9 is published!}}
```

```
}}
```

```
==Applying security patches from MediaWiki 1.35.5 to BlueSpice 3==
```

Recent security fixes to MediaWiki 1.35 have been backported to MediaWiki 1.31, which is the base of BlueSpice 3.2. The patches are available for download on [\[https://sourceforge.net/projects/bluespice/files/BlueSpice-3.2.8-MW1.35.5-fixes.tar.gz/download SourceForge\]](https://sourceforge.net/projects/bluespice/files/BlueSpice-3.2.8-MW1.35.5-fixes.tar.gz/download).

The following instructions are based on Linux installations. But they can be executed in the same way on a Windows system using an appropriate shell, like [\[https://git-scm.com/download/win git bash\]](https://git-scm.com/download/win), [\[https://www.cygwin.com/ cygwin\]](https://www.cygwin.com/) and similar.

Given `<bluespice>` is the installation path of the BlueSpice wiki application, you can apply the patches like this:

```
#<syntaxhighlight lang="shell-session">
```

```
cd <bluespice>/_bluespice
```

```
wget https://sourceforge.net/projects/bluespice/files/BlueSpice-3.2.8-MW1.35.5-fixes.tar.gz
```

```
tar xfvz BlueSpice-3.2.8-MW1.35.5-fixes.tar.gz
```

```
cd ..
```

```
bash _bluespice/pre-autoload-dump.d/99-apply_patches.sh
```

```
</syntaxhighlight>
```

After a successful run, the output should be like this:

```
<syntaxhighlight lang="shell-session">
```

```
Patching: includes/actions/RollbackAction.php ==> DONE!
```

```
Patching: includes/actions/Action.php ==> DONE!
```

```
Patching: includes/actions/ViewAction.php ==> DONE!
```

```
Patching: includes/specials/SpecialChangeContentModel.php ==> DONE!
```

```
Patching: includes/MediaWiki.php ==> DONE!
```

```
Patching: includes/EditPage.php ==> DONE!
```

```
Patching: extensions/VisualEditor/modules/ve-mw/ui/dialogs/ve.ui.MWMediaDialog.js ==> DONE!
```

```
</syntaxhighlight>
```

There may be additional lines of output, based on the edition of BlueSpice.

```
[[en:{{FULLPAGENAME}}]]
```

```
[[de:Setup:Installationsanleitung/Sicherheitspatches 3.2.8]]
```

## Revision as of 14:32, 14 January 2022

**Note:** Instructions on this page only apply to BlueSpice 3.2.8. They will become obsolete once BlueSpice 3.2.9 is published!

## Applying security patches from MediaWiki 1.35.5 to BlueSpice 3

Recent security fixes to MediaWiki 1.35 have been backported to MediaWiki 1.31, which is the base of BlueSpice 3.2. The patches are available for download on [SourceForge](#).

The following instructions are based on Linux installations. But they can be executed in the same way on a Windows system using an appropriate shell, like [git bash](#), [cygwin](#) and similar.

Given `<bluespice>` is the installation path of the BlueSpice wiki application, you can apply the patches like this: #

```
cd <bluespice>/_bluespice
wget https://sourceforge.net/projects/bluespice/files/BlueSpice-3.2.8-MW1.35.5-fixes.tar.gz
tar xfvz BlueSpice-3.2.8-MW1.35.5-fixes.tar.gz
cd ..
bash _bluespice/pre-autoload-dump.d/99-apply_patches.sh
```

After a successful run, the output should be like this:

```
Patching: includes/actions/RollbackAction.php ==> DONE!
Patching: includes/actions/Action.php ==> DONE!
Patching: includes/actions/ViewAction.php ==> DONE!
Patching: includes/specials/SpecialChangeContentModel.php ==> DONE!
Patching: includes/MediaWiki.php ==> DONE!
Patching: includes/EditPage.php ==> DONE!
Patching: extensions/VisualEditor/modules/ve-mw/ui/dialogs/ve.ui.MWMediaDialog.js ==> DONE!
```

There may be additional lines of output, based on the edition of BlueSpice.

## Setup:Installation Guide/Security Patches 3.2.8: Difference between revisions

[Browse history interactively](#)

[VisualWikitext](#)

Revision as of 16:19, 23 December 2021 ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary

Tag: 2017 source edit

[← Older edit](#)

Revision as of 14:32, 14 January 2022 ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary

Tag: 2017 source edit

[Newer edit →](#)

Line 1:

```
{{Messagebox|boxtype=note|Note text=Instructions on this page
only apply to BlueSpice 3.2.8. They will become obsolete once
BlueSpice 3.2.9 is published!
```

```
}}
```

```
==Applying security patches from MediaWiki 1.35.5 to BlueSpice
3==
```

Line 1:

```
{{Featurepage|featured=true|featuredesc=How to apply
the latest MediaWiki security patch to BlueSpice 3.2.8.
|featurestart=12/21/2021}} {{Messagebox|boxtype=note|Note
text=Instructions on this page only apply to BlueSpice 3.2.8. They
will become obsolete once BlueSpice 3.2.9 is published!
```

```
}}
```

```
==Applying security patches from MediaWiki 1.35.5 to BlueSpice
3==
```

### Revision as of 14:32, 14 January 2022

**Note:** Instructions on this page only apply to BlueSpice 3.2.8. They will become obsolete once BlueSpice 3.2.9 is published!

## Applying security patches from MediaWiki 1.35.5 to BlueSpice 3

Recent security fixes to MediaWiki 1.35 have been backported to MediaWiki 1.31, which is the base of BlueSpice 3.2. The patches are available for download on [SourceForge](#).

The following instructions are based on Linux installations. But they can be executed in the same way on a Windows system using an appropriate shell, like [git bash](#), [cygwin](#) and similar.

Given `<bluespice>` is the installation path of the BlueSpice wiki application, you can apply the patches like this:#

```
cd <bluespice>/_bluespice
wget https://sourceforge.net/projects/bluespice/files/BlueSpice-3.2.8-MW1.35.5-fixes.
tar.gz
tar xfvz BlueSpice-3.2.8-MW1.35.5-fixes.tar.gz
cd ..
bash _bluespice/pre-autoload-dump.d/99-apply_patches.sh
```

After a successful run, the output should be like this:

```
Patching: includes/actions/RollbackAction.php ==> DONE!
Patching: includes/actions/Action.php ==> DONE!
Patching: includes/actions/ViewAction.php ==> DONE!
Patching: includes/specials/SpecialChangeContentModel.php ==> DONE!
Patching: includes/MediaWiki.php ==> DONE!
Patching: includes/EditPage.php ==> DONE!
Patching: extensions/VisualEditor/modules/ve-mw/ui/dialogs/ve.ui.MWMediaDialog.js ==>
DONE!
```

There may be additional lines of output, based on the edition of BlueSpice.

## Setup:Installation Guide/Security Patches 3.2.8: Difference between revisions

[Browse history interactively](#)

[VisualWikitext](#)

Revision as of 16:19, 23 December 2021 ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary

[Tag: 2017 source edit](#)

[← Older edit](#)

Revision as of 14:32, 14 January 2022 ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary

[Tag: 2017 source edit](#)

[Newer edit →](#)

Line 1:

```
{ {Messagebox|boxtype=note|Note text=Instructions on this page
only apply to BlueSpice 3.2.8. They will become obsolete once
BlueSpice 3.2.9 is published!
```

```
}}
```

```
==Applying security patches from MediaWiki 1.35.5 to BlueSpice
3==
```

Line 1:

```
{{Featurepage|featured=true|featuredesc=How to apply
the latest MediaWiki security patch to BlueSpice 3.2.8.
|featurestart=12/21/2021}} { {Messagebox|boxtype=note|Note
text=Instructions on this page only apply to BlueSpice 3.2.8. They
will become obsolete once BlueSpice 3.2.9 is published!
```

```
}}
```

```
==Applying security patches from MediaWiki 1.35.5 to BlueSpice
3==
```

### Revision as of 14:32, 14 January 2022

**Note:** Instructions on this page only apply to BlueSpice 3.2.8. They will become obsolete once BlueSpice 3.2.9 is published!

## Applying security patches from MediaWiki 1.35.5 to BlueSpice 3

Recent security fixes to MediaWiki 1.35 have been backported to MediaWiki 1.31, which is the base of BlueSpice 3.2. The patches are available for download on [SourceForge](#).

The following instructions are based on Linux installations. But they can be executed in the same way on a Windows system using an appropriate shell, like [git bash](#), [cygwin](#) and similar.

Given `<bluespice>` is the installation path of the BlueSpice wiki application, you can apply the patches like this:#

```
cd <bluespice>/_bluespice
wget https://sourceforge.net/projects/bluespice/files/BlueSpice-3.2.8-MW1.35.5-fixes.
tar.gz
tar xfvz BlueSpice-3.2.8-MW1.35.5-fixes.tar.gz
cd ..
bash _bluespice/pre-autoload-dump.d/99-apply_patches.sh
```

After a successful run, the output should be like this:

```
Patching: includes/actions/RollbackAction.php ==> DONE!
Patching: includes/actions/Action.php ==> DONE!
Patching: includes/actions/ViewAction.php ==> DONE!
Patching: includes/specials/SpecialChangeContentModel.php ==> DONE!
Patching: includes/MediaWiki.php ==> DONE!
Patching: includes/EditPage.php ==> DONE!
Patching: extensions/VisualEditor/modules/ve-mw/ui/dialogs/ve.ui.MWMediaDialog.js ==>
DONE!
```

There may be additional lines of output, based on the edition of BlueSpice.

## Setup:Installation Guide/Security Patches 3.2.8: Difference between revisions

[Browse history interactively](#)

[VisualWikitext](#)

**Revision as of 16:19, 23 December 2021** ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary

[Tag: 2017 source edit](#)

[← Older edit](#)

**Line 1:**

```
{{Messagebox|boxtype=note|Note text=Instructions on this page
only apply to BlueSpice 3.2.8. They will become obsolete once
BlueSpice 3.2.9 is published!
```

```
}}
```

```
==Applying security patches from MediaWiki 1.35.5 to BlueSpice
3==
```

**Revision as of 14:32, 14 January 2022** ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary

[Tag: 2017 source edit](#)

[Newer edit →](#)

**Line 1:**

```
{{Featurepage|featured=true|featuredesc=How to apply
the latest MediaWiki security patch to BlueSpice 3.2.8.
|featurestart=12/21/2021}} {{Messagebox|boxtype=note|Note
text=Instructions on this page only apply to BlueSpice 3.2.8. They
will become obsolete once BlueSpice 3.2.9 is published!
```

```
}}
```

```
==Applying security patches from MediaWiki 1.35.5 to BlueSpice
3==
```

### Revision as of 14:32, 14 January 2022

**Note:** Instructions on this page only apply to BlueSpice 3.2.8. They will become obsolete once BlueSpice 3.2.9 is published!

## Applying security patches from MediaWiki 1.35.5 to BlueSpice 3

Recent security fixes to MediaWiki 1.35 have been backported to MediaWiki 1.31, which is the base of BlueSpice 3.2. The patches are available for download on [SourceForge](#).

The following instructions are based on Linux installations. But they can be executed in the same way on a Windows system using an appropriate shell, like [git bash](#), [cygwin](#) and similar.

Given `<bluespice>` is the installation path of the BlueSpice wiki application, you can apply the patches like this:

```
cd <bluespice>/_bluespice
wget https://sourceforge.net/projects/bluespice/files/BlueSpice-3.2.8-MW1.35.5-fixes.tar.gz
tar xfvz BlueSpice-3.2.8-MW1.35.5-fixes.tar.gz
cd ..
bash _bluespice/pre-autoload-dump.d/99-apply_patches.sh
```

After a successful run, the output should be like this:

```
Patching: includes/actions/RollbackAction.php ==> DONE!
Patching: includes/actions/Action.php ==> DONE!
Patching: includes/actions/ViewAction.php ==> DONE!
Patching: includes/specials/SpecialChangeContentModel.php ==> DONE!
Patching: includes/MediaWiki.php ==> DONE!
Patching: includes/EditPage.php ==> DONE!
Patching: extensions/VisualEditor/modules/ve-mw/ui/dialogs/ve.ui.MWMediaDialog.js ==> DONE!
```

There may be additional lines of output, based on the edition of BlueSpice.

## Setup:Installation Guide/Security Patches 3.2.8: Difference between revisions

[Browse history interactively](#)

[VisualWikitext](#)

**Revision as of 16:19, 23 December 2021** ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary

[Tag: 2017 source edit](#)

[← Older edit](#)

**Line 1:**

```
{{Messagebox|boxtype=note|Note text=Instructions on this page
only apply to BlueSpice 3.2.8. They will become obsolete once
BlueSpice 3.2.9 is published!
```

```
}}
```

```
==Applying security patches from MediaWiki 1.35.5 to BlueSpice
3==
```

**Revision as of 14:32, 14 January 2022** ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary

[Tag: 2017 source edit](#)

[Newer edit →](#)

**Line 1:**

```
{{Featurepage|featured=true|featuredesc=How to apply
the latest MediaWiki security patch to BlueSpice 3.2.8.
|featurestart=12/21/2021}}
{{Messagebox|boxtype=note|Note
text=Instructions on this page only apply to BlueSpice 3.2.8. They
will become obsolete once BlueSpice 3.2.9 is published!
```

```
}}
```

```
==Applying security patches from MediaWiki 1.35.5 to BlueSpice
3==
```

Revision as of 14:32, 14 January 2022

---

**Note:** Instructions on this page only apply to BlueSpice 3.2.8. They will become obsolete once BlueSpice 3.2.9 is published!

## Applying security patches from MediaWiki 1.35.5 to BlueSpice 3

---

Recent security fixes to MediaWiki 1.35 have been backported to MediaWiki 1.31, which is the base of BlueSpice 3.2. The patches are available for download on [SourceForge](#).

The following instructions are based on Linux installations. But they can be executed in the same way on a Windows system using an appropriate shell, like [git bash](#), [cygwin](#) and similar.

Given `<bluespice>` is the installation path of the BlueSpice wiki application, you can apply the patches like this: #

```
cd <bluespice>/_bluespice
wget https://sourceforge.net/projects/bluespice/files/BlueSpice-3.2.8-MW1.35.5-fixes.tar.gz
tar xfvz BlueSpice-3.2.8-MW1.35.5-fixes.tar.gz
cd ..
bash _bluespice/pre-autoload-dump.d/99-apply_patches.sh
```

After a successful run, the output should be like this:

```
Patching: includes/actions/RollbackAction.php ==> DONE!
Patching: includes/actions/Action.php ==> DONE!
Patching: includes/actions/ViewAction.php ==> DONE!
Patching: includes/specials/SpecialChangeContentModel.php ==> DONE!
Patching: includes/MediaWiki.php ==> DONE!
Patching: includes/EditPage.php ==> DONE!
Patching: extensions/VisualEditor/modules/ve-mw/ui/dialogs/ve.ui.MWMediaDialog.js ==>
DONE!
```

There may be additional lines of output, based on the edition of BlueSpice.