

Contents

Community

VisualWikitext

Latest revision as of 13:08, 20 December 2021 (view source)

WikiSysop (talk | contribs)
(Created page with "{{{desc}}}")
Tag: 2017 source edit

Line 1:

```
{{{desc}}}
```

Revision as of 14:32, 14 January 2022 (view source)

Margit Link-Rodrigue (talk | contribs)
No edit summary
Tag: 2017 source edit

Line 1:

```
{{Featurepage|featured=true|featuredesc=How to apply the latest MediaWiki security patch to BlueSpice 3.2.8.|featurestart=12/21/2021}}
{{Messagebox|boxtype=note|Note text=Instructions on this page only apply to BlueSpice 3.2.8. They will become obsolete once BlueSpice 3.2.9 is published!}}

==Applying security patches from MediaWiki 1.35.5 to BlueSpice 3==

Recent security fixes to MediaWiki 1.35 have been backported to MediaWiki 1.31, which is the base of BlueSpice 3.2. The patches are available for download on [https://sourceforge.net/projects/bluespice/files/BlueSpice-3.2.8-MW1.35.5-fixes.tar.gz/download SourceForge].

The following instructions are based on Linux installations. But they can be executed in the same way on a Windows system using an appropriate shell, like [https://git-scm.com/download/win git bash], [https://www.cygwin.com/ cygwin] and similar.

Given <bluespice> is the installation path of the BlueSpice wiki application, you can apply the patches like this:<syntaxhighlight lang="shell-session">
cd <bluespice>/_bluespice
wget https://sourceforge.net/projects/bluespice/files/BlueSpice-3.2.8-MW1.35.5-fixes.tar.gz
tar xfvz BlueSpice-3.2.8-MW1.35.5-fixes.tar.gz
cd ..
bash _bluespice/pre-autoload-dump.d/99-apply_patches.sh
</syntaxhighlight>

After a successful run, the output should be like this:
<syntaxhighlight lang="shell-session">
Patching: includes/actions/RollbackAction.php ==> DONE!
Patching: includes/actions/Action.php ==> DONE!
Patching: includes/actions/ViewAction.php ==> DONE!
Patching: includes/specials/SpecialChangeContentModel.php ==> DONE!
```

```
Patching: includes/MediaWiki.php ==> DONE!
```

```
Patching: includes/EditPage.php ==> DONE!
```

```
Patching: extensions/VisualEditor/modules/ve-mw/ui/dialogs/ve.ui.MWMediaDialog.js ==> DONE!
```

```
</syntaxhighlight>
```

There may be additional lines of output, based on the edition of BlueSpice.

```
[[en:{{FULLPAGENAME}}]]
```

```
[[de:Setup:Installationsanleitung/Sicherheitspatches 3.2.8]]
```

Revision as of 14:32, 14 January 2022

Note: Instructions on this page only apply to BlueSpice 3.2.8. They will become obsolete once BlueSpice 3.2.9 is published!

Applying security patches from MediaWiki 1.35.5 to BlueSpice 3

Recent security fixes to MediaWiki 1.35 have been backported to MediaWiki 1.31, which is the base of BlueSpice 3.2. The patches are available for download on [SourceForge](#).

The following instructions are based on Linux installations. But they can be executed in the same way on a Windows system using an appropriate shell, like [git bash](#), [cygwin](#) and similar.

Given `<bluespice>` is the installation path of the BlueSpice wiki application, you can apply the patches like this:#

```
cd <bluespice>/_bluespice
wget https://sourceforge.net/projects/bluespice/files/BlueSpice-3.2.8-MW1.35.5-fixes.tar.gz
tar xfvz BlueSpice-3.2.8-MW1.35.5-fixes.tar.gz
cd ..
bash _bluespice/pre-autoload-dump.d/99-apply_patches.sh
```

After a successful run, the output should be like this:

```
Patching: includes/actions/RollbackAction.php ==> DONE!
Patching: includes/actions/Action.php ==> DONE!
Patching: includes/actions/ViewAction.php ==> DONE!
Patching: includes/specials/SpecialChangeContentModel.php ==> DONE!
Patching: includes/MediaWiki.php ==> DONE!
Patching: includes/EditPage.php ==> DONE!
Patching: extensions/VisualEditor/modules/ve-mw/ui/dialogs/ve.ui.MWMediaDialog.js ==> DONE!
```

There may be additional lines of output, based on the edition of BlueSpice.

