Contents

1. Community 2
2. Setup:Installation Guide/Security Patches 3.2.8 3
3. User:Margit.link-rodrigue 4

Community

Browse history interactively
VisualWikitext

Revision as of 15:19, 23 December 2021 (view source)	Revision as of 13:32, 14 January 2022 (view source)
Margit Link-Rodrigue (talk | contribs)	Margit Link-Rodrigue (talk | contribs)
No edit summary	No edit summary
Tag: 2017 source edit	Tag: 2017 source edit
← Older edit	Newer edit →

Line 1:

{{Messagebox|boxtype=note|Note text=Instructions on this page only apply to BlueSpice 3.2.8. They will become obsolete once BlueSpice 3.2.9 is published!	**{{Featurepage|featured=true|featuredesc=How to apply the latest MediaWiki security patch to BlueSpice 3.2.8. |featurestart=12/21/2021}}**{{Messagebox|boxtype=note|Note text=Instructions on this page only apply to BlueSpice 3.2.8. They will become obsolete once BlueSpice 3.2.9 is published!
}}	}}
==Applying security patches from MediaWiki 1.35.5 to BlueSpice 3==	==Applying security patches from MediaWiki 1.35.5 to BlueSpice 3==

Revision as of 13:32, 14 January 2022

> **Note:** Instructions on this page only apply to BlueSpice 3.2.8. They will become obsolete once BlueSpice 3.2.9 is published!

Applying security patches from MediaWiki 1.35.5 to BlueSpice 3

Recent security fixes to MediaWiki 1.35 have been backported to MediaWiki 1.31, which is the base of BlueSpice 3.2. The patches are available for download on SourceForge.

The following instructions are based on Linux installations. But they can be executed in the same way on a Windows system using an appropriate shell, like git bash, cygwin and similar.

Given `<bluespice>` is the installation path of the BlueSpice wiki application, you can apply the patches like this:#

```
cd <bluespice>/_bluespice
wget https://sourceforge.net/projects/bluespice/files/BlueSpice-3.2.8-MW1.35.5-fixes.
tar.gz
tar xfvz BlueSpice-3.2.8-MW1.35.5-fixes.tar.gz
cd ..
bash _bluespice/pre-autoload-dump.d/99-apply_patches.sh
```

After a successful run, the output should be like this:

```
Patching: includes/actions/RollbackAction.php ==> DONE!
Patching: includes/actions/Action.php ==> DONE!
Patching: includes/actions/ViewAction.php ==> DONE!
```

```
Patching: includes/specials/SpecialChangeContentModel.php ==> DONE!
Patching: includes/MediaWiki.php ==> DONE!
Patching: includes/EditPage.php ==> DONE!
Patching: extensions/VisualEditor/modules/ve-mw/ui/dialogs/ve.ui.MWMediaDialog.js ==>
DONE!
```

There may be additional lines of output, based on the edition of BlueSpice.

Setup:Installation Guide/Security Patches 3.2.8: Difference between revisions

Latest revision as of 08:59, 17 March 2022 (**view source**)
Margit Link-Rodrigue (talk | contribs)
No edit summary
Tag: 2017 source edit

(No difference)

Latest revision as of 08:59, 17 March 2022

> **Note:** Instructions on this page only apply to BlueSpice 3.2.8. They will become obsolete once BlueSpice 3.2.9 is published!

Applying security patches from MediaWiki 1.35.5 to BlueSpice 3

Recent security fixes to MediaWiki 1.35 have been backported to MediaWiki 1.31, which is the base of BlueSpice 3.2. The patches are available for download on SourceForge.

The following instructions are based on Linux installations. But they can be executed in the same way on a Windows system using an appropriate shell, like git bash, cygwin and similar.

Given `<bluespice>` is the installation path of the BlueSpice wiki application, you can apply the patches like this:#

```
cd <bluespice>/_bluespice
wget https://sourceforge.net/projects/bluespice/files/BlueSpice-3.2.8-MW1.35.5-fixes.
tar.gz
tar xfvz BlueSpice-3.2.8-MW1.35.5-fixes.tar.gz
cd ..
bash _bluespice/pre-autoload-dump.d/99-apply_patches.sh
```

After a successful run, the output should be like this:

```
Patching: includes/actions/RollbackAction.php ==> DONE!
Patching: includes/actions/Action.php ==> DONE!
Patching: includes/actions/ViewAction.php ==> DONE!
Patching: includes/specials/SpecialChangeContentModel.php ==> DONE!
Patching: includes/MediaWiki.php ==> DONE!
Patching: includes/EditPage.php ==> DONE!
Patching: extensions/VisualEditor/modules/ve-mw/ui/dialogs/ve.ui.MWMediaDialog.js ==>
DONE!
```

There may be additional lines of output, based on the edition of BlueSpice.

User:Margit.link-rodrigue: Difference between revisions

Latest revision as of 12:43, 18 January 2023 (view source)
Margit Link-Rodrigue (talk | contribs)
No edit summary
Tag: 2017 source edit

(No difference)

Latest revision as of 12:43, 18 January 2023