

Contents

1. Extension/TagSearch	2
2. Manual:Extension/BlueSpiceTagSearch	2

Extension/TagSearch

Redirect to:

- [Manual:Extension/BlueSpiceTagSearch](#)

Manual:Extension/BlueSpiceTagSearch

Contents

1 What is BlueSpiceTagSearch?	2
2 Inserting TagSearch tag	2
2.1 Configuration	2
3 Usage	3
4 Related info	4

What is BlueSpiceTagSearch?

BlueSpiceTagSearch allows the integration of a configurable search field in articles, by providing tag that can be inserted on page. This search field relies on [BlueSpiceExtendedSearch](#).

Inserting TagSearch tag


Tag

```
<bs:tagsearch />
```

can be inserted to the page directly in wikitext or using "Insert magic" menu of [VisualEditor](#). For more information on how to insert magic words, see [BlueSpiceInsertMagic](#).

Once the tag is inserted on the page, if using VisualEditor, a configuration dialog (inspector) will be displayed. Here, all aspects of TagSearch can be configured.

Configuration



Configuration of TagSearch tag

Parameter	Display name	Description
ns	Namespace(s)	List of namespaces in which to search. Namespaces can be entered by using their IDs or names, separated by pipe (). IDs and names cannot be mixed. Correct entries are: "1 6 8", "Help QM", while invalid is "1 QM"
cat	Category(-ies)	List of categories in which to search. Multiple categories must be separated by pipe () - "Cat1 Cat2"
placeholder	Placeholder	Text to be shown in the search field when nothing is typed in
operator	Search operator	Applies only to categories. Operator "AND" will only find results that are in all of the given categories, while operator "OR" will show results in any of the given categories
type	Type	List of types of search entities to search. By default search entities available are: wikipage, specialpages, repofile (internal files), externalfile (external files). Multiple values can be entered separated by pipe () - "wikipage repofile"

Multiple tags can be added to single page, with same or different configurations.

Usage


Once the page with

```
<bs:tagsearch />
```

is saved, search field will be shown at the place in text where the text was inserted.

Typing in the field will show autocomplete list of results.

Clicking on search icon in the field or hitting Return will lead to full-text search in `<code>Special:Search-Center</code>`



Related info

- [Reference:BlueSpiceTagSearch](#)