

Contents

1. Extensions	2
2. Attachments	3
3. Category:Extension	7

Extensions

Extension: Reference:BlueSpiceSocialWikiPage

→ [all extensions](#)

Overview			
Description:			
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	[[[]]]
Type:	BlueSpice	Category:	Communication
Edition:	BlueSpice pro, BlueSpice Farm, BlueSpice Cloud	Version:	4.1- 4.1

Features

SocialWikiPage provides the SocialEntity types *wikipage* and *stash*.

Attachments

Starting with BlueSpice 4.2, the [attachments-tag](#) is available to display uploaded files in the page content.

Warning! Pages in the namespaces *SocialEntity* and *User* are indexed by search engines by default until version 3.1.13. If you run a public wiki with an earlier version, you should [exclude these namespaces from being searchable](#) unless you want these pages to be indexed by public search engines.

- At the end of each content page, a list of the attachments to the current page is displayed
- A social entity of type *wikipage* is automatically created in the system for each content page.
- The page *Special:Attachments* allows you to create an attachment without going directly to the associated wiki page.

Technical Information

This information applies to BlueSpice 4. Technical details for BlueSpice Cloud can differ in some cases.

Requirements

Integrates into

Special pages

Entry fields for dialogs

Name	Description	Type	Default value
text	Content of the SocialEntity vof type <i>stash</i>	wikitext, managed OOjs-ui, InsertImage	empty

Behavior switch

Name	Description
__NOSTASH__	Attachments for the page are not displayed on the page

Attachments

 is available from BlueSpice 4.2.

Contents

1 What are file attachments?

2 Create attachments

3 Elements of the attachments area

4 Additional features

4

4

5

7

What are file attachments?


File attachments are links on wiki pages that link directly to an uploaded file (Word document, PDF, image file,...). From BlueSpice 4.2, file attachments are directly integrated into a wiki page.

Important! Attachments on pages before BlueSpice 4.2 will be moved to the page content during the update to 4.2. This triggers a new revision (version) of each affected page. Pages that have been in approved state will have a new draft version.

Create attachments

To create file attachments:

1. **Choose** "attachments" and click *Done*.



2. **Save** the page. You will now see the new attachments area.

12

↑

+

Related documents

File	Latest version	Editor	Size	Categories
BPMN2 0 Poster DE.pdf	19. May 2022	Vhoesl	177.5 KB	i ×
Baulicher Brandschutz.pdf	10. March 2022	WikiSysop	1.1 MB	i ×
Leitlinie Gefahenstoffverordnung.pdf	28. April 2022	WikiSysop	1.3 MB	i ×

↻

3 rows

New attachments area

3. **Upload** a new file to the wiki (button 1). Alternatively, choose an already existing file (button 2).

Note: When uploading a new file, you should check the file/page name for unusual special characters (e.g., `"`, `%`, `/`, `<`, `>`, `[`, `]`, `{`, `}`). Change the name to include only standard characters, since the server file system could have problems with them or since some characters have special meanings in MediaWiki.

The special characters `(`, `)`, `&`, `+` can be used and are translated into their equivalent %-hex notation.

`:` will be converted to spaces, unless it is part of an existing namespace prefix.

Elements of the attachments area

The appearance of the attachments area can be adjusted with settings in the attachments tag. To set the parameters, go to the edit mode of the page and click on the attachments area. The tag inspector opens. It consists of two areas:

1. Prefix, Categories, Description: Default values for files that are newly uploaded to the wiki via the attachments section. The default values are also used when the toggle switch "Skip upload options" is activated. In this case, the files are transferred directly to the wiki without any further upload dialogs. The standard upload options are applied.
2. Toggle switches that show or hide different columns in the attachments area.

The screenshot shows the 'Attachments' dialog box. It has a title bar with a close button (X), the title 'Attachments', and a 'Done' button. The main content area is divided into two sections. Section 1, marked with an orange circle and the number '1', contains three text input fields: 'Prefix', 'Categories', and 'Description'. Section 2, marked with an orange circle and the number '2', contains five toggle switches: 'Skip upload options', 'Hide version', 'Hide editor', 'Show size', and 'Show categories'. The dialog is titled 'attachments inspector' at the bottom.

The following parameters are available (all settings are optional):

	Parameter	Description
	Title	Title that should be shown at the top of the attachments area.
1	Prefix	A prefix that should automatically be added during the upload. Example: <i>Product:</i> (prefixes the filename with the namespace-prefix for the <i>Product</i> namespace)
1	Categories	Default categories for newly uploaded files.
1	Description	Default description for newly uploaded files.
2	Skip upload options	When uploading new files, they are uploaded directly to the wiki without showing a further settings dialogs. The standard upload options (prefix, categories, description) are applied.
2	Hide version	The "Latest version" column is hidden. This column shows the last edit date.
2	Hide editor	The "Editor" column is hidden. This column shows the last editor.
2	Show size	The "Size" column is displayed. This shows the file size in KB/MB.

	Parameter	Description
2	Show categories	The "Categories" column is displayed. If a file is categorized, the categories are listed here.

Additional features

- Click the x-icon to remove an attachment from the attachments pane.
- Click the i-icon to open the file description page.
- Click on the filter symbol in the header bar to filter for terms in the file name.

Category:Extension

Extensions that are bundled with one or more BlueSpice pro editions.

Pages in category "Extension"

The following 200 pages are in this category, out of 214 total.

(previous page) ([next page](#))

A

- [Reference:Arrays](#)
- [Reference:AtMentions](#)
- [Reference:Auth remoteuser](#)

B

- [Reference:BlueSpiceAbout](#)
- [Reference:BlueSpiceArticleInfo](#)
- [Reference:BlueSpiceArticlePreviewCapture](#)
- [Reference:BlueSpiceAvatars](#)
- [Reference:BlueSpiceBookshelf](#)
- [Reference:BlueSpiceCategoryCheck](#)
- [Reference:BlueSpiceCategoryManager](#)
- [Reference:BlueSpiceChecklist](#)
- [Reference:BlueSpiceCloudClient](#)
- [Reference:BlueSpiceConfigManager](#)
- [Reference:BlueSpiceContextMenu](#)
- [Reference:BlueSpiceCountThings](#)
- [Reference:BlueSpiceCustomMenu](#)
- [Reference:BlueSpiceDashboards](#)
- [Reference:BlueSpiceDiscovery](#)

- [Reference:BlueSpiceDistributionConnector](#)
- [Reference:BlueSpiceDrawioConnector](#)
- [Reference:BlueSpiceEchoConnector](#)
- [Reference:BlueSpiceEmoticons](#)
- [Reference:BlueSpiceExpiry](#)
- [Reference:BlueSpiceExportTables](#)
- [Reference:BlueSpiceExtendedFilelist](#)
- [Reference:BlueSpiceExtendedSearch](#)
- [Reference:BlueSpiceExtendedStatistics](#)
- [Reference:BlueSpiceFilterableTables](#)
- [Reference:BlueSpiceFlaggedRevsConnector](#)
- [Reference:BlueSpiceFoundation](#)
- [Reference:BlueSpiceGroupManager](#)
- [Reference:BlueSpiceHideTitle](#)
- [Reference:BlueSpiceInsertCategory](#)
- [Reference:BlueSpiceInsertFile](#)
- [Reference:BlueSpiceInsertLink](#)
- [Reference:BlueSpiceInsertMagic](#)
- [Reference:BlueSpiceInsertTemplate](#)
- [Reference:BlueSpiceInstanceStatus](#)
- [Reference:BlueSpiceInterWikiLinks](#)
- [Reference:BlueSpiceInterwikiSearch](#)
- [Reference:BlueSpiceMultiUpload](#)
- [Reference:BlueSpiceNamespaceManager](#)
- [Reference:BlueSpiceNSFileRepoConnector](#)
- [Reference:BlueSpicePageAccess](#)
- [Reference:BlueSpicePageAssignments](#)
- [Reference:BlueSpicePageFormsConnector](#)
- [Reference:BlueSpicePagesVisited](#)
- [Reference:BlueSpicePageTemplates](#)
- [Reference:BlueSpicePermissionManager](#)
- [Reference:BlueSpicePlayer](#)
- [Reference:BlueSpicePrivacy](#)
- [Reference:BlueSpiceProDistributionConnector](#)
- [Reference:BlueSpiceQrCode](#)
- [Reference:BlueSpiceRating](#)
- [Reference:BlueSpiceReadConfirmation](#)
- [Reference:BlueSpiceReaders](#)
- [Reference:BlueSpiceReminder](#)
- [Reference:BlueSpiceRSSFeeder](#)
- [Reference:BlueSpiceSaferEdit](#)
- [Reference:BlueSpiceSignHere](#)
- [Reference:BlueSpiceSmartList](#)
- [Reference:BlueSpiceSMWConnector](#)
- [Reference:BlueSpiceSocial](#)
- [Reference:BlueSpiceSocialBlog](#)
- [Reference:BlueSpiceSocialComments](#)
- [Reference:BlueSpiceSocialMicroBlog](#)
- [Reference:BlueSpiceSocialProfile](#)

- [Reference:BlueSpiceSocialRating](#)
- [Reference:BlueSpiceSocialResolve](#)
- [Reference:BlueSpiceSocialTags](#)
- [Reference:BlueSpiceSocialTimelineUpdate](#)
- [Reference:BlueSpiceSocialTopics](#)
- [Reference:BlueSpiceSocialWatch](#)
- [Reference:BlueSpiceTagCloud](#)
- [Reference:BlueSpiceUEModuleBookPDF](#)
- [Reference:BlueSpiceUEModuleDOCX](#)
- [Reference:BlueSpiceUEModuleHTML](#)
- [Reference:BlueSpiceUEModulePDF](#)
- [Reference:BlueSpiceUEModulePDFRecursive](#)
- [Reference:BlueSpiceUEModulePDFSubpages](#)
- [Reference:BlueSpiceUEModuleTable2Excel](#)
- [Reference:BlueSpiceUniversalExport](#)
- [Reference:BlueSpiceUsageTracker](#)
- [Reference:BlueSpiceUserInfo](#)
- [Reference:BlueSpiceUserManager](#)
- [Reference:BlueSpiceUserSidebar](#)
- [Reference:BlueSpiceVisualEditorConnector](#)
- [Reference:BlueSpiceWatchList](#)
- [Reference:BlueSpiceWebDAVClientIntegration](#)
- [Reference:BlueSpiceWebDAVMinorSave](#)
- [Reference:BlueSpiceWholsOnline](#)
- [Reference:BlueSpiceWikiExplorer](#)
- [Reference:BlueSpiceWikiFarm](#)

C

- [Reference:CategoryTree](#)
- [Reference:Checklists](#)
- [Reference:Cite](#)
- [Reference:CiteThisPage](#)
- [Reference:CodeEditor](#)
- [Reference:CodeMirror](#)
- [Reference:CognitiveProcessDesigner](#)
- [Reference:ConfirmAccount](#)
- [Reference:ConfirmEdit](#)
- [Reference:ContainerFilter](#)
- [Reference:ContentDroplets](#)
- [Reference:ContentProvisioning](#)
- [Reference:ContentStabilization](#)
- [Reference:ContentTransfer](#)
- [Reference:CreateUserPage](#)

D

- [Reference:Data Transfer](#)
- [Reference:DateTimeTools](#)
- [Reference:DrawioEditor](#)

- [Reference:DynamicPageList3](#)

E

- [Reference:Echo](#)
- [Reference:EmbedVideo](#)
- [Reference:EmbedVideo \(fork\)](#)
- [Reference:EnhancedUpload](#)
- [Reference:EventBus](#)
- [Reference:External Data](#)
- [Reference:ExtJSBase](#)

F

- [Reference:FilterSpecialPages](#)
- [Reference:FlaggedRevs](#)
- [Reference:FlexiSkin](#)
- [Reference:FontAwesome](#)
- [Reference:Forms](#)

G

- [Reference:Gadgets](#)

H

- [Template:Hdsk PT Extension HW](#)
- [Template:Hdsk PT Extension MW](#)
- [Reference:Header Tabs](#)
- [Reference:HeaderFooter](#)
- [Reference:HitCounters](#)

I

- [Reference:ImageMap](#)
- [Reference:ImageMapEdit](#)
- [Reference:ImportOfficeFiles](#)
- [Reference:InputBox](#)
- [Reference:Interwiki](#)
- [Reference:InviteSignup](#)

L

- [Reference:LDAP Authorization](#)
- [Reference:LDAPAuthentication2](#)
- [Reference:LDAPGroups](#)
- [Reference:LDAPProvider](#)
- [Reference:LDAPSynAll](#)
- [Reference:LDAPUserInfo](#)
- [Reference:Lingo](#)

- [Reference:LocalisationUpdate](#)
- [Reference:LoginNotify](#)
- [Reference:Loops](#)

M

- [Reference:Maps](#)
- [Reference:Math](#)
- [Reference:MediaWiki](#)
- [Reference:MenuEditor](#)
- [Reference:MergeArticles](#)
- [Reference:MultimediaViewer](#)

N

- [Reference:NSFileRepo](#)
- [Reference:Nuke](#)

O

- [Reference:OATHAuth](#)
- [Reference:OJSPlus](#)
- [Reference:OpenID Connect](#)
- [Reference:OpenLayers](#)

P

- [Reference:Page Forms](#)
- [Reference:PageCheckout](#)
- [Reference:PageHeader](#)
- [Reference:PageImages](#)
- [Reference:ParserFunctions](#)
- [Reference:ParserHooks](#)
- [Reference:PDFEmbed](#)
- [Reference:PdfHandler](#)
- [Reference:PluggableAuth](#)
- [Reference:Poem](#)
- [Reference:Popups](#)
- [Reference:PreToClip](#)

R

- [Archive:Reference:BlueSpiceCalumma](#)
- [Archive:Reference:BlueSpiceLatexRenderer](#)
- [Archive:Reference:BlueSpiceMatomoConnector](#)
- [Archive:Reference:BlueSpiceNamespaceCSS](#)
- [Archive:Reference:BlueSpiceSocialWikiPage](#)
- [Archive:Reference:Bootstrap](#)
- [Archive:Reference:Chameleon](#)
- [Reference:Renameuser](#)

- [Reference:Replace Text](#)
- [Reference:RevisionSlider](#)
- [Reference:RSS](#)

S

- [Reference:Scribunto](#)
- [Reference:SectionAnchors](#)
- [Reference:SecureLinkFixer](#)
- [Reference:Semantic Compound Queries](#)
- [Reference:Semantic Extra Special Properties](#)
- [Reference:Semantic MediaWiki](#)
- [Reference:Semantic Result Formats](#)
- [Reference:Semantic Scribunto](#)
- [Reference:SimpleSAMLphp](#)
- [Reference:SimpleTasks](#)
- [Reference:SpamBlacklist](#)
- [Reference:StandardDialogs](#)
- [Reference:SubPageList](#)
- [Reference:SyntaxHighlight](#)

T

- [Reference:TabberNeue](#)
- [Reference:TemplateData](#)
- [Reference:TemplateStyles](#)
- [Reference:TextExtracts](#)
- [Reference:TitleBlacklist](#)

([previous page](#)) ([next page](#))