

Contents

1. File:Manual:preferences-email.PNG	2
2. Manual:Preferences	2
3. User:Ptechnik	19



File:Manual:preferences-email.PNG

The revision #18092 of the page named "File:Manual:preferences-email.PNG" does not exist.

This is usually caused by following an outdated history link to a page that has been deleted. Details can be found in the deletion log.

File history

Click on a date/time to view the file as it appeared at that time.

	Date/Time	Thumbnail	Dimensions	User	Comment
current	10:37, 20 December 2021	Email splom Send me: Individual notifications as they come in - Send te: Bet an email address	450 × 99 (15 k	(B))edaktion (talk cor	itribs)

You cannot overwrite this file.

File usage

The following page uses this file:

Manual:Preferences

Metadata

This file contains additional information, probably added from the digital camera or scanner used to create or digitize it.

If the file has been modified from its original state, some details may not fully reflect the modified file.

Horizontal resolution	37.79 dpc
Vertical resolution	37.79 dpc
File change date and time	09:58, 28 November 2019
PNG file comment	• File source: https://en.wiki.bluespice.com/wiki/File:Manual:preferences-email. PNG
Software used	https://imagemagick.org

Personalization

BlueSpice MediaWiki Contents

1 Accessing preference settings	5
2 User profile	5
2.1 Basic Information	5
2.2 Internationalisation	5
2.3 Signature	
2.4 Email options	5
2.5 WebDAV	6
3 Appearance	6
3.1 Skin	6
3.2 Reading preferences	6
3.3 Date format	6
3.4 Time offset	6
3.5 Files	6
3.6 Diffs	8
3.7 Advanced options	8
3.8 Bookshelf special page	9
3.9 Context menu	9
3.10 Dashboards	10
3.11 Video player	10
3.12 Timeline	10
4 Editing	11
4.1 General options	11
4.2 Editor	11
4.3 Preview	13
4.4 Reminder	13
4.5 Timeline	13
5 Recent changes	13
5.1 Display options	13
5.2 Advanced options	14
5.3 Changes shown	14
5.4 Edit review	14
6 Watchlist	15
6.1 Edit watchlist	15
6.2 Display options	15
6.3 Advanced options	15
6.4 Changes shown	16
6.5 Watched pages	16
6.6 Token	17
7 Notifications	17
7.1 Email options	18
7.2 Notify me about these events	18
7.3 New message indicator	18
7.4 Notifications on namespace events	18
7.5 Notifications on categories	18
7.6 Review	18
8 Extended Search	19
9 Semantic MediaWiki	

10	Resetting all preferences		19
----	---------------------------	--	----



Accessing preference settings

- 1. Click on the user menu.
- 2. Click Preferences. This opens the preferences page with multiple tabs.

Alternatively, you can access the page *Special:Preferences* directly.

User profile

Basic Information

Account data:	My account data from this project
	User image:
	Change profile picture
profile image	

- **Real name**: This name is shown throughout the wiki. When users hover over your real name, your profile picture and contact information is shown.
- **Change password**: If your wiki is not connected with the central authentication system of your company, you can manage your password here.
- User image:
 - User image text field: Enter the webadress of a picture on another website and click Save at the bottom of the page. The profile picture points directly to the external image:
 - Change profile picture link: Upload an image to the wiki. Click Browse and then Upload to create a new profile image. If you click Generate new avatar, the system generates a graphic instead.
- **Privacy policy** acceptance checkbox: Select and save this checkbox setting to confirm that your accept the privacy policy. Administrators can review this setting for all users on the page *Special:Privacy_Admin*.

Internationalisation

- **Language:** Users can change their personal language that is used in the layout and menus. BlueSpice currently supports de-formal-German (formal), de-German and en-English.
- How do you prefer to be described? Option for setting your gender preferences.

Signature

- Your existing signature: shows a preview of your current signature including your profile info when you hover over the link.
- **New signature:** Enter a new name for your signature and save the *Preferences* page.
- Treat signature as wikitext: Your signature will be shown as text-only.

Email options

If you provide an email adress, you can specify to receive email notifications in addition or in place of wiki notifications. As long as the email adress is not confirmed, the system will not send emails. This also affects the settings in the Notifications tab.



WebDAV

This link is used as mounting path to your wiki. It only works if your server administrator has configured a WebDAV connection. By default, no WebDAV connection is configured.

Appearance

Skin

If your system has more than one skin installed, you can select one here. It only affects your view. All other users see the skin that is selected in their preferences.

Reading preferences

Page previews: You can set if you want to see the first lines of an article as a tool tip before you click on a link. This functionality is provided by the extension Popups.

Date format

You can set how you would like to see the timestamp on wiki pages, for example the timestamp of a user signature on a discussion page.

Rodrigue (talk) 09:10, 3 December 2019 (CET)

Time offset

- Server time: Shows the server time so that you can compare it to your local time.
- Local time: Shows the time set in the time zone setting.
- **Time zone:** When you select a time zone, your local time will be shown throughout the wiki wherever there is a timestamp.

Files

• **Image size limit:** Sets the maximum size of the preview image on the file description page.





- **Thumbnail size:** Sets the size of the thumbnail image on a page if no custom size is specified in the image settings.
- **Enable Media Viewer:** If this checkbox is not selected, image links on a page will load the file description page rather than the media viewer overlay.

	Cancel	Add namespace	Done
	Namespace nam	e: HR	
	Alia	15:	Second Second
	Subpages		
	Content names	pace	
	CategoryCheck		
	Secured page a	ssignments	
	PageTemplates		
	ic 🔽 Visual editor		
	Rating		
	Recommendation	ins	
	Read Confirmat	ion	
	Semantic Media	Wiki	
	FlaggedRevs		
imple-namespace-create			🗎 More de
author information			View license Es: File: example-namespace-create.png October 2019



Diffs

Diffs are a comparison view between different versions of a page. They are accessible from the version history of a page. You can select two versions for a comparison and then click *Compare selected revisions* to view the differences.

- **Do not show the page content below diffs:** Turns off the display of the current page preview below the differences view.
- **Don't show diff after performing a rollback:** After an administrator does a rollback of a page, the difference between the previous latest and the current latest version is shown by default. If turned off, the rollback loads the current page directly instead.
- **Don't show the revision slider:** By default there is a collapsed interactive graph of the revision history. This graph can be deactivated.

Advanced options

- Link underlining:
 - Always: Underlines all links in the content area of a page, even if the selected skin specifies no underlining. The table of contents is not affected by this setting.

Manual: Extension 🕴 BlueSpiceNamespaceManager		Page T Discussion
♂ No categories assigned		
Namespace manager		
Last edited <u>5 days</u> ago by <u>P technik</u>	立 Watch	① This page is accepted
Contents	D	ide]
1 About the Namespace manager		
2 Creating a namespace		
3 Editing and deleting a namespace		
4 Technical details		
5 Related info		
About the Namespace manager		
The Namespace manager allows a user with administrative rights to create, delete and rename namespaces. Users with edit rights can view the page, but cannot make any changes to it.	mespaces and to ch	hange the settings of these
example for underlined links		

- *Never:* Never underlines links in the content area of a page, even if the selected skin specifies underlining.
- ^o Skin or browser default: Keeps the link settings as specified in the skin.
- **Threshold for stub link formatting:** Determines when the target page is considered short enough to change the link color to a page that fits the threshold criteria. If you choose 50 bytes, a link to a page with less than 50 characters (including wikitext), will be marked as a stub link and be shown in a different color. This only works if your wiki skin has a separate color value for stub links defined.
- Show hidden categories: The categories that a page is in are normally listed on the page. A category can be hidden from this list by adding the magic word <u>HIDDENCAT</u> to the category page. With this setting, a user can opt to show the hidden category anyway.
- **Auto-number headings** -v4.3 : Adds heading numbers to the page headings. **Note:** The heading numbers for books are set independently by administrators in the Config manager.



5 Handling and storage
If caustic soda is left unsealed in the air, it will react with carbon dioxic hermetically sealed containers.
5.1 Safe handling advice
Use and open container with care.Avoid dust formation.Supply eye wash bottle.
5.2 Advice on protection against fire and explosion
No special actions required.

• Show a confirmation prompt when clicking on a rollback link: If an admin user wants to perform a rollback of multiple options from the version history of a page, the rollback is executed immediately after clickint the link by default. With this setting, the admin user needs to click on the "Rollback" link again to confirm the rollback before it is executed.

Bookshelf special page

Grid: Shows the details view (=list view) of available books by default (2)

Images: Shows the thumbnails view of available books by default (1)

	Here you can see	e all available books. To add a new book, go to book manager.
	Thumbnails	Details 2
	Title	
	— : A	
	Animals	
Tab	os on the page <i>S</i>	pecial:Bookshelf

Context menu

Page links in the content area of the wiki show a context menu that allows to perform actions on the target page without having to go to the target page first. You can set whether you want to show the context menu with *right-click* or with *right-click* + *Strg*.



Integrated Ma	anagement System
_	nt page
lueSpice to combir is knowledge or qu	Telete page
holistic corp	View page history
	X Move page
More about	Protect page
	Q Watch this page
	Purge cache and view page
	View page info
	S What links here
	 Purge cache and view page View page info

Dashboards

By default, the logo of your wiki links to the main page. You can change this and link to your user dashboard instead.


Video player

When a page contains a video that was inserted with the BlueSpicePlayer extension, you can set it to autoplay when you load a page.

Timeline

You can set the timestamp on the timeline entries in date format or as age.

Note: It can take up to 24 hours for all timeline entries to show the new timestamp format. When you create a new entry, you shouls see the changed format immediately.





Editing

General options

- **Enable section editing by right clicking on section titles:** Right-clicking a section title with the mouse sets the page in edit mode. The specified section can be edited immediately.
- Editing pages by double clicking (JavaScript): Double-clicking on the page sets the page in edit mode. The double-click needs to be inside the text area of the page. Clicking in the title section of a page will not set the page into edit mode.
- Enable the Paragraph-based Edit Conflict Interface to resolve edit conflicts: Allows sectionbased merging of differences which improves the process for solving edit conflicts between users. If this setting is disabled: Users will see the source code of the latest version, a diff view between the latest and the own version, and a source diting window to manually work on the user's unsaved version.
- Show the pending changes diff when editing pages: In the BlueSpice 4 Discovery skin, no visual diff is shown during editing, so this setting can be ignored. It simply adds a duplicate notice about pending changes, when opening a page in edit mode:

? 🔺	Ξ	/ ~	\otimes	Save cha
3 notices			×	<
Your changes will be display authorized user accepts the		ders on	ce an	
The <u>stable version</u> was <u>appro</u> There are <u>3 pending changes</u>				
Notice: <i>Some</i> of the pending of the page you are editing. (-			1

Editor

• Edit area font style: Displays source code in monospace, serif, or sans-serif font.

Note: This setting is ignored if the CodeMirror extension is enabled (from BlueSpice 4.2).

• Mark all edits minor by default: This automatically sets the minor flag in the save dialog. It can be selected or deselected in the save dialog on the page itself:



	? ≡ ♪~	Save changes.
Resume editing	Save your changes	Save changes
Summary:		
Describe what you c	hanged	
🔽 This is a minor	r edit 🛛 🗸 Watch this page	255

Note: Note: The 'Watch this page' checkbox in the save dialog can be activated or deactivated by default under the preferences tab *Watchlist* under *Advanced options: Add pages and files I edit to my watchlist*.

• **Prompt me when entering a blank edit summary**: Displays a text message when you click *Save changes* reminding you to enter a summary description. If you do not enter a description after that, the page will save without the summary the next time you click *Save changes*.

Resume editing	Save your changes	Save changes
Summary:		
Describe what you	hanged	
✓ Watch this pa	je	.:i 255
edited, altered, or remo	ntributions to nextminor.bluespice.t ved by other contributors. If you do y, then do not submit it here.	
	not provided an edit summary. it will be saved without one.	lf you click "Save
edit summary prompt		

- Warn me when I leave an edit page with unsaved changes: When you reload or leave a page with unsaved edits, a warning message is displayed. You can confirm to leave the page or stay on the page and save your changes.
- **Show edit toolbar:** Disables VisualEditor in visual editing mode. Disabling is not recommended, as this reverts the editor back to a previous version of MediaWiki editor.
- **Temporarily disable the visual editor while it is in beta:** You can disable visual editor while it is in Extension:VisualEditor|beta mode. We recommend you do not disable VisualEditor unless you prefer to work with a previous visual editor version.



Preview

These preview settings are only applied if you have temporarily disabled VisualEditor and the edit text area is on the same page as the page preview. In BlueSpice 3.1+ you can generally ignore these settings.

- Show preview on first edit: The preview of the article is displayed when you click on "Edit"
- Show preview before edit box: If this option is deactivated, the preview will be shown under the edit form
- Show previews without loading the page:

Reminder

• **Default reminder period:** Prefills the date field for reminders with *current date + x days* specified here.

Create a reminder	
09.12.2019	
Melissa	\sim
Check if images are correct.	
Save	Reset
reminder default date	

- Set reminder on page creation: When you create a new page, a reminder for that page is automatically created based on the default reminder period you entered.
- **Do not create reminder for the following namespaces:** Excludes namespaces from the automatic reminder on page creation.

Timeline

- Warn me when I leave an edit of an entry with unsaved changes: If unchecked, any unsaved changes to a social entity (such as blog entry, comment, microblog or discussion topic) will be automatically lost if you navigate to a different page or reload the page before saving your changes.
- Skip dialog on discussion creation: Automatically creates a discussion page when a user adds a discussion directly ona page and the discussion page for the entry does not yet exist. If this checkbox is unchecked, the user has to create the discussion page first before the discussion topic can be posted.

Recent changes

Display options

- **Days to show in recent changes:** You can set how many results are displayed on the page *Recent changes*.
- Number of edits to show in recent changes, (,...) by default: Setting for the filter (1) on the *Recent changes* page and similar log pages. The filter can be manually changed during page visits.



Special RecentChanges	
Recent changes	o
Track the most recent changes to the wiki on this page.	
	Saved filters V
Active filters (Human (not bot) X)	Hide
	🖺 Namespaces 💊 Tags
Live updates Show social entities	1 \$50 changes, 7 days v
ecent changes default filter setting (1)	

Advanced options

• **Group changes by page in recent changes and watchlist:** This view creates a collapsible view of all the changes on a page that occured before another page was edited. All changes still count towards the number of changes that are set in the view filter for the page.

22	March 2023
-	13:56 MLR:Test [pending edits] (2 changes history) (+25) [WikiSysop (2×)]
	13:56 (cur prev) (+14) WikiSysop (talk contribs block) [rollback 2 edits]
	13:55 (cur prev) (+11) WikiSysop (talk contribs block)
	13:42 MediaWiki:Common.js (diff hist) (+276) WikiSysop [rollback more than 10 edit
•	13:23 MLR:Test1 [pending edits] (6 changes history) (+104) [Maximilian Achterbahn (6
uped ch	anges

• Use non-JavaScript interface: Removes the advanced filter option to save filters and to colorhighlight changes.

Changes shown

• **Hide minor edits from recent changes:** Hide edits marked as minor from appearing on your *Recent changes* page by default.

Edit review

These settings are provided by the extension FlaggedRevs (approval feature).

FlaggedRevs is available up to BlueSpice 4.2.

- Basic interface: This setting has no effect in the *BlueSpice Discovery* skin
- When to show the stable version of content pages by default.
 - Use the default settings for each page: This setting has no effect in BlueSpice (default settings cannot be set by administrators on a page level)



MediaWik

- Always show the stable version (if there is one): This default setting is only applied if the FlaggedRevs feature is active in a namespace. It shows the approved (stable) version by default when navigating to that page.
- **Always show the latest version:** It is a useful settings for users with review permissions who can accept draft versions. It loads the latest revision of a page by default instead of the stable version.
- Show the pending changes diff when viewing the latest pending version: This setting has no effect in the *BlueSpice Discovery* skin.

Watchlist

Edit watchlist

- Edit entries on your watchlist:
 - View and remove titles on your watchlist: Links to the page Special:EditWatchlist whre you can manage your watchlist entries. The watchlist is organized by namespaces.
 - *Edit raw watchlist:* Links to the page Special:EditWatchlist/raw where you can remove pages by page name from a textbox. This list is also organized by namespaces.
 - Clear watchlist: Links to the page Special:EditWatchlist/clear where you can empty your watchlist with the click of a button.

Display options

- **Days to show in watchlist** (default:7): Presets the value in the selection menu Period of time to display on the page *Special:Watchlist*.
- **Maximum number of changes to show in watchlist** (default:250): Limits the number of changes that are displayed in your watchlist.

This example shows a default setting of 8 days and 20 changes.

- Watchlist options
Below are the last 20 changes in the last 192 hours, as of 3 December 2019, 13:40. Period of time to display: 8 days ~
watchlist display options

Advanced options

- **Expand watchlist to show all changes, not just the most recent** (default): Determins if a changed page is displayed several times in the filtered time period or if only the latest change is listed.
- Add direct unwatch/watch markers (×/+) to watched pages with changes (JavaScript required for toggle functionality): An icon for the direct removal of the page from the watchlist is available.



22 March	2023
0 ×	13:23 MLR:Test1 [pending edits] (diff hist) (+22) Maximilian Achterbahn (→Heading 1) [rollback 6 edits]
° ×	12:54 Test (diff hist) (+5) Maximilian Achterbahn [rollback 1 edit]
17 March	2023
3 ×	17:03 FB:Yet another page [pending edits] (diff hist)(-43)WikiSysop [rollback 4 edits]
Direct markers read	: (1) Changes have been read, (2) remove from watchlist, (3) changes have not been

- **Use non-JavaScript interface:** A basic view of the watchlist loads (without special filter menu and without highlighting options).
- Add pages I review to my watchlist (until BlueSpice 4.2): Automatically adds pages the user approves to the watchlist.

Changes shown

These settings configure a standard filter for the watchlist. By default, no filter is applied. Possible standard filters are:

- Hide minor edits from the watchlist
- Hide bot edits from the watchlist
- Hide my edits from the watchlist
- Hide edits by anonymous users from the watchlist
- Hide edits by logged in users from the watchlist

Active filters	Hide
Changes by others X Non-minor edits X	
Filter changes (use menu or search for filter name)	Namespaces Tags
► Live updates Hide: ✓ social entities Show	250 changes, 7 days 🗸
Standard filter with preset values from the preferences settings	

Watched pages

These settings determin which pages are automatically added to the watchlist by preselecting the checkbox *Watch this page* of the related dialog window. If no dialog window is available, the addition to the watchlist automatically happens in the background:

• Add pages and files I edit to my watchlist (default)





×	Save your changes	Save changes
Summary:		
Describe what you o	hanged	
This is a minor e	edit 🔽 Watch this page	
Review your changes		
Pre-checked watchlist checkbox		

- Add pages and files I move to my watchlist
- Add pages and files I delete to my watchlist
- Add pages I create and files I upload to my watchlist (default)
- Add pages where I have performed a rollback to my watchlist
- Add new files I upload to my watchlist (default)

Token

Watchlist token: The token can be used to create a public RSS feed to your watchlist. Anyone who knows this token can access the feed. The syntax for the feed URL is: https://[YourWikiDomain]/w
 /api.php?action=feedwatchlist&wlowner=[USERNAME]&wltoken=[TOKEN]

Notifications

Important! Notification don't consider the edit type "Minor edit". Therefore, notifications are sent even in the case where a user makes a minor edit.

Here you can set how and when you would like to receive notifications in email and/or in the notifications area of your user profile (Web notifications). If you haven't received email notifications yet, make sure that your email adress has been verified. This information is available in the *User profile* tab, under the section *Email options*.

To view your Web notifications, go to your User profile menu and select Notifications.

Natchlist Notifications (5)	
Reminders User dashboard	d
Contributions Preferences	
Assignments Log out	
Privacy center	
•	



The user profile image in the main toolbar and the *Notifications* menu item show the number of new notifications. Notifications can set for a variety of events, such as new assignments or reminders. You can also select to be notified about changes only in certain namespaces or categories.

To configure which notifications you want to get, click on *Preferences* in the *Settings* menu (3).

Email options

You can specify how often you receive emails: never, immediately, daily, or weekly.

Email options	
Send me:	Individual notifications as they come in $\ \checkmark$
Send to:	Set an email address
notification email options	

If you unexpectedly don't receive emails for notifications, check under the *User profile* tab to make sure that you have already confirmed your email account.

Email confirmation:	Your email address is not yet confirmed. No email will be sent for any of the following features. Confirm your email address	
unconfirmed email address		

Notify me about these events

Notifications can be displayed in the Notifications page of the wiki. This functionality is provided by the MediaWiki extension *Echo*.

New message indicator

This setting currently has no effect in BlueSpice. It is a configuration setting for the MediaWiki extension Extension:Echo|Echo (echo-show-alert).

Notifications on namespace events

Select for which namespaces you want to receive notifications.

Notifications on categories

Select for pages in which categories you want to receive notifications.

Review

• Notify me about changes if I am the owner of a review: Select if you want to be notified in email of any workflow changes of a review workflow if you are the owner of the review.



• Notify me about changes if I am the reviewer of a review: Select if you want to be notified in email of any workflow changes of a review workflow if you are the owner of the review.

Under the settings for *Notify me about these events*, you can set if and how you want to be notified if someone assigns a review task to you.

Extended Search

Here you can set which namespaces you want to include in your search results. This can be useful if you work in only some areas of the wiki or if you are looking for information in a few areas of your wiki only.

Semantic MediaWiki

These user preferences are provided by Semantic MediaWiki. If you would like to change these settings, you can visit the corresponding help page.

Resetting all preferences

If you click *Restore all default settings (in all sections),* all your customizations on all tabs are reset to their default settings. Since this could affect lots of customized settings, a warning page appears before the reset.

You can use this page to reset your preferences to the site defaults. This cannot be undone.					
Restore all default settings (in all sections)					
restoring default settings					

Use the browser's back button if you do not want to restore the default settings.

Redaktion





Name

Redaktion

L Redakt	tion			
Re	Name	Redaktion		