

## Contents

1. File:ja.png .....	2
2. Setup:Software Catalogue .....	2
3. Template:Checkmark .....	19
4. User talk:Mlink-rodrigue .....	19
5. User:Mlink-rodrigue .....	20

## File:ja.png

- [File](#)
- [File history](#)
- [File usage](#)



No higher resolution available.

[ja.png](#) (22 × 20 pixels, file size: 378 bytes, MIME type: image/png)

## File history

Click on a date/time to view the file as it appeared at that time.

	Date/Time	Thumbnail	Dimensions	User	Comment
current	<a href="#">15:47, 15 January 2021</a>		22 × 20 (378 bytes)	<a href="#">Mlink-rodrigue</a> ( <a href="#">talk</a>   <a href="#">contribs</a> )	

- You cannot overwrite this file.

## File usage

The following 2 pages link to this file:

- [Template:Checkmark](#)
- [Setup:Software Catalogue](#)

## Setup:Software Catalogue

A [quality version](#) of this page, [approved](#) on *30 August 2021*, was based off this revision.

A list of all MediaWiki and BlueSpice extensions for the current version of BlueSpice.

**Note:** The extensions *EditNotify* and *BlueSpiceEditNotifyConnector* are no longer included starting BlueSpice 3.2. The functionality is now included in BlueSpiceEchoConnector.

## List of Extensions (190)

- [Additionally required license for DocX export \(optional\)](#)

Legend:

- ◯: Extension is **not included** in this Edition
- : Extension is **included**, but **deactivated** by default

✓: Extension is **included** and is **activated** by default

Extension	Description	License	Main-tainer	free	pro	farm
<a href="#">Arrays</a>	Store and compute named arrays	<a href="#">MIT</a>	MW	✓	✓	✓
<a href="#">Auth remoteuser</a>	Automatically logs-in users using the <code>REMOTE_USER</code> environment variable	<a href="#">GPL v2</a>	MW	■	■	■
<a href="#">BlueSpiceAbout</a>	Information about BlueSpice		BS	✓	✓	✓
<a href="#">BlueSpiceArticleInfo</a>	Provides information about a page in status bar		BS	✓	✓	✓
<a href="#">BlueSpiceArticlePreviewCapture</a>	Creates preview images of wikipages for dynamic file dispatcher		BS	⊘	✓	✓
<a href="#">BlueSpiceAuthors</a>	Displays the profile picture for authors of a page		BS	✓	✓	✓
<a href="#">BlueSpiceAvatars</a>	Assigns an automatically generated individual profile picture for every user.	<a href="#">GPL v3</a>	BS	✓	✓	✓
<a href="#">BlueSpiceBookshelf</a>	Enables BlueSpice to manage and export hierarchical collections of articles.		BS	⊘	✓	✓
<a href="#">BlueSpiceBookshelfUI</a>	provides a graphical administration interface for creating, editing and managing books.	<a href="#">GPL v3</a>	BS	⊘	✓	✓
<a href="#">BlueSpiceCalumma</a>	BlueSpice Skin		BS	✓	✓	✓
<a href="#">BlueSpiceCategoryCheck</a>	Checks for assigned category before an article gets saved		BS	⊘	✓	✓
	Visual tool to manage					

Extension	Description	License	Main-tainer	free	pro	farm
<a href="#">BlueSpiceCategoryManager</a>	categories		BS	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">BlueSpiceChecklist</a>	Provides checklist functionality		BS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">BlueSpiceCloudClient</a>	encapsulates all cloud specific functionality	GPL v3	BS	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<a href="#">BlueSpiceConfigManager</a>	Offers the possibility to admins, to configurate the whole wiki from a single special page		BS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">BlueSpiceContextMenu</a>	Provides context menus for various links		BS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">BlueSpiceCountThings</a>	Provides content based statistics		BS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">BlueSpiceCustomMenu</a>	Provides customizable menus		BS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">BlueSpiceDashboards</a>	Provides dashboards for users and administrators		BS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">BlueSpiceDistributionConnector</a>	Connects BlueSpice to various MediaWiki extensions		BS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">BlueSpiceDrawioConnector</a>	Connects BlueSpice to Drawio		BS	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">BlueSpiceEchoConnector</a>	Connects BlueSpice with Echo		BS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">BlueSpiceEditNotifyConnector</a>	Provides an interface between BlueSpice and the extension EditNotify. (not included from v3.2 on)	GPL v3	BS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">BlueSpiceEmoticons</a>	Renders emoticons in a text as images		BS	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">BlueSpiceExpiry</a>	Pages can be marked as expired.		BS	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>























Extension	Description	License	Main-tainer	free	pro	farm
<a href="#">BlueSpiceExportTables</a>	Allows export of tables to Excel and CSV		BS			
<a href="#">BlueSpiceExtendedFilelist</a>	Provides a special page to interact with the wiki file repo		BS			
<a href="#">BlueSpiceExtendedSearch</a>	Elasticsearch search backend		BS			
<a href="#">BlueSpiceExtendedStatistics</a>	Statistics module for BlueSpice		BS			
<a href="#">BlueSpiceFilterSpecialPages</a>	Inserts a field in Special: Specialpages to provide a search function.	GPL v2	BS			
<a href="#">BlueSpiceFilterableTables</a>	Provides a filterable content tables		BS			
<a href="#">BlueSpiceFlaggedRevsConnector</a>	Adds support for FlaggedRevs to a range of other extensions.		BS			
<a href="#">BlueSpiceFoundation</a>	Makes MediaWiki enterprise ready		BS			
<a href="#">BlueSpiceGroupManager</a>	Administration interface for adding, editing and deleting user groups and their rights		BS			
<a href="#">BlueSpiceHideTitle</a>	Adds the magic word <code>'"UNIQ--nowiki-00000002-QINU`"'</code> to hide the title of the page		BS			
<a href="#">BlueSpiceInsertCategory</a>	Dialog to enter a category link		BS			
<a href="#">BlueSpiceInsertFile</a>	Dialog to upload files and insert a file link		BS			
<a href="#">BlueSpiceInsertLink</a>	Dialog box to enter a link		BS			

Extension	Description	License	Main-tainer	free	pro	farm
<a href="#">BlueSpiceInsertMagic</a>	Adds a dialog allowing the insertion of magic words and tags		BS	✓	✓	✓
<a href="#">BlueSpiceInterWikiLinks</a>	Administration interface for adding, editing and deleting interwiki links.	<a href="#">GPL v3</a>	BS	✓	✓	✓
<a href="#">BlueSpiceInterwikiSearch</a>	Simultaneous search in multiple wikis	<a href="#">GPL v3</a>	BS	✓	✓	✓
<a href="#">BlueSpiceMatomoConnector</a>	Interface between BlueSpice and the Matomo analytics tool	<a href="#">GPL v3</a>	BS	⊘	✓	✓
<a href="#">BlueSpiceMultiUpload</a>	Provides batch uploading of files		BS	⊘	✓	✓
<a href="#">BlueSpiceNSFileRepoConnector</a>	Integrates NSFileRepo in a range of BlueSpice Extensions (Requires NSFileRepo)		BS	⊘	✓	✓
<a href="#">BlueSpiceNamespaceCSS</a>	Namespace specific styling		BS	✓	✓	✓
<a href="#">BlueSpiceNamespaceManager</a>	Administration interface for adding, editing and deleting namespaces		BS	✓	✓	✓
<a href="#">BlueSpicePageAccess</a>	Controls access on page level		BS	✓	✓	✓
<a href="#">BlueSpicePageAssignments</a>	Enables you to assign users or groups to a page		BS	✓	✓	✓
<a href="#">BlueSpicePageFormsConnector</a>	Integrates PageForms extension into BlueSpice		BS	⊘	✓	✓
<a href="#">BlueSpicePageTemplates</a>	Displays a list of templates marked as page templates		BS	✓	✓	✓
	Provides a personalized list of the last visited					

Extension	Description	License	Main-tainer	free	pro	farm
<a href="#">BlueSpicePagesVisited</a>	pages		BS	✓	✓	✓
<a href="#">BlueSpicePermissionManager</a>	Administration interface for editing user rights		BS	✓	✓	✓
<a href="#">BlueSpicePlayer</a>	Embed a media player on a page.		BS	⊘	✓	✓
<a href="#">BlueSpicePrivacy</a>	Management page for user privacy settings		BS	■	■	■
<a href="#">BlueSpiceQrCode</a>	Displays a QR code with a link to the current page in the toolbar.		BS	✓	✓	✓
<a href="#">BlueSpiceRSSFeeder</a>	An extension to output valid RSS for every extension, which has a buildRss-function		BS	✓	✓	✓
<a href="#">BlueSpiceRating</a>	Provides a rating system		BS	⊘	✓	✓
<a href="#">BlueSpiceReadConfirmation</a>	Extension to collect read confirmations for a page		BS	⊘	✓	✓
<a href="#">BlueSpiceReaders</a>	Creates a list of the people who read a page		BS	✓	✓	✓
<a href="#">BlueSpiceReminder</a>	Gives the user the opportunity to create reminders.		BS	⊘	✓	✓
<a href="#">BlueSpiceReview</a>	Adds workflow functionality to pages		BS	⊘	✓	✓
<a href="#">BlueSpiceReviewExtended</a>	with this workflow tool, users can start a review process of single articles by several users.	GPL v3	BS	⊘	✓	✓
<a href="#">BlueSpiceSMWConnector</a>	Integrates SemanticMediaWiki into BlueSpice		BS	⊘	✓	✓

Extension	Description	License	Main-tainer	free	pro	farm
<a href="#">BlueSpiceSaferEdit</a>	Provides warnings if other users are editing the page		BS	✓	✓	✓
<a href="#">BlueSpiceSignHere</a>	Provides a tag to quickly add a signature to a page		BS	⊘	✓	✓
<a href="#">BlueSpiceSmartList</a>	Displays the last five changes of the wiki in a list		BS	✓	✓	✓
<a href="#">BlueSpiceSocial</a>	Base extension for social extensions		BS	⊘	✓	✓
<a href="#">BlueSpiceSocialArticleActions</a>	Adds basic article action entries to BlueSpiceSocial		BS	⊘	✓	✓
<a href="#">BlueSpiceSocialBlog</a>	Blog entity for BlueSpiceSocial		BS	⊘	✓	✓
<a href="#">BlueSpiceSocialComments</a>	Comment functionality for BlueSpiceSocial		BS	⊘	✓	✓
<a href="#">BlueSpiceSocialMicroBlog</a>	Microblog functionality for BlueSpiceSocial		BS	⊘	✓	✓
<a href="#">BlueSpiceSocialProfile</a>	Profile entity for BlueSpiceSocial		BS	⊘	✓	✓
<a href="#">BlueSpiceSocialRating</a>	Rating functionality for BlueSpiceSocial-entities		BS	⊘	✓	✓
<a href="#">BlueSpiceSocialResolve</a>	Resolve functionality for BlueSpiceSocial-entities		BS	⊘	✓	✓
<a href="#">BlueSpiceSocialTags</a>	Adds tagging functionality to social entities		BS	⊘	✓	✓
<a href="#">BlueSpiceSocialTimelineUpdate</a>	Update functionality for BlueSpiceSocialTimeline		BS	⊘	✓	✓
	Topic and discussion entities for					



Extension	Description	License	Main-tainer	free	pro	farm
<a href="#">BlueSpiceSocialTopics</a>	BlueSpiceSocial		BS			
<a href="#">BlueSpiceSocialWatch</a>	Watch-functionality for BlueSpiceSocial-entities		BS			
<a href="#">BlueSpiceSocialWikiPage</a>	WikiPage entity and functionality for BlueSpiceSocial		BS			
<a href="#">BlueSpiceTagCloud</a>	Displays various tag clouds		BS			
<a href="#">BlueSpiceTagSearch</a>	allows the integration of a configurable search field in articles.	GPL v3	BS			
<a href="#">BlueSpiceUEModuleBookPDF</a>	Enables BlueSpice export hierarchical collections of articles to Adobe® Portable Document Format (PDF).		BS			
<a href="#">BlueSpiceUEModuleDOCX</a>	bs-uemoduledocx-extension-description		BS			
<a href="#">BlueSpiceUEModuleHTML</a>	Enables export to HTML		BS			
<a href="#">BlueSpiceUEModulePDF</a>	Enables MediaWiki to export pages into PDF format		BS			
<a href="#">BlueSpiceUEModulePDFRecursive</a>	Enables recursive export of pages into PDF format.		BS			
<a href="#">BlueSpiceUEModulePDFSubpages</a>	export an article and subpages to PDF format.	GPL v3	BS			
<a href="#">BlueSpiceUEModuleTable2Excel</a>	Enables export to Excel formats and CSV		BS			
<a href="#">BlueSpiceUniversalExport</a>	Enables MediaWiki to export pages into different formats		BS			

Extension	Description	License	Main-tainer	free	pro	farm
<a href="#">BlueSpiceUsageTracker</a>	Holds statistical data about extension use		BS	✓	✓	✓
<a href="#">BlueSpiceUserInfo</a>	Provides flyouts with user informations for user images and links		BS	⊘	✓	✓
<a href="#">BlueSpiceUserManager</a>	Administration interface for adding, editing and deleting users		BS	✓	✓	✓
<a href="#">BlueSpiceUserMergeConnector</a>	Connects BlueSpice with UserMerge		BS	✓	✓	✓
<a href="#">BlueSpiceUserSidebar</a>	Customizable personal navigation menu		BS	✓	✓	✓
<a href="#">BlueSpiceVisualDiff</a>	Formatted display of differences between two revisions.		BS	⊘	✓	✓
<a href="#">BlueSpiceVisualEditorConnector</a>	Connects BlueSpice with VisualEditor		BS	✓	✓	✓
<a href="#">BlueSpiceWatchList</a>	Adds a watchlist widget and tag		BS	✓	✓	✓
<a href="#">BlueSpiceWebDAVClientIntegration</a>	Allows opening files from the browser directly in the client application (Requires WebDAV)		BS	⊘	■	■
<a href="#">BlueSpiceWebDAVMinorSave</a>	bs-webdavminorsave-desc		BS	⊘	■	■
<a href="#">BlueSpiceWholsOnline</a>	Displays a list of users who are currently online		BS	✓	✓	✓
<a href="#">BlueSpiceWikiExplorer</a>	Sort articles by criteria		BS	⊘	✓	✓
<a href="#">BlueSpiceWikiFarm</a>	User interface for managing wiki instances.	GPL v3	BS	⊘	⊘	✓
	Provides the Bootstrap					

Extension	Description	License	Main-tainer	free	pro	farm
<a href="#">Bootstrap</a>	framework in the wiki	<a href="#">GPL v3</a>	MW	✓	✓	✓
<a href="#">CategoryTree</a>	Enables you to displays categories and subcategories in a tree structure.	<a href="#">GPL v3</a>	MW	✓	✓	✓
<a href="#">Cite</a>	Allows a user to create footnotes by using a special tag.	<a href="#">GPL v2</a>	MW	✓	✓	✓
<a href="#">CiteThisPage</a>	Extension provides a special page which allows creating a citation for a page in variety of styles.	<a href="#">GPL v2</a>	MW	✓	✓	✓
<a href="#">CodeEditor</a>	Syntax-highlighted editing for JavaScript and CSS pages using Ace editor	<a href="#">GPL v2+ and BSD 3 Clause</a>	MW	✓	✓	✓
<a href="#">ConfirmAccount</a>	Requires submission and approval of accounts.	<a href="#">GPL v2</a>	MW	⊘	⊘	⊘
<a href="#">ConfirmEdit</a>	Enables the user to place various CAPTCHA methods to protect the wiki from spambots.	<a href="#">GPL v2</a>	MW	■	■	■
<a href="#">ContentTransfer</a>	Copies new or existing wiki pages into a different wiki. (v3.2 and up)	<a href="#">GPL v3</a>	BS	⊘	⊘	■
<a href="#">CookieWarning</a>	Provides a notice at the top of the page about cookies	<a href="#">MIT</a>	MW	■	■	■
<a href="#">DrawioEditor</a>	Integration of diagrams	<a href="#">MIT</a>	MW	⊘	✓	✓
<a href="#">Duplicator</a>	Provides a page to simply create copies of articles.	-	MW	⊘	✓	✓
	Create lists of other					

Extension	Description	License	Main-tainer	free	pro	farm
<a href="#">DynamicPageList3</a>	articles based on their category, namespace, title, references or template usage and include contents or arguments of template calls of those articles into your page.	<a href="#">GPL v2</a>	MW	✓	✓	✓
<a href="#">Echo</a>	Provides an in-wiki notification system that can be used by other extensions.	<a href="#">MIT</a>	MW	✓	✓	✓
<a href="#">EditNotify</a>	Provides special notifications when creating / editing articles. (not included from v3.2 on)	<a href="#">MIT</a>	MW	✓	✓	✓
<a href="#">EmbedVideo</a>	Adds a parser function called <code>#ev</code> for embedding video clips from popular video sharing services.	<a href="#">MIT</a>	MW	✓	✓	✓
<a href="#">ExtJSBase</a>	Adds the GPL version of Sencha Inc. ExtJS Rich Internet Application Framework	<a href="#">GPL v3</a>	BS	✓	✓	✓
<a href="#">FlaggedRevs</a>	Allows for article content management by editors and reviewers.	<a href="#">GPL v2</a>	MW	⊘	✓	✓
<a href="#">FlexiSkin</a>	allows to customize the skin of the wiki.	<a href="#">GPL v2</a>	MW	⊘	⊘	⊘
<a href="#">Gadgets</a>	Provides a way for users to pick JavaScript or CSS based "gadgets" that other wiki users provide.	<a href="#">GPL v2</a>	MW	✓	✓	✓
	displays top-level headers as JavaScript-					

Extension	Description	License	Main-tainer	free	pro	farm
<a href="#">Header Tabs</a>	based tabs.	<a href="#">GPL v2</a>	MW	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">HitCounters</a>	Counts the hits of a page/article.	<a href="#">GPL v3</a>	MW	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">ImageMap</a>	Allows clickable HTML image maps.	<a href="#">GPL v2</a>	MW	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">ImageMapEdit</a>	automates and simplifies a large part of the process.	<a href="#">GPL v2</a>	MW	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">InputBox</a>	Allows to integrate HTML forms into wiki pages.	<a href="#">MIT</a>	MW	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">InsertTemplate</a>	provides a dialog interface to add and modify templates in edit mode. A preview can be shown.	<a href="#">GPL v3</a>	BS	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">Interwiki</a>	Provides a special page for maintaining the Interwiki table.	<a href="#">GPL v2</a>	MW	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<a href="#">InviteSignup</a>	Allows to send email invitations for account creation.	<a href="#">GPL v2</a>	MW	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<a href="#">LDAP Authorization</a>	Allows group-based authorization against an LDAP resource.	<a href="#">MIT</a>	MW	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<a href="#">LDAPAuthentication2</a>	Allows authentication against an LDAP resource	<a href="#">GPL v2</a>	MW	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<a href="#">LDAPGroups</a>	Allows user group synchronization with a LDAP resource	<a href="#">GPL v2</a>	MW	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<a href="#">LDAPProvider</a>	Provides a common infratructure to connect to a LDAP resource and run queries against it	<a href="#">GPL v2</a>	MW	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Extension	Description	License	Main-tainer	free	pro	farm
<a href="#">LDAPSyncAll</a>	Mechanism which synchronizes users in the database and users in Active Directory. (v3.2 and up)	<a href="#">GPL v2</a>	MW	■	■	■
<a href="#">LDAPUserInfo</a>	Ermöglicht die Synchronisation von Benutzerinformation und Einstellungen mit einer LDAP Ressource.	<a href="#">GPL v2</a>	MW	⊘	■	■
<a href="#">LatexRenderer</a>	Renders LaTeX markup on a Windows server.	<a href="#">GPL v3</a>	BS	⊘	✓	✓
<a href="#">Lingo</a>	Provides hover-over tool tips on pages from words defined on the Glossar page	<a href="#">GPL v2</a>	MW	✓	✓	✓
<a href="#">LocalisationUpdate</a>	Allows to update the localizations for MediaWiki messages at any time, without needing to upgrade the MediaWiki software.	<a href="#">GPL v2</a>	MW	■	■	■
<a href="#">LoginNotify</a>	Notifies users about unusual login events.	<a href="#">MIT</a>	MW	⊘	⊘	⊘
<a href="#">Maps</a>	allows users to display maps and coordinate data using multiple mapping services.	<a href="#">GPL v2</a>	MW	⊘	✓	✓
<a href="#">Math</a>	Renders mathematical formulas between math tags	<a href="#">GPL v2</a>	MW	⊘	✓	✓
<a href="#">MediaWiki</a>		<a href="#">GPL v2</a>	MW	✓	✓	✓
<a href="#">MergeArticles</a>	Merge corresponding pages in wiki instances.	<a href="#">GPL v3</a>	BS	⊘	⊘	■
	Provides a better experience to users when they click on					

Extension	Description	License	Main-tainer	free	pro	farm
<a href="#">MultimediaViewer</a>	thumbnails	<a href="#">GPL v2</a>	MW	✓	✓	✓
<a href="#">NSFileRepo</a>	implements per-namespace group permissions for image and file rights protection.	<a href="#">GPL v2</a>	BS	⊘	✓	✓
<a href="#">NativeSvgHandler</a>	Display of graphics in SVG format	<a href="#">GPL v2</a>	MW	⊘	✓	✓
<a href="#">Nuke</a>	Extension for administrators to delete more than one page at once.	<a href="#">GPL v2</a>	MW	✓	✓	✓
<a href="#">OATHAuth</a>	Provides authentication support using HMAC-based one-time passwords	<a href="#">GPL v3</a>	MW	■	■	■
<a href="#">OOJSPlus</a>	Provides Widgets and utility functions for OOJS	<a href="#">GPL v3</a>	BS	✓	✓	✓
<a href="#">OpenID Connect</a>	Extends the PluggableAuth extension to provide authentication using OpenID Connect.	<a href="#">MIT</a>	MW	⊘	⊘	⊘
<a href="#">OpenLayers</a>	basic library for the grafical representation /chart of semantic data.	<a href="#">GPL v2</a>	MW	⊘	✓	✓
<a href="#">Page Forms</a>	Forms for creating and editing wiki pages	<a href="#">GPL v2</a>	MW	⊘	✓	✓
<a href="#">Page Schemas</a>	defines the data structure for all pages in a category using XML.	<a href="#">GPL v2</a>	MW	⊘	✓	✓
<a href="#">PageImages</a>	Collects information about images used on page	<a href="#">WTFPL</a>	MW	⊘	✓	✓
	Enhance parser with					

Extension	Description	License	Main-tainer	free	pro	farm
<a href="#">ParserFunctions</a>	logical functions	<a href="#">GPL v2</a>	MW	✓	✓	✓
<a href="#">ParserHooks</a>	adds a OOP and declarative parser hook interface.	<a href="#">GPL v2</a>	MW	⊘	✓	✓
<a href="#">PdfHandler</a>	Shows uploaded PDF files in a multipage preview layout.	<a href="#">GPL v2</a>	MW	■	■	■
<a href="#">PluggableAuth</a>	Provides framework for pluggable authentication and authorization	<a href="#">MIT</a>	MW	■	■	■
<a href="#">Poem</a>	Create paragraphs and line breaks for poem formatting	<a href="#">GPL v2</a>	MW	■	■	■
<a href="#">Popups</a>	Displays previews when the user hovers over a page link	<a href="#">GPL v2</a>	MW	⊘	✓	✓
<a href="#">Quiz</a>	Allows the creation of quizzes.	<a href="#">GPL v2</a>	MW	✓	✓	✓
<a href="#">RSS</a>	Renders RSS feeds to display them in wiki articles.	<a href="#">GPL v2</a>	MW	✓	✓	✓
<a href="#">Renameuser</a>	Provides a special page that allows user accounts to be renamed.	<a href="#">GPL v2</a>	MW	✓	✓	✓
<a href="#">Replace Text</a>	Provides a form to let administrators do string replacements on the entire wiki, for both page contents and page titles.	<a href="#">GPL v2</a>	MW	✓	✓	✓
<a href="#">Scribunto</a>	provides a framework for embedding scripting languages into articles.	<a href="#">GPL v2+ and MIT</a>	MW	⊘	✓	✓
	defines a parser					



Extension	Description	License	Main-tainer	free	pro	farm
<a href="#">Semantic Compound Queries</a>	function, #compound_query, that can make multiple Semantic MediaWiki queries at the same time.	<a href="#">GPL v2</a>	MW	<input type="radio"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">Semantic Extra Special Properties</a>	Adds some extra special properties to all pages	<a href="#">GPL v2</a>	MW	<input type="radio"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">Semantic Internal Objects</a>	defines a parser function, #set_internal, that is used to define "internal objects" or "n-ary relations" within Semantic MediaWiki.	<a href="#">GPL v2</a>	MW	<input type="radio"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">Semantic MediaWiki</a>	allows users to add structured data to wiki pages through simple wikitext markup that turns links to other pages and data values in a page into meaningful properties. With this information, SMW helps to search, organize, browse, evaluate, and share the wiki's content.	<a href="#">GPL v2</a>	MW	<input type="radio"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">Semantic Result Formats</a>	Adds further formats to render inline query results.	<a href="#">GPL v2</a>	MW	<input type="radio"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">Semantic Scribunto</a>	A Semantic MediaWiki extension to natively support the Scribunto extension	<a href="#">GPL v2+ and MIT</a>	MW	<input type="radio"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
<a href="#">SimpleSAMLphp</a>	Provides authentication using SimpleSAMLphp in conjunction with PluggableAuth	<a href="#">MIT</a>	MW	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Create and manage					

Extension	Description	License	Main-tainer	free	pro	farm
<a href="#">SpamBlacklist</a>	blacklists based on URL patterns to avoid spam in the wiki.	<a href="#">GPL v2</a>	MW	■	■	■
<a href="#">SyntaxHighlight</a>	Provides syntax highlighting and code rendering.	<a href="#">GPL v2</a>	MW	✓	✓	✓
<a href="#">TemplateData</a>	Implement data storage for template parameters (using JSON)	<a href="#">GPL v2</a>	MW	⊘	✓	✓
<a href="#">TemplateStyles</a>	Implement per-template style sheets	<a href="#">GPL v2</a>	MW	✓	✓	✓
<a href="#">TextExtracts</a>	Provides plain-text or limited HTML extracts of page content	<a href="#">GPL v2</a>	MW	⊘	✓	✓
<a href="#">TitleBlacklist</a>	Manage black- and whitelist to forbid creating new articles and user accounts.	<a href="#">GPL v2</a>	MW	■	■	■
<a href="#">TitleKey</a>	Provides a title prefix search suggestion backend.	<a href="#">GPL v2</a>	MW	✓	✓	✓
<a href="#">TwoColConflict</a>	Showing a side-by-side edit merge screen for edit conflict resolution	<a href="#">GPL v2</a>	MW	✓	✓	✓
<a href="#">UrlGetParameters</a>	Usage of GET parameters of the URL on a wiki page.	<a href="#">GPL v2</a>	MW	✓	✓	✓
<a href="#">UserFunctions</a>	Enhance parser with user functions	<a href="#">GPL v2</a>	MW	✓	✓	✓
<a href="#">UserMerge</a>	Merges several users into one account.	<a href="#">GPL v3</a>	MW	✓	✓	✓
<a href="#">Validator</a>	provides generic parameter handling support to other extensions.	<a href="#">GPL v2</a>	MW	⊘	✓	✓

Extension	Description	License	Main-tainer	free	pro	farm
<a href="#">Variables</a>	Parser functions allowing to work with dynamic variables in an article scoped context	<a href="#">ISC</a>	MW	✓	✓	✓
<a href="#">VisualEditor</a>	Is an editor you can use without having to enter special markup.	<a href="#">MIT</a>	MW	■	✓	✓
<a href="#">WebAuthn</a>	Module for the OATHAuth extension that provides authentication using the WebAuthn API.	<a href="#">GPL v2</a>	MW	⊘	⊘	⊘
<a href="#">WebDAV</a>	Adds a WebDAV endpoint that exposes the wiki content	<a href="#">GPL v3</a>	BS	⊘	■	■
<a href="#">Widgets</a>	integration of external content from social media sites.	<a href="#">GPL v2</a>	MW	⊘	✓	✓
<a href="#">WikiEditor</a>	Provides an improved interface for editing Wikitext	<a href="#">GPL v2</a>	MW	✓	✓	✓

## Additionally required licenses

---

BlueSpice is delivered free of legal defects and without hidden additional licenses. There is only one extension which charges an additional fee for the enhancement of the existing function:

- [PHPDOCX Pro](#): This additional license is only needed if you want to use the export to DocX format.

## Template:Checkmark


✓

## User talk:Mlink-rodrique

New discussion.

[MLR \(talk\)](#) 09:10, 3 December 2019 (CET)

## MLR



Name MLR

**MLR edited the article [Setup:Release Notes](#)** Created one month and 2 weeks ago

**MLR** Created 2 years ago

Name MLR

**MLR edited the article [Setup:Release Notes](#)** Created one month and 2 weeks ago

**MLR edited the article [Manual:Extension/BlueSpiceExtendedStatistics](#)** Created one month and 2 weeks ago

**MLR edited the article [Manual:Extension/BlueSpiceExtendedStatistics](#)** Created one month and 2 weeks ago

**MLR edited the article [Manual:Extension/BlueSpiceExtendedStatistics](#)** Created one month and 2 weeks ago

**[Extension/DrawioEditor](#)** Created one year and 9 months ago [MLR](#)

**MLR edited the article [Manual:Extension](#)**  
**/DrawioEditor** Created one month and 2 weeks ago

**MLR edited the article [Manual:Extension](#)**  
**/DrawioEditor** Created one month and 2 weeks ago

**MLR added a new version of the file [File:HW-Action](#)**  
**points.zip** Created one month and 2 weeks ago