

Contents

1. File:nein.png	2
2. Setup:Software Catalogue	2
3. Template:FeatureNo	21
4. User:WikiSysop	21

File:nein.png

- [File](#)
- [File history](#)
- [File usage](#)



No higher resolution available.

[nein.png](#) (25 × 24 pixels, file size: 957 bytes, MIME type: image/png)

File history

Click on a date/time to view the file as it appeared at that time.

	Date/Time	Thumbnail	Dimensions	User	Comment
current	12:49, 20 December 2021		25 × 24 (957 bytes)	WikiSysop (talk contribs)	

You cannot overwrite this file.

File usage

The following 2 pages use this file:

- [Template:FeatureNo](#)
- [Setup:Software Catalogue](#)

Setup:Software Catalogue

A list of all MediaWiki and BlueSpice extensions for the current version of BlueSpice.

List of Extensions (205)

- [Additionally required license for DocX export \(optional\)](#)

Legend

- : Extension is **not included** in this Edition
- : Extension is **included**, but **deactivated** by default
- : Extension is **included** and is **activated** by default

Extension	Description	License	Main-tainer	free	pro	farm
Arrays	Store and compute named arrays	MIT	MW	✓	✓	✓
AtMentions 4.4	Add a user mention	GPL-3.0-only	MW	⊘	✓	✓
Auth remoteuser	Automatically logs-in users using the <code>REMOTE_USER</code> environment variable	GPL v2+	MW	■	■	■
BlueSpiceAbout	Information about BlueSpice	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceArticleInfo	Provides information about a page in status bar	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceArticlePreviewCapture	Creates preview images of wikipages for dynamic file dispatcher	GPL-3.0-only	BS	⊘	✓	✓
BlueSpiceAvatars	Provides generic and individual user pictures	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceBookshelf	Enables BlueSpice to manage and export hierarchical collections of articles.	GPL-3.0-only	BS	⊘	✓	✓
BlueSpiceCategoryCheck	Checks for assigned category before an article gets saved	GPL-3.0-only	BS	⊘	✓	✓
BlueSpiceCategoryManager	Visual tool to manage categories	GPL-3.0-only	BS	⊘	✓	✓
BlueSpiceChecklist	Provides checklist functionality	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceCloudClient	encapsulates all cloud specific functionality	GPL v3	BS	⊘	⊘	⊘
BlueSpiceConfigManager	Offers the possibility to admins, to configurate the whole wiki from a single special page	GPL-3.0-only	BS	✓	✓	✓

Extension	Description	License	Main-tainer	free	pro	farm
BlueSpiceContextMenu	Provides context menus for various links	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceCountThings	Provides content based statistics	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceCustomMenu	Provides customizable menus	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceDashboards	Provides dashboards for users and administrators	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceDiscovery	BlueSpice skin	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceDistributionConnector	Connects BlueSpice to various MediaWiki extensions	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceDrawioConnector -4.2.x	Connects BlueSpice to Drawio	GPL-3.0-only	BS	⊗	✓	✓
BlueSpiceEchoConnector 4.4.1	Connects BlueSpice with Echo	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceEmoticons	Renders emoticons in a text as images	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceExpiry	Pages can be marked as expired.	GPL-3.0-only	BS	⊗	✓	✓
BlueSpiceExportTables	Allows export of tables to Excel and CSV	GPL-3.0-only	BS	⊗	✓	✓
BlueSpiceExtendedFilelist	Provides a special page to interact with the wiki file repo	GPL-3.0-only	BS	⊗	✓	✓
BlueSpiceExtendedSearch	Elasticsearch search backend	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceExtendedStatistics	Statistics module for BlueSpice	GPL-3.0-only	BS	■	✓	✓
BlueSpiceFilterableTables	Provides a filterable content tables	GPL-3.0-only	BS	⊗	✓	✓

Extension	Description	License	Main-tainer	free	pro	farm
BlueSpiceFlaggedRevsConnector -4.2.x	Adds support for FlaggedRevs to a range of other extensions.	GPL-3.0-only	BS			
BlueSpiceFoundation	Makes MediaWiki enterprise ready	GPL-3.0-only	BS			
BlueSpiceGroupManager	Administration interface for adding, editing and deleting user groups and their rights	GPL-3.0-only	BS			
BlueSpiceHideTitle 4.3.2	Adds the magic word <code>''''UNIQ--nowiki-00001D33-QINU''''</code> to hide the title area of the page	GPL-3.0-only	BS			
BlueSpiceInsertCategory	Dialog to enter a category link	GPL-3.0-only	BS			
BlueSpiceInsertFile	Dialog to upload files and insert a file link	GPL-3.0-only	BS			
BlueSpiceInsertLink	Dialog box to enter a link	GPL-3.0-only	BS			
BlueSpiceInsertMagic -4.2.x	Adds a dialog allowing the insertion of magic words and tags	GPL-3.0-only	BS			
BlueSpiceInsertTemplate	provides a dialog interface to add and modify templates in edit mode. A preview can be shown.	GPL v3 only	BS			
BlueSpiceInstanceStatus 4.3	Adds an overview of the wiki instance status	GPL-3.0-only	BS			
BlueSpiceInterWikiLinks	Administration interface for adding, editing and deleting interwiki links	GPL-3.0-only	BS			
BlueSpiceInterwikiSearch	Simultaneous search in multiple wikis	GPL-3.0-only	BS			

Extension	Description	License	Main-tainer	free	pro	farm
BlueSpiceMultiUpload	Provides batch uploading of files	GPL-3.0-only	BS			
BlueSpiceNSFileRepoConnector	Integrates NSFileRepo in a range of BlueSpice Extensions (Requires NSFileRepo)	GPL-3.0-only	BS			
BlueSpiceNamespaceManager	Administration interface for adding, editing and deleting namespaces	GPL-3.0-only	BS			
BlueSpicePageAccess	Controls access on page level	GPL-3.0-only	BS			
BlueSpicePageAssignments	Enables you to assign users or groups to a page	GPL-3.0-only	BS			
BlueSpicePageFormsConnector	Integrates PageForms extension into BlueSpice	GPL-3.0-only	BS			
BlueSpicePageTemplates	Displays a list of templates marked as page templates	GPL-3.0-only	BS			
BlueSpicePagesVisited	Provides a personalized list of the last visited pages	GPL-3.0-only	BS			
BlueSpicePermissionManager	Administration interface for editing user rights	GPL-3.0-only	BS			
BlueSpicePlayer	Embed a media player on a page.	GPL-3.0-only	BS			
BlueSpicePrivacy	Management page for user privacy settings	GPL-3.0-only	BS			
BlueSpiceProDistributionConnector	General interface between MediaWiki extensions and BlueSpice pro.	GPL v3 only	BS			
	Displays a QR code with a link to the current					

Extension	Description	License	Main-tainer	free	pro	farm
BlueSpiceQrCode	page in the toolbar.	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceRSSFeeder	An extension to output valid RSS for every extension, which has a buildRss-function	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceRating	Provides a rating system	GPL-3.0-only	BS	⊘	✓	✓
BlueSpiceReadConfirmation	Extension to collect read confirmations for a page	GPL-3.0-only	BS	⊘	✓	✓
BlueSpiceReaders	Creates a list of the people who read a page	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceReminder	Gives the user the opportunity to create reminders.	GPL-3.0-only	BS	⊘	✓	✓
BlueSpiceSMWConnector	Integrates SemanticMediaWiki into BlueSpice	GPL-3.0-only	BS	⊘	✓	✓
BlueSpiceSaferEdit	Provides warnings if other users are editing the page	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceSignHere	Provides a tag to quickly add a signature to a page	GPL-3.0-only	BS	⊘	✓	✓
BlueSpiceSmartList	Displays the last five changes of the wiki in a list	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceSocial	Base extension for social extensions	GPL-3.0-only	BS	⊘	✓	✓
BlueSpiceSocialBlog	Blog entity for BlueSpiceSocial	GPL-3.0-only	BS	⊘	✓	✓
BlueSpiceSocialComments	Comment functionality for BlueSpiceSocial	GPL-3.0-only	BS	⊘	✓	✓

Extension	Description	License	Main-tainer	free	pro	farm
BlueSpiceSocialMicroBlog	Microblog functionality for BlueSpiceSocial	GPL-3.0-only	BS		✓	✓
BlueSpiceSocialProfile	Profile entity for BlueSpiceSocial	GPL-3.0-only	BS		✓	✓
BlueSpiceSocialRating	Rating functionality for BlueSpiceSocial-entities	GPL-3.0-only	BS		✓	✓
BlueSpiceSocialResolve	Resolve functionality for BlueSpiceSocial-entities	GPL-3.0-only	BS		✓	✓
BlueSpiceSocialTags	Adds tagging functionality to social entities	GPL-3.0-only	BS		✓	✓
BlueSpiceSocialTimelineUpdate	Update functionality for BlueSpiceSocialTimeline	GPL-3.0-only	BS		✓	✓
BlueSpiceSocialTopics	Topic and discussion entities for BlueSpiceSocial	GPL-3.0-only	BS		✓	✓
BlueSpiceSocialWatch	Watch-functionality for BlueSpiceSocial-entities	GPL-3.0-only	BS		✓	✓
BlueSpiceTagCloud	Displays various tag clouds	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceUEModuleBookPDF	Enables BlueSpice export hierarchical collections of articles to Adobe® Portable Document Format (PDF).	GPL-3.0-only	BS		✓	✓
BlueSpiceUEModuleDOCX	bs-uemoduledocx-extension-description	GPL-3.0-only	BS	■	■	■
BlueSpiceUEModuleHTML	Enables export to HTML	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceUEModulePDF	Enables MediaWiki to export pages into PDF format	GPL-3.0-only	BS	✓	✓	✓

Extension	Description	License	Main-tainer	free	pro	farm
BlueSpiceUEModulePDFRecursive	Enables recursive export of pages into PDF format.	GPL-3.0-only	BS		✓	✓
BlueSpiceUEModulePDFSubpages	export an article and subpages to PDF format.	GPL v3 only	BS		✓	✓
BlueSpiceUEModuleTable2Excel	Enables export to Excel formats and CSV	GPL-3.0-only	BS		✓	✓
BlueSpiceUniversalExport	Enables MediaWiki to export pages into different formats	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceUsageTracker	Holds statistical data about extension use	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceUserInfo	Provides flyouts with user informations for user images and links	GPL-3.0-only	BS		✓	✓
BlueSpiceUserManager	Administration interface for adding, editing and deleting users	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceUserSidebar	Customizable personal navigation menu	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceVisualEditorConnector	Connects BlueSpice with VisualEditor	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceWatchList	Adds a watchlist widget and tag	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceWebDAVClientIntegration	Allows opening files from the browser directly in the client application (Requires WebDAV)	GPL-3.0-only	BS		■	■
BlueSpiceWebDAVMinorSave	Provides a mid-layer physical storage between a client application and the wiki	GPL-3.0-only	BS		■	■
	Displays a list of users					

Extension	Description	License	Main-tainer	free	pro	farm
BlueSpiceWholsOnline	who are currently online	GPL-3.0-only	BS	✓	✓	✓
BlueSpiceWikiExplorer	Sort articles by criteria	GPL-3.0-only	BS	⊘	✓	✓
BlueSpiceWikiFarm	User interface for managing wiki instances.	GPL v3	BS	⊘	⊘	✓
CategoryTree	Enables you to displays categories and subcategories in a tree structure.	GPL v3 only	MW	✓	✓	✓
Checklists 4.4	Provides checklists in VisualEditor	GPL-3.0-only	MW	⊘	✓	✓
Cite	Allows a user to create footnotes by using a special tag.	GPL v2+	MW	✓	✓	✓
CiteThisPage	Extension provides a special page which allows creating a citation for a page in variety of styles.	GPL v2+	MW	✓	✓	✓
CodeEditor	Syntax-highlighted editing for JavaScript and CSS pages using Ace editor	GPL v2+ and BSD 3 Clause	MW	✓	✓	✓
CodeMirror 4.2	Syntax highlighting in the wikitext editor.	GPL v2+	MW	✓	✓	✓
CognitiveProcessDesigner	Draw BPMN processes with a graphical user interface in Semantic MediaWiki	GPL-3.0-only	MW	⊘	✓	✓
ConfirmAccount	Requires submission and approval of accounts.	GPL v2+	MW	⊘	⊘	⊘
	Enables the user to place various CAPTCHA					

Extension	Description	License	Main-tainer	free	pro	farm
ConfirmEdit	methods to protect the wiki from spambots.	GPL v2+	MW	■	■	■
ContainerFilter 4.3	Allows to filter content elements within a page	GPL-3.0-only	BS	⊘	✓	✓
ContentDroplets 4.3	VisualEditor integration for inserting predefined content snippets	GPL-3.0-only	BS	✓	✓	✓
ContentProvisioning 4.4	English description of ContentProvisioning	GPL-3.0-only	MW	⊘	✓	✓
ContentStabilization 4.3	Allows users to mark pages as "approved" or "draft" and to view the most recent approved version of a page.	GPL-3.0-only	BS	⊘	✓	✓
ContentTransfer	Copies new or existing wiki pages into a different wiki. (v3.2 and up)	GPL v3	BS	⊘	⊘	■
CreateUserPage	Create user page for a user if it does not exist when the user logs in	MIT	MW	⊘	✓	✓
Data Transfer	Allows for importing and exporting the contents of a wiki's pages in XML and CSV form, using template calls to define the fields.	GPL v2+	MW	⊘	✓	✓
DateTimeTools 4.4	Provides date tools in VisualEditor	GPL-3.0-only	MW	⊘	✓	✓
DrawioEditor	Integration of diagrams	MIT	MW	⊘	✓	✓
	Create lists of other articles based on their category, namespace,					

Extension	Description	License	Main-tainer	free	pro	farm
DynamicPageList3	title, references or template usage and include contents or arguments of template calls of those articles into your page.	GPL v2+	MW	✓	✓	✓
Echo	Provides an in-wiki notification system that can be used by other extensions.	MIT	MW	✓	✓	✓
EmbedVideo -4.3.3	Adds a parser function called <code>#ev</code> for embedding video clips from popular video sharing services.	MIT	MW	✓	✓	✓
EmbedVideo (fork) 4.4	Adds a parser function called <code>#ev</code> for embedding video clips from popular video sharing services.	MIT	MW	⊘	✓	✓
EnhancedUpload 4.2, 4.x+	File upload	GPL v3 only	BS	✓	✓	✓
EventBus	Propagation of change events to a RESTful service.	GPL v2+	MW	⊘	✓	✓
ExtJSBase	Adds the GPL version of Sencha Inc. ExtJS Rich Internet Application Framework	GPL-3.0-only	BS	✓	✓	✓
External Data	allows for using and displaying values retrieved from various sources: external URLs, local wiki pages and local files (in CSV, GFF, JSON and XML formats), database tables, and LDAP servers.	GPL v2+	MW	⊘	✓	⊘

Extension	Description	License	Main-tainer	free	pro	farm
FilterSpecialPages	Inserts a field in Special: Specialpages to provide a search function.	GPL v2+	BS	✓	✓	✓
FlaggedRevs -4.2.x	Allows for article content management by editors and reviewers.	-	MW	⊗	✓	✓
FlexiSkin	Allows customizing of the skin	GPL-3.0-only	MW	✓	✓	✓
FontAwesome 4.3	Provides the FontAwesome icon fonts in the wiki	-	MW	✓	✓	✓
Forms	Allround form framework for MediaWiki	GPL-3.0-only	MW	⊗	✓	✓
Gadgets	Provides a way for users to pick JavaScript or CSS based "gadgets" that other wiki users provide.	GPL v2+	MW	✓	✓	✓
Header Tabs	displays top-level headers as JavaScript-based tabs.	GPL v2+	MW	⊗	✓	✓
HeaderFooter 4.2	Allows to include a header and footer area in the page content.	GPL v2+	MW	✓	✓	⊗
HitCounters	Counts the hits of a page/article.	GPL v3+	MW	✓	✓	✓
ImageMap	Allows clickable HTML image maps.	GPL v2+	MW	✓	✓	✓
ImageMapEdit	automates and simplifies a large part of the process.	GPL v2+	MW	✓	✓	✓
ImportOfficeFiles 4.2	Word-Import	GPL v3 only	BS	⊗	✓	✓

Extension	Description	License	Main-tainer	free	pro	farm
InputBox	Allows to integrate HTML forms into wiki pages.	MIT	MW	✓	✓	✓
Interwiki	Provides a special page for maintaining the Interwiki table.	GPL v2+	MW	■	■	■
InviteSignup 4.2	Allows to send email invitations for account creation.	GPL v2+	MW	✓	✓	⊘
LDAP Authorization	Allows group-based authorization against an LDAP resource.	MIT	BS	⊘	■	■
LDAPAuthentication2	Allows authentication against an LDAP resource	-	MW	⊘	■	■
LDAPGroups	Allows synchronization with an LDAP directory such as Microsoft ActiveDirectory	GPL-2.0	MW	⊘	■	■
LDAPProvider	Provides a common infratructure to connect to a LDAP resource and run queries against it	-	MW	⊘	■	■
LDAPSincAll	Mechanism by which users in the database and users in Active Directory are synchronized.	GPL-3.0-only	MW	⊘	■	■
LDAPUserInfo	Synchronisation of users with an LDAP directory	GPL-2.0	MW	⊘	■	■
Lingo	Provides hover-over tool tips on pages from words defined on the Glossar page	GPL v2+	MW	✓	✓	✓
	Allows to update the localizations for					

Extension	Description	License	Main-tainer	free	pro	farm
LocalisationUpdate	MediaWiki messages at any time, without needing to upgrade the MediaWiki software.	GPL v2+	MW	■	■	■
LoginNotify	Notifies users about unusual login events.	MIT	MW	⊘	⊘	⊘
Loops	Provides parser functions for performing loops.	-	MW	✓	✓	✓
Maps	allows users to display maps and coordinate data using multiple mapping services.	GPL v2+	MW	⊘	✓	✓
Math	Renders mathematical formulas between math tags	GPL v2+	MW	⊘	✓	✓
MediaWiki		GPL v2+	MW	✓	✓	✓
MenuEditor 4.2	Graphical editor for menu pages	GPL-3.0-only	BS	✓	✓	✓
MergeArticles	Allows merging comparing and merging articles	GPL-3.0-only	BS	⊘	⊘	■
MultimediaViewer	Provides a better experience to users when they click on thumbnails	GPL v2+	MW	⊘	✓	✓
NSFileRepo	Provide namespace based features to uploaded files	GPL-2.0-or-later	BS	⊘	✓	✓
Nuke	Extension for administrators to delete more than one page at once.	GPL v2+	MW	✓	✓	✓
	Provides authentication support using HMAC-	GPL v2+ and				

Extension	Description	License	Main-tainer	free	pro	farm
OATHAuth	based one-time passwords	GPL v3+	MW	■	■	■
OOJSPlus	Provides Widgets and utility functions for OOJS	GPL-3.0-only	BS	✓	✓	✓
OpenID Connect 4.2	Extends the PluggableAuth extension to provide authentication using OpenID Connect.	MIT	MW	⊘	■	■
OpenLayers	basic library for the grafical representation /chart of semantic data.	GPL v2+	MW	⊘	✓	✓
PDFEmbed 4.3	Media handler extension for PDF files.	-	MW	⊘	✓	✓
Page Forms	Forms for creating and editing wiki pages	GPL v2+	MW	⊘	✓	✓
PageCheckout	Allows exclusive rights on a page for a user.	-	BS	⊘	✓	✓
PageHeader	Provides an additional user interface before the page content.	GPL v3 only	BS	✓	✓	✓
PageImages	Collects information about images used on page	WTFPL	MW	⊘	✓	✓
ParserFunctions	Enhance parser with logical functions	GPL v2+	MW	✓	✓	✓
ParserHooks	adds a OOP and declarative parser hook interface.	GPL v2+	MW	⊘	✓	✓
PdfHandler	Shows uploaded PDF files in a multipage preview layout.	GPL v2+	MW	■	■	■
	Provides framework for pluggable					

Extension	Description	License	Main-tainer	free	pro	farm
PluggableAuth	authentication and authorization	MIT	MW			
Poem	Create paragraphs and line breaks for poem formatting	GPL v2+	MW			
Popups	Displays previews when the user hovers over a page link	GPL v2+	MW			
PreToClip 4.3	Allows to copy contents of PRE tags into the clipboard	GPL-3.0-only	MW			
RSS	Renders RSS feeds to display them in wiki articles.	GPL v2+	MW			
Renameuser	Provides a special page that allows user accounts to be renamed.	GPL v2+	MW			
Replace Text	Provides a form to let administrators do string replacements on the entire wiki, for both page contents and page titles.	GPL v2+	MW			
RevisionSlider	Shows a slider for selecting and comparing revisions on a diff page.	-	MW			
Scribunto	provides a framework for embedding scripting languages into articles.	GPL v2+ and MIT	MW			
SectionAnchors 4.3	Adds a link to headings	GPL-3.0-only	BS			
SecureLinkFixer	Rewrites URLs to HTTPS if domain always requires HTTPS	-	MW			

Extension	Description	License	Main-tainer	free	pro	farm
Semantic Compound Queries	defines a parser function, <code>#compound_query</code> , that can make multiple Semantic MediaWiki queries at the same time.	GPL v2+	MW		✓	✓
Semantic Extra Special Properties	Adds some extra special properties to all pages	GPL v2+	MW		✓	✓
Semantic MediaWiki	allows users to add structured data to wiki pages through simple wikitext markup that turns links to other pages and data values in a page into meaningful properties. With this information, SMW helps to search, organize, browse, evaluate, and share the wiki's content.	GPL v2+	MW		✓	✓
Semantic Result Formats	Adds further formats to render inline query results.	GPL v2+	MW		✓	✓
Semantic Scribunto	A Semantic MediaWiki extension to natively support the Scribunto extension	GPL v2+ and MIT	MW		✓	✓
SimpleSAMLphp	Provides authentication using SimpleSAMLphp in conjunction with PluggableAuth	MIT	MW		■	■
SimpleTasks 4.4	Create tasks for users	GPL-3.0-only	MW		✓	✓
	Create and manage blacklists based on URL patterns to avoid spam					

Extension	Description	License	Main-tainer	free	pro	farm
SpamBlacklist	in the wiki.	GPL v2+	MW	■	■	■
StandardDialogs	Provides dialog user interfaces for common page actions.	GPL v3+	BS	✓	✓	✓
SubPageList 4.2	Allows to list and count subpages	GPL v2+	MW	✓	✓	✓
SyntaxHighlight	Provides syntax highlighting and code rendering.	GPL v2+	MW	✓	✓	✓
TabberNeue 4.4		GPL v3+	MW	⊘	✓	✓
TemplateData	Implement data storage for template parameters (using JSON)	GPL v2+	MW	⊘	✓	✓
TemplateStyles	Implement per-template style sheets	GPL v2+	MW	✓	✓	✓
TextExtracts	Provides plain-text or limited HTML extracts of page content	GPL v2+	MW	⊘	✓	✓
TitleBlacklist	Manage black- and whitelist to forbid creating new articles and user accounts.	GPL v2+	MW	■	■	■
TitleKey	Provides a title prefix search suggestion backend.	GPL v2+	MW	✓	✓	✓
TwoColConflict	Showing a side-by-side edit merge screen for edit conflict resolution	GPL v2+	MW	✓	✓	✓
UnifiedTaskOverview 4.4	Provides the special page "My tasks"	-	MW	⊘	✓	✓
	Usage of GET parameters of the URL					

Extension	Description	License	Main-tainer	free	pro	farm
UrlGetParameters	on a wiki page.	GPL v2+	MW	✓	✓	✓
UserFunctions	Enhance parser with user functions	GPL v2+	MW	✓	✓	✓
UserMerge	Merges several users into one account.	GPL v3 only	MW	✓	✓	✓
Validator	provides generic parameter handling support to other extensions.	GPL v2+	MW	⊘	✓	✓
Variables	Parser functions allowing to work with dynamic variables in an article scoped context	ISC	MW	✓	✓	✓
VisualEditor	Is an editor you can use without having to enter special markup.	MIT	MW	✓	✓	✓
WebAuthn	Module for the OATHAuth extension that provides authentication using the WebAuthn API. (starting at v.4.1)	GPL v2	MW	⊘	✓	✓
WebDAV	Adds a WebDAV endpoint that exposes the wiki content	GPL v3 only	BS	⊘	■	■
Widgets	integration of external content from social media sites.	GPL v2+	MW	⊘	✓	✓
WikiEditor	Provides an improved interface for editing Wikitext	GPL v2+	MW	✓	✓	✓
Workflows	Allows to define and execute various workflows on the wiki	GPL-3.0-only	MW	⊘	✓	✓

Additionally required licenses

BlueSpice is delivered free of legal defects and without hidden additional licenses. There is only one extension which charges an additional fee for the enhancement of the existing function:

- [PHPDOCX Pro](#): This additional license is only needed if you want to use the export to DocX format.

Template:FeatureNo



WikiSysop



Name

WikiSysop