

How to become a BlueSpice hacker

Extension: BlueSpiceSocialProfile

→ [all extensions](#)

Overview			
Description:	Profile entity for BlueSpiceSocial		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	GPL-3.0-only
Type:	BlueSpice	Category:	Communication
Edition:	BlueSpice pro, BlueSpice Farm, BlueSpice Cloud	Version:	4.1+

Features

BlueSpiceSocialProfile provides the SocialEntity of type profile. Furthermore, the user page is converted into a complete user profile. **Template:Box Note**

- the user page is converted into a complete user profile
- the content of the original user page is also shown as a description field below the profile section
- provides the page *Special:SocialProfiles*
- a user profile can be included in a page with the tag `<bs:socialentityprofile username="Testuser" rendertype="Short" />`
- users can update their profile information and upload a profile picture

Technical Information

This information applies to BlueSpice 4. Technical details for BlueSpice Cloud can differ in some cases.

Requirements

MediaWiki: 1.37.0

BlueSpiceAvatars: 4.1

- BlueSpiceFoundation: 4.1 BlueSpiceSocial: 4.1

Integrates into

- BlueSpicePrivacy
- BlueSpiceSMWConnector
- BlueSpiceSocialProfile
- BlueSpiceVisualEditorConnector
- ContentDroplets

Special pages

- SocialProfiles

Permissions

Name	Description	Role
social-editothersprofile	Edit other users' profile	admin, maintenanceadmin
socialprofile-viewspecialpage	View the special page "Profiles"	accountmanager, admin, author, bot, commenter, editor, maintenanceadmin, reader, reviewer, structuremanager

Configuration

Name	Value
BSSocialProfileCustomFields	<code>array ('social-profile-department' => array ('i18n' => 'bs-social-profile-field-department', 'type' => 'string',), 'social-profile-function' => array ('i18n' => 'bs-social-profile-field-function', 'type' => 'string',), 'social-profile-location' => array ('i18n' => 'bs-social-profile-field-location', 'type' => 'string',), 'social-profile-phone' => array ('i18n' => 'bs-social-profile-field-phone', 'type' => 'string',),)</code>
BSSocialProfileFields	<code>array ('social-profile-title' => array ('i18n' => 'bs-social-profile-field-title', 'callback' => '\\BlueSpice\\Social\\Profile\\Field\\Title::getInstance',), 'social-profile-name' => array ('i18n' => 'bs-social-profile-field-name', 'callback' => '\\BlueSpice\\Social\\Profile\\Field\\Name::getInstance',), 'social-profile-email' => array ('i18n' => 'bs-social-profile-field-email', 'callback' => '\\BlueSpice\\Social\\Profile\\Field\\Email::getInstance',),)</code>

User options

Name	Value
bs-social-profile-infoshowemail	false

Hooks

- [ArticleViewHeader](#)
- [BSPageTemplatesModifyTargetUrl](#)
- [BSUserInfoMetaDataFactoryAllKeys](#)
- [BSUserInfoMetaDataFactoryCallback](#)
- [DeleteAccount](#)
- [GetPreferences](#)
- [HtmlPageLinkRendererBegin](#)
- [LocalUserCreated](#)
- [PageSaveComplete](#)
- [UserLoadAfterLoadFromSession](#)
- [UserSaveSettings](#)

Configuration

Name	Description	Type	Default	Scope
<i>bsgBSSocialProfileFields</i>	system-defined profile fields	array	"social-profile-title" => ["i18n" => "bs-social-profile-field-title", "callback" => "\BlueSpice\\Social\\Profile\\Field\\Title::getInstance"], "social-profile-name" => ["i18n" => "bs-social-profile-field-name", "callback" => "\BlueSpice\\Social\\Profile\\Field\\Name::getInstance"], "social-profile-email" => ["i18n" => "bs-social-profile-field-email",	LocalScript / Custom

Name	Description	Type	Default	Score
			<pre>"callback" => "\BlueSpice\Social\Profile\Field\Email:: getInstance"]</pre>	
<i>bsg</i> BSSocialProfileCustomFields	user-defined profile fields	array	<pre>"social-profile-department" => ["i18n" => "bs-social-profile-field- department", "type" => "string"], "social-profile-function" => ["i18n" => "bs-social-profile-field- function", "type" => "string"], "social-profile-location" => ["i18n" => "bs-social-profile-field- location", "type" => "string"], "social-profile-phone" => ["i18n" => "bs-social-profile-field- phone", "type" => "string"]</pre>	LocalSe php
bs-social-profile- infoshowemail	is the email address shown in the profile	bool	false	useropt

