

Contents

1. Manual:Admin Manual Introduction	1
2. User manual	1
3. Manual:Namespace	2
4. Category	5
5. Template	6
6. Setup:Portal	6
7. Setup:Software Catalogue	8

Admin Manual Introduction



Wiki administration made easy

This administrator manual is supplemental to the general [user manual](#). Many topics that are of interest to wiki administrators, such as important wiki concepts like [namespaces](#), [categories](#), or [templates](#), are already covered there. This administrator manual focuses on the areas of the wiki interface that are only accessible and editable by administrative users with sysop rights.

Additional resources

Here, we don't cover any topics related to server administration and configuration. For questions regarding server issues, you can refer to our [Setup](#) portal.

To view a list and description of all BlueSpice extensions, you can consult our [software catalogue](#).

Questions?

If you have any questions that go beyond what is covered in this user manual, you can also ask administrator-related questions in our support forum at sourceforge.net/p/bluespice/discussion/1249668.

We hope you find it easy to accomplish your BlueSpice administrator tasks. If there is anything we can improve — and we are sure there is, please let us know at info@bluespice.com.

--

User manual

Redirect to:

- [UserManual:User Manual Introduction](#)

Manual:Namespace

Contents

1 What is a namespace?	2
2 Characteristics of a namespace	2
3 Reasons for using namespaces	3
4 BlueSpice standard namespaces	3
5 Accessing pages in a namespace	4
6 Creating a new namespace	5
7 Organizing content without namespaces	5
8 Viewing all pages of a namespace	5
9 Related info	5

What is a namespace?

A **namespace** defines an area in a wiki. You can recognize a namespace by the namespace prefix in the page title:

`<namespace>:Page title`

In a wiki, you will find predefined namespaces. In addition, wiki administrators can create custom namespaces as needed.

There are certain aspects of namespaces that are important to consider before creating a namespace. It is therefore important to understand the characteristics of namespaces and the reasons for using a custom namespace.

Characteristics of a namespace

- **One namespace per page:** The same page name in a different namespace creates a new page.
- **Flat structure:** no child namespaces
- **Special namespaces:**
 - Main (Pages) - No namespace prefix in page titles
 - Special pages (Special)
 - Images (File)
 - Documents (Media)
 - Discussions (Talk)

Reasons for using namespaces

- **Rights management:** To assign different user permissions to separate content. For example, a company's HR department can use its own namespace to grant only Human Resources personnel access to the pages in that namespace. Here, rights management is the main reason for creating namespaces. However, flat hierarchies are recommended for wikis.
- **Search function:** To exclude pages and files from the [search](#).
- **Design:** To format pages in different wiki areas differently.

We often use the example of cupboards to make clear the principle of namespaces. There are shelves and everyone can look at them and work on something. There are glass cupboards with a lock that you can look into, but only some people have the key to change the contents. Then there are closed wooden cabinets with locks and only selected people can look inside and work in them. And each of these cupboards can look differently.

Note: While users cannot view the pages or files in a namespace for which they have no access rights, they will still see the pages and files listed on the wiki's special pages. They will also see the page names in the search results if the namespace has not been excluded from the search.

BlueSpice standard namespaces

BlueSpice uses, among others, the 15 standard and the two so-called pseudo namespaces from MediaWiki:

ID	Namespace	Function
	Media	Pseudo-namespace for uploaded images and files. Will be replaced by path of the files.
	special	Pseudo-namespace for special pages.
0	(pages)	These are given without a prefix.
1	Talk	talk page. Is created in addition to each article (also in the following namespaces) to speak about its contents. Additional tab (+).
2	User	User page. Will be created for every logged in user.
3	User talk	Cf. talk
4	[Wiki-Name]	Information about the wiki or the current project. Here: BlueSpice.
5	[Wiki-Name] _Talk	Cf. talk
6	Image	Description of a picture and other files. Is automatically supplemented with version information and information about the occurrence of the file
7	File_Talk	Cf. talk
		system messages. A complete list can be found under Special: AllMessages. Can

ID	Namespace	Function
8	MediaWiki	only be changed by registered users.
9	MediaWiki_Talk	Cf. talk
10	Template	Templates can be integrated into other pages.
11	Template_talk	Cf. talk
12	Help	Help pages describe how to perform actions in the wiki. No clear separation from the [wiki name] namespace.
13	Help_talk	Cf. talk
14	Category	Pages can be assigned to categories, which are then accessible in this namespace.
15	Category_talk	Cf. talk

Standard namespace: A page is assigned to the "Main" namespace, as long as no other namespace is specified.

Pseudo namespaces: The two pseudo namespaces (Media, Special) are used like normal namespaces, but you cannot edit them or add pages to them.

Most pages in the namespaces are created automatically:

- Special pages are generated by the system during installation.
- Media and image pages are created during file upload.
- User pages are created whenever a user acts on the wiki.
- Discussion pages are also created with the corresponding pages.

This leaves only the default namespaces (*Main*), *[wiki name]*, *Template*, *Help* and *Category* namespaces where pages can be freely created.

Note: In the default MediaWiki, the names of these areas are "hard-coded". This means that they have been set in the source code of the MediaWiki and cannot be changed by users.

Accessing pages in a namespace

To access or create a page in a specific namespace, its name is simply placed in front of the page title and separated by a colon:

```
[[Setup:Installation|]]
```

In the example, the pipe symbol (straight line) was also added. It has the effect that the namespace won't be displayed for the link label.

If you provide a namespace that is not known to the wiki, the page is created in the standard namespace Main. The portion of the reference specified as the namespace is then added to the title of the item instead and is not recognized as a namespace label.

Creating a new namespace

You can create additional namespaces by using the Namespace manager under Global actions > Management > [Namespace manager](#). The menu item "Category manager" loads the page [Special:NamespaceManager](#).

Organizing content without namespaces

If you simply want to group pages in your wiki without the need for controlling access rights, you can use the syntax of the namespaces to **simulate a namespace in the namespace Main**. Simply prefix the pages that belong to a group with a name and a colon. If no namespace with this name exists, the prefix simply becomes part of the page name.

That way, it is possible to use pages with the same name in the main namespace and thus let different groups work on content "sets". Since these own "namespace" prefixes are part of the page name, you can now display all pages in a simulated namespace by searching for the prefix in the search field.

Since you can also organize pages with categories and subpages, you should start by planning how you would like to organize the content in your wiki.

After installing your wiki, you can visualize this with the BlueSpice draw.io Plugin directly in your wiki and discuss it with your team.

Viewing all pages of a namespace

You can view all pages in a namespace:

1. Go to the Special page "All Pages"
2. Leave the input field empty
3. Select a namespace from the Namespace drop-down menu
4. Click "Go"

Related info

- [Namespace CSS manager](#)
- [Namespace manager](#)

Category

Redirect to:

- [Manual:Category](#)

Template

Redirect to:

- [Manual:Template](#)

Setup:Portal

Setup



Get started with BlueSpice 3.1 now. Find everything related to system requirements and installation options here.

BlueSpice 3.1



[Learn more about
the latest version of BlueSpice](#)

Release notes



[View the release notes of
the latest version](#)

Release history



[Interested in development?
View our release history!](#)

System requirements



[Check if your system is ready to go](#)

Download



[Get the latest version of BlueSpice](#)

Installation & upgrade



[View our detailed installation guide](#)

Software catalog

A list of all MediaWiki and BlueSpice extensions for the current version of BlueSpice.

BlueSpice 3.1

- [Extensions BlueSpice free](#)
- [Extensions BlueSpice pro](#)
- [Additionally required licenses](#)

Extensions BlueSpice free

Extension	Description	Use Case	License	Aktivated	Maintain
Arrays	Store and compute named arrays	Rich Articles	MIT	yes	MediaWiki
BlueSpiceAbout	Offers an information page, which is delivered with every edition of a BlueSpice MediaWiki distribution.	Administration	GPL v3	yes	BlueSpice
BlueSpiceArticleInfo	Displays important meta information about a page like the last edit or the number of edits.	Data Analysis	GPL v3	yes	BlueSpice
BlueSpiceAuthors	Displays the profile images of page authors in the page information.	Data Analysis	GPL v3	yes	BlueSpice
	Assigns an automatically				

Extension	Description	Use Case	License	Aktivated	Maintain
BlueSpiceAvatars	generated individual profile picture for every user.	Personalization	GPL v3	yes	BlueSpice
BlueSpiceCalumma	BlueSpice Skin	-	GPL v3	yes	BlueSpice
BlueSpiceChecklist	Allows inserting checkboxes and checklists for task management.	Rich Articles	GPL v3	yes	BlueSpice
BlueSpiceConfigManager	Offers the possibility to admins, to configure the whole wiki from a single SpecialPage	Administration	GPL v3	yes	BlueSpice
BlueSpiceContextMenu	Provides context menus for various links.	Search and Navigation	GPL v3	yes	BlueSpice
BlueSpiceCountThings	Provides content based statistics.	Infrastructure	GPL v3	yes	BlueSpice
BlueSpiceCustomMenu	Provides customizable menus	Search and Navigation	GPL v3	no	BlueSpice
BlueSpiceDashboards	Provides dashboards for users and administrators.	Reporting	GPL v3	yes	BlueSpice
BlueSpiceDistributionConnector	General interface between MediaWiki extensions and BlueSpice.	Infrastructure	GPL v3	yes	BlueSpice

Extension	Description	Use Case	License	Aktivated	Maintain
BlueSpiceEchoConnector	Interface between BlueSpice and the extension Echo.	Infrastructure	GPL v3	yes	BlueSpice
BlueSpiceEditNotifyConnector	Provides an interface between BlueSpice and the extension EditNotify.	Infrastructure	GPL v3	yes	BlueSpice
BlueSpiceEmoticons	Renders emoticons in a text as images.	Rich Articles	GPL v3	yes	BlueSpice
BlueSpiceExtJSBase	Adds the GPL version of Sencha Inc. ExtJS Rich Internet Application Framework	Infrastructure	GPL v3	yes	BlueSpice
BlueSpiceExtendedSearch	Full-text search in articles and files, faceted search, fuzzy search, spellchecker and sorting as well as search-as-you-type and auto-complete functionality.	Search and Navigation	GPL v3	yes	BlueSpice
BlueSpiceExtendedStatistics	Provides an analytic view of many relevant parameters on the wiki.	Reporting	GPL v3	yes	BlueSpice

Extension	Description	Use Case	License	Aktivated	Maintain
BlueSpiceFilterSpecialPages	Inserts a field in Special: Specialpages to provide a search function.	Search and Navigation	GPL v2	yes	BlueSpice
BlueSpiceFoundation	Makes MediaWiki enterprise ready	Infrastructure	GPL v3	yes	BlueSpice
BlueSpiceGroupManager	Administration interface for adding, editing and deleting user groups.	Administration	GPL v3	yes	BlueSpice
BlueSpiceHideTitle	Provides a magic word to hide the title of the page.	Rich Articles	GPL v3	yes	BlueSpice
BlueSpiceInsertCategory	Provides a dialogue to see a category overview for inserting, as well as creating and deleting categories.	Editor	GPL v3	yes	BlueSpice
BlueSpiceInsertFile	Introduces a dialog box directly in the BlueSpice VisualEditor, allowing files to be easily inserted.	Editor	GPL v3	yes	BlueSpice
	Offers a dialogue to insert links				

Extension	Description	Use Case	License	Aktivated	Maintain
BlueSpiceInsertLink	without using the wiki code.	Editor	GPL v3	no	BlueSpice
BlueSpiceInsertMagic	Helps integrating special wiki tags, behavior switches or magic words.	Editor	GPL v3	yes	BlueSpice
BlueSpiceInterWikiLinks	Administration interface for adding, editing and deleting interwiki links.	Administration	GPL v3	yes	BlueSpice
BlueSpiceInterwikiSearch	Simultaneous search in multiple wikis			yes	BlueSpice
BlueSpiceNamespaceCSS	Enables namespace-specific styling.	Skinning	GPL v3	yes	BlueSpice
BlueSpiceNamespaceManager	Administration interface for adding, editing and deleting namespaces.	Administration	GPL v3	yes	BlueSpice
BlueSpicePageAccess	Allows group-based access on page level.	Security	GPL v3	yes	BlueSpice
BlueSpicePageAssignments	Assigns individual users or whole groups to pages, e.g. as responsible editors.	Quality Assurance	GPL v3	yes	BlueSpice
	Offers the possibility to select from				

Extension	Description	Use Case	License	Aktiviert	Maintain
BlueSpicePageTemplates	predefined content structures when creating a new page.	Content Structuring	GPL v3	yes	BlueSpice
BlueSpicePagesVisited	Provides a personalized list of the last visited pages.	Personalization	GPL v3	yes	BlueSpice
BlueSpicePermissionManager	Allows an easy and convenient management of usergroup rights in a graphical interface.	Administration	GPL v3	yes	BlueSpice
BlueSpicePrivacy	Management page for user privacy settings	Security	GPL v3	no	BlueSpice
BlueSpiceQrCode	Displays a QR code in the page tools of each content page	Mobile	GPL v3	yes	BlueSpice
BlueSpiceRSSFeeder	Offers a special page that describes and enables RSS-Feeds for chosen areas of the MediaWiki.	Reporting	GPL v3	yes	BlueSpice
BlueSpiceReaders	Displays the profile pictures and user name of page readers for admin users.	Data Analysis	GPL v3	yes	BlueSpice
	It saves the				

Extension	Description	Use Case	License	Aktivated	Maintain
BlueSpiceSaferEdit	article automatically while you are editing at predetermined intervals.	Infrastructure	GPL v3	yes	BlueSpice
BlueSpiceSmartList	Introduces a tag that can be placed on any page to show a list of pages	Reporting	GPL v3	yes	BlueSpice
BlueSpiceTagCloud	Visualize a category overview graphically and in 3D.	Rich Articles	GPL v3	yes	BlueSpice
BlueSpiceUEModuleDOCX	export an book to DOCX format.	Export	GPL v3	yes	BlueSpice
BlueSpiceUEModuleHTML	export an article to HTML format.	Export	GPL v3	yes	BlueSpice
BlueSpiceUEModulePDF	Enables the output as Adobe Portable Document Format (PDF).	Export	GPL v3	yes	BlueSpice
BlueSpiceUniversalExport	Enables the single page export to PDF.	Export	GPL v3	yes	BlueSpice
BlueSpiceUsageTracker	Delivers statistics about the use of features.	Reporting	GPL v3	yes	BlueSpice
	Provides a visual interface for user				

Extension	Description	Use Case	License	Aktivated	Maintain
BlueSpiceUserManager	administration	Administration	GPL v3	yes	BlueSpice
BlueSpiceUserMergeConnector	Provides an interface between BlueSpice and the exention UserMerge	Infrastructure	GPL v3	yes	BlueSpice
BlueSpiceUserSidebar	Personal navigation menu	Personalization	GPL v3	yes	BlueSpice
BlueSpiceVisualEditorConnector	Connects BlueSpice with VisualEditor	Administration	GPL v3	yes	BlueSpice
BlueSpiceWatchList	Adds a watchlist widget and tag	Reporting	GPL v3	yes	BlueSpice
BlueSpiceWholsOnline	Shows which users have been logged-in in the last 10 minutes	Rich Articles	GPL v3	yes	BlueSpice
Bootstrap	Provides the Bootstrap framework in the wiki	Infrastructure	GPL v3	yes	MediaWik
CategoryTree	Enables you to displays categories and subcategories in a tree structure.	Content Structuring	GPL v3	yes	MediaWik
Cite	Allows a user to create footnotes by using a special tag.	Rich Articles	GPL v2	yes	MediaWik

Extension	Description	Use Case	License	Aktivated	Maintair
CiteThisPage	Extension provides a special page which allows creating a citation for a page in variety of styles.	Infrastructure	GPL v2	yes	MediaWik
CodeEditor	Syntax-highlighted editing for JavaScript and CSS pages using Ace editor	Editor	GPL v2+ and BSD 3 Clause	yes	MediaWik
ConfirmEdit	Enables the user to place various CAPTCHA methods to protect the wiki from spambots.	Security	GPL v2	no	MediaWik
CookieWarning	Provides a notice at the top of the page about cookies	Security	MIT	no	MediaWik
DynamicPageList3	Create lists of other articles based on their category, namespace, title, references or template usage and include contents or arguments of template calls of those articles into your page.	Reporting	GPL v2	yes	MediaWik

Extension	Description	Use Case	License	Aktivated	Maintair
Echo	Provides an in-wiki notification system that can be used by other extensions.	Infrastructure	MIT	yes	MediaWik
EditNotify	Provides special notifications when creating / editing articles.	Quality Assurance	MIT	yes	MediaWik
EmbedVideo	Adds a parser function called #ev for embedding video clips from popular video sharing services.	Rich Articles	MIT	yes	MediaWik
Gadgets	Provides a way for users to pick JavaScript or CSS based "gadgets" that other wiki users provide.	Infrastructure	GPL v2	yes	MediaWik
HitCounters	Counts the hits of a page /article.	Reporting	GPL v3	yes	MediaWik
ImageMap	Allows clickable HTML image maps.	Search and Navigation	GPL v2	yes	MediaWik
ImageMapEdit	automates and simplifies a large part of the process.	Editor	GPL v2	yes	MediaWik
	Allows to integrate HTML				

Extension	Description	Use Case	License	Aktivated	Maintair
InputBox	forms into wiki pages.	Content Structuring	MIT	yes	MediaWik
Interwiki	Provides a special page for maintaining the Interwiki table.	Administration	GPL v2	yes	MediaWik
LDAP Authentication	Allows authentication against a LDAP resource	Infrastructure	GPL v2	no	MediaWik
LDAP Authorization	Allows group-based authorization against an LDAP resource.	Infrastructure	MIT	no	MediaWik
LDAPGroups	Allows user group synchronization with a LDAP resource	Infrastructure	GPL v2	no	MediaWik
LDAPProvider	Provides a common infratructure to connect to a LDAP resource and run queries against it	Infrastructure	GPL v2	no	MediaWik
Lingo	Provides hover-over tool tips on pages from words defined on the Glossar page	Content Structuring	GPL v2	yes	MediaWik
	Allows to update the localizations for MediaWiki messages at				

Extension	Description	Use Case	License	Aktivated	Maintain
LocalisationUpdate	any time, without needing to upgrade the MediaWiki software.	Infrastructure	GPL v2	no	MediaWiki
MediaWiki		-		yes	MediaWiki
Nuke	Extension for administrators to delete more than one page at once.	Administration	GPL v2	yes	MediaWiki
OATHAuth	Provides authentication support using HMAC-based one-time passwords	Infrastructure	GPL v3	no	MediaWiki
OOJSPlus	Provides Widgets and utility functions for OOJS	-		yes	BlueSpice
ParserFunctions	Enhance parser with logical functions	Rich Articles	GPL v2	yes	MediaWiki
PdfHandler	Shows uploaded PDF files in a multipage preview layout.	Rich Articles	GPL v2	no	MediaWiki
PluggableAuth	Provides framework for pluggable authentication and authorization	Infrastructure	MIT	no	MediaWiki
	Create				

Extension	Description	Use Case	License	Aktivated	Maintair
Poem	paragraphs and line breaks for poem formatting	Rich Articles	GPL v2	no	MediaWik
Quiz	Allows the creation of quizzes.	Content Structuring	GPL v2	yes	MediaWik
RSS	Renders RSS feeds to display them in wiki articles.	Rich Articles	GPL v2	yes	MediaWik
Renameuser	Provides a special page that allows user accounts to be renamed.	Administration	GPL v2	yes	MediaWik
Replace Text	Provides a form to let administrators do string replacements on the entire wiki, for both page contents and page titles.	Administration	GPL v2	yes	MediaWik
SimpleSAMLphp	Provides authentication using SimpleSAMLphp in conjunction with PluggableAuth	Infrastructure	MIT	no	MediaWik
SpamBlacklist	Create and manage blacklists based on URL patterns to avoid spam in	Security	GPL v2	no	MediaWik

Extension	Description	Use Case	License	Aktivated	Maintain
	the wiki.				
SyntaxHighlight	Provides syntax highlighting and code rendering.	Rich Articles	GPL v2	yes	MediaWik
TemplateStyles	Implement per-template style sheets	Skinning	GPL v2	yes	MediaWik
TitleBlacklist	Manage black- and whitelist to forbid creating new articles and user accounts.	Security	GPL v2	no	MediaWik
TitleKey	Provides a title prefix search suggestion backend.	Infrastructure	GPL v2	yes	MediaWik
TwoColConflict	Showing a side-by-side edit merge screen for edit conflict resolution	Editor	GPL v2	yes	MediaWik
UserFunctions	Enhance parser with user functions	Administration	GPL v2	yes	MediaWik
UserMerge	Merges several users into one account.	Administration	GPL v3	yes	MediaWik
Variables	Parser functions allowing to work with dynamic variables in an article scoped context	Data Analysis	ISC	yes	MediaWik

Extension	Description	Use Case	License	Aktivated	Maintair
VisualEditor	Is an editor you can use without having to enter special markup.	Editor	MIT	no	MediaWik
WikiEditor	Provides an improved interface for editing Wikitext	Editor	GPL v2	no	MediaWik

Extensions BlueSpice pro

Extension	Description	Use Case	License	Aktivated
Auth remoteuser	Automatically logs-in users using the REMOTE_USER environment variable	Infrastructure	GPL v2	no
BlueSpiceArticlePreviewCapture	Creates preview images of wikipages for dynamic file dispatcher	Data Analysis	GPL v3	yes
BlueSpiceBookshelf	Combines wiki pages to create books and also to export those pages as a PDF document.	Book	GPL v3	yes
BlueSpiceBookshelfUI	provides a graphical administration interface for creating, editing and managing books.	Book	GPL v3	yes
BlueSpiceCategoryCheck	Reminds a user to categorize a page.	Infrastructure	GPL v3	yes
BlueSpiceCategoryManager	Show and edit the category structure of the wiki.	Content Structuring	GPL v3	yes
BlueSpiceDrawioConnector		Infrastructure	GPL v3	yes

Extension	Description	Use Case	License	Aktivated
BlueSpiceExpiry	pages can be marked as expired.	Quality Assurance	GPL v3	yes
BlueSpiceExportTables	Enables the export of wiki tables to Excel.	Export	GPL v3	yes
BlueSpiceExtendedFilelist	Simplifies the display and search of images and files.	Document Management	GPL v3	yes
BlueSpiceFilterableTables	Provides filterable content tables.	Rich Articles	GPL v3	yes
BlueSpiceMultiUpload	Provides batch uploading of files	Administration	GPL v3	yes
BlueSpiceNSFileRepoConnector	Interface between BlueSpice and the extension NSFileRepo	Document Management	GPL v3	yes
BlueSpicePageFormsConnector	Integrates PageForms extension into BlueSpice	-	GPL v3	yes
BlueSpicePlayer	Integrates an HTML video player for uploaded videos	Rich Articles	GPL v2	yes
BlueSpiceRating	enables users to rate an article with up to five stars or to recommend the article.	Communication	GPL v3	yes
BlueSpiceReadConfirmation	Ask for confirmation that a page was read by assigned users	Quality Assurance	GPL v3	yes
BlueSpiceReminder	Allows users to set notification dates with comments for a page.	Quality Assurance	GPL v3	yes
BlueSpiceReview	set up editing and sign-off routines using workflows.	Quality Assurance	GPL v3	yes

Extension	Description	Use Case	License	Aktivated
BlueSpiceReviewExtended	with this workflow tool, users can start a review process of single articles by several users.	Quality Assurance	GPL v3	yes
BlueSpiceSMWConnector	integrates SemanticMediaWiki into BlueSpice.	Infrastructure	GPL v3	yes
BlueSpiceSignHere	adds a tag to a wiki page, that allows to let those page being signed quickly and easily.	Rich Articles	GPL v3	yes
BlueSpiceSocial	Base extension for social extensions	Administration	GPL v3	yes
BlueSpiceSocialArticleActions	Adds SocialEntities (pages) for typical page actions.	Communication	GPL v3	yes
BlueSpiceSocialBlog	Blog entity for BlueSpiceSocial	Communication	GPL v3	yes
BlueSpiceSocialComments	Comment functionality for BlueSpiceSocial	Communication	GPL v3	yes
BlueSpiceSocialMicroBlog	Microblog functionality for BlueSpiceSocial	Communication	GPL v3	yes
BlueSpiceSocialProfile	Profile entity for BlueSpiceSocial	Communication	GPL v3	yes
BlueSpiceSocialRating	Rating functionality for BlueSpiceSocial entities	Communication	GPL v3	yes
BlueSpiceSocialResolve	Provides a resolved /unresolved status for BlueSpiceSocial entities	Communication	GPL v3	yes
BlueSpiceSocialTags	Adds tagging functionality to social entities	Communication	GPL v3	yes

Extension	Description	Use Case	License	Aktivated
BlueSpiceSocialTimelineUpdate	Update functionality for BlueSpiceSocialTimeline	Communication	GPL v3	yes
BlueSpiceSocialTopics	Topic and discussion entities for BlueSpiceSocial	Communication	GPL v3	yes
BlueSpiceSocialWatch	Watch-functionality for BlueSpiceSocial-entities	Communication	GPL v3	yes
BlueSpiceSocialWikiPage	WikiPage entity and attachment functionality for BlueSpiceSocial	Communication	GPL v3	yes
BlueSpiceTagSearch	allows the integration of a configurable search field in articles.	Rich Articles	GPL v3	yes
BlueSpiceUEModuleBookPDF	export books to PDF format.	Book	GPL v3	yes
BlueSpiceUEModulePDFRecursive	export an article and included links to PDF format.	Export	GPL v3	yes
BlueSpiceUEModulePDFSubpages	export an article and subpages to PDF format.	Export	GPL v3	yes
BlueSpiceUEModuleTable2Excel	extension for the integration of the table export to Excel into the Universal Export.	Infrastructure	GPL v3	yes
BlueSpiceUserInfo	Provides a popup with user information	Search and Navigation	GPL v3	yes
BlueSpiceVisualDiff	Enables users to easily compare two versions of a page	Quality Assurance	GPL v3	yes
	Allows opening files from the browser directly in the client			

Extension	Description	Use Case	License	Aktivated
BlueSpiceWebDAVClientIntegration	application (Requires WebDAV)	Document Management	GPL v3	no
BlueSpiceWebDAVMinorSave	Enables saving minor changes. (Needs WebDAV)	Document Management	GPL v3	no
BlueSpiceWikiExplorer	provides a special page with an article list, which can be filtered and sorted.	Quality Assurance	GPL v3	yes
DrawioEditor	integration of diagrams.	Rich Articles	MIT	yes
Duplicator	Provides a page to simply create copies of articles.	Administration	GPL v2	yes
External Data	allows for using and displaying values retrieved from various sources: external URLs, local wiki pages and local files (in CSV, GFF, JSON and XML formats), database tables, and LDAP servers.	Infrastructure	GPL v2	yes
FlaggedRevs	Allows for article content management by editors and reviewers.	Quality Assurance	GPL v2	yes
FlaggedRevsConnector	this enables to save articles in drafts and to release articles after a review process.	Infrastructure	GPL v3	yes
Header Tabs	displays top-level headers as JavaScript-based tabs.	Rich Articles	GPL v2	yes
	provides a dialog interface to add and modify templates in			

Extension	Description	Use Case	License	Aktivated
InsertTemplate	edit mode. A preview can be shown.	Editor	GPL v3	yes
LDAPUserInfo	Ermöglicht die Synchronisation von Benutzerinformation und Einstellungen mit einer LDAP Ressource.	Infrastructure	GPL v2	no
LatexRenderer	Renders LaTeX markup on a Windows server.	Rich Articles	GPL v3	yes
Maps	allows users to display maps and coordinate data using multiple mapping services.	Rich Articles	GPL v2	yes
Math	Renders mathematical formulas between math tags	Rich Articles	GPL v2	no
MultimediaViewer	Provides a better experience to users when they click on thumbnails	Rich Articles	GPL v2	yes
NSFileRepo	implements per-namespace group permissions for image and file rights protection.	Document Management	GPL v2	yes
NativeSvgHandler	Display of graphics in SVG format	Infrastructure	GPL v2	yes
OpenLayers	basic library for the grafical representation /chart of semantic data.	Infrastructure	GPL v2	yes
Page Forms	Forms for creating and editing wiki pages	Content Structuring	GPL v2	yes
Page Schemas	defines the data structurefor all pages in a category using XML.	Infrastructure	GPL v2	yes

Extension	Description	Use Case	License	Aktivated
PageImages	Collects information about images used on page	Infrastructure	WTFPL	yes
ParserHooks	adds a OOP and declarative parser hook interface.	Infrastructure	GPL v2	yes
Popups	Displays previews when the user hovers over a page link	Search and Navigation	GPL v2	yes
Scribunto	provides a framework for embedding scripting languages into articles.	Infrastructure	GPL v2+ and MIT	yes
Semantic Compound Queries	defines a parser function, <code>#compound_query</code> , that can make multiple Semantic MediaWiki queries at the same time.	Data Analysis	GPL v2	yes
Semantic Extra Special Properties	Adds some extra special properties to all pages	Data Analysis	GPL v2	yes
Semantic Internal Objects	defines a parser function, <code>#set_internal</code> , that is used to define "internal objects" or "n-ary relations" within Semantic MediaWiki.	Data Analysis	GPL v2	yes
Semantic MediaWiki	allows users to add structured data to wiki pages through simple wikitext markup that turns links to other pages and data values in a page into	Data Analysis	GPL v2	yes

Extension	Description	Use Case	License	Aktivated
	meaningful properties. With this information, SMW helps to search, organize, browse, evaluate, and share the wiki's content.			
Semantic Result Formats	Adds further formats to render inline query results.	Rich Articles	GPL v2	yes
Semantic Scribunto	A Semantic MediaWiki extension to natively support the Scribunto extension	Infrastructure	GPL v2+ and MIT	yes
TemplateData	Implement data storage for template parameters (using JSON)	Content Structuring	GPL v2	yes
TextExtracts	Provides plain-text or limited HTML extracts of page content	Rich Articles	GPL v2	yes
Validator	provides generic parameter handling support to other extensions.	Infrastructure	GPL v2	yes
WebDAV	Adds a WebDAV endpoint that exposes the wiki content	Document Management	GPL v3	no
Widgets	integration of external content from social media sites.	Rich Articles	GPL v2	yes

Additionally required licenses

BlueSpice is delivered free of legal defects and without hidden additional licenses. There is only one extension which charges an additional fee for the enhancement of the existing function:

- [PHPDOCX Pro](#): This additional license is only needed if you want to use the export to DocX format.