

Contents

1. Manual:Extension/BlueSpiceDiscovery	2
2. Manual:Extension/BlueSpiceDiscovery/Footer	8
3. Manual:Extension/BlueSpiceDiscovery/Main navigation	12
4. Manual:Extension/BlueSpiceDiscovery/Main navigation/Icons	17
5. Manual:Extension/BlueSpiceDiscovery/Main navigation/Language support	19
6. Manual:Extension/BlueSpiceDiscovery/Main navigation/Long link labels	22



Layout

Browse history interactively VisualWikitext

Revision as of 10:19, 12 January 2022 (view source)

Margit Link-Rodrigue (talk | contribs)

No edit summary

Tag: Visual edit

← Older edit

Revision as of 10:22, 12 January 2022 (view source)

Margit Link-Rodrigue (talk | contribs)

No edit summary

Tag: Visual edit

Newer edit →

Line 96: Line 96:

<code>Namespace (=root node) > Pagename > Subpage level 1 > ... > Subpage level x</code>

[[File:breadcrumb-navigation.png|alt=Breadcrumb navigation|center|thumb|450x450px|Breadcrumb navigation]]

[[Datei:breadcrumb-subpages. png|alternativtext=Breadcrumb-Navigation|zentriert|mini|450x450px|Breadcrumb-Navigation]] If the page "<namespace>:Main_Page" (languae variations: de:"Hauptseite" / fr:"Accueil" / zh:) exists, the root node links to that page.

If the page "<namespace>:Main_Page" (languae variations: de:"Hauptseite" / fr:"Accueil" / zh:) exists, the root node links to that page.

If this page does not exist, the root node links to "All pages" ("Special:Allpages") with the namespace selector preset to the respective namespace. If the root node should link to a different page (e.g., "<namespace>:Portal)", then this page needs to be redirected to the page "<namespace>:Main_Page".

If this page does not exist, the root node links to "All pages" ("Special:Allpages") with the namespace selector preset to the respective namespace. If the root node should link to a different page (e.g., "<namespace>:Portal)", then this page needs to be redirected to the page "<namespace>:Main_Page".

Revision as of 10:22, 12 January 2022

Contents


1 BlueSpice Layout	. 4
2 Header bar	. 5
3 Main navigation	. 5
4 Page tools	. 6
5 Work area	. 7
5.1 Breadcrumb navigation	. 7
6 Page appendix	. 7





BlueSpice Layout

The user interface is divided into distinct areas that group various wiki functions in a meaningful way. Here you get an overview of all features of the standard skin "Discovery".



Bereich	Beschreibung
1-Header bar	Contains important elements such as the logo area, the search field and the buttons for various navigation menus (mega menus).
2-Main navigation	The "heart" of the site organization. The navigation links can be customized by admin users. This area also displays the book navigation.
3-Page tools	Contains all the actions that can be performed on a page. In addition, information such as the version history or the page information can be accessed from here.
4-Work area	All content is created and edited here. The work area is divided into the title area and the actual page content.
5-Page appendix	Additional information such as category membership, discussions and attachments are displayed in the supplementary area. In addition, page recommendations and ratings are displayed if they are activated for the page.
	The footer contains links to legal information as well as to external



Bereich	Beschreibung
6-Footer	websites relating to MediaWiki.

Header bar

The header contains important elements such as the logo area, the search field and the buttons for various navigation menus (mega menus).



Funktion	Beschreibung
1a-Main navigation toggle	Allows users to show and hide the main navigation.
1b-Logo	The logo can be changed using the special page FlexiSkin.
1c-Search field	Page titles that match the search expression are displayed in a quick menu while the search term is being entered. Pressing the Enter key takes you to the search center, which displays the results of a full-text search and allows filtering the results.
1d-"New content" button	The "New" button allows to create a new page. A subpage can be created directly via the submenu or a new file can be uploaded. A multi-upload is only possible via theManual:Extension/ExtendedFileList.
1e-Custom menu	Allows users with admin rights to create an additional mega menu. The button is only displayed once the additional menu has been created.
1f-Global actions	Direct links to many special pages as well as administrative pages of the wiki.
1g-Language selection	If a page includes links to pages in different versions via language codes that were defined in the Interwikilinks, a mega menu is shown for the language selection.
1h-User menu	Users manage their own settings, tasks and notifications here. A red circle appears above the user avatar if unread notifications exist.
1i-Page tools toggle	Allows users to show and hide the page tools of a page.


Main navigation



Links to the most important wiki pages are shown here. Administrators have the option to customize the main navigation.

Page tools

The page tools area contains all the actions that can be performed on a page. In addition, information such as the version history or the page information can be called up from here.



Funktion	Beschreibung
3a-Standard actions	Move, Copy, Delete, Refresh
3b-Work actions	Start a workflow, Set expiry, Set reminder, Set page assignments, Add to book
3c-Quick actions	Export options, Share, Add to watchlist
3d-Page details	Page history, Page information, Browse properties




Funktion	Beschreibung
3e-All actions	Opens a dialog window, in which all possible actions on this page are listed.

Work area

Breadcrumb navigation

The breadcrumb navigation at the beginning of the work area consists of links that map the path of the current page:

Namespace (=root node) > Pagename > Subpage level 1 > ... > Subpage level x



If the page <namespace>:Main_Page (languae variations: de:Hauptseite | fr:Accueil | zh:) exists, the root node links to that page.

If this page does not exist, the root node links to "All pages" (*Special:Allpages*) with the namespace selector preset to the respective namespace. If the root node should link to a different page (e.g., <namespace>:Portal), then this page needs to be redirected to the page <namespace>:Main_Page.

Page appendix

Footer

The footer contains links to legal information as well as to external websites relating to MediaWiki. The links to the legal information can be adjusted by wiki administrators via pages in the *MediaWiki* namespace.

Customize the footer





Manual:Extension/BlueSpiceDiscovery/Footer: Difference between revisions

Latest revision as of 15:24, 24 January 2024 (view source)

Margit Link-Rodrigue (talk | contribs)

No edit summary

Tag: Visual edit


(No difference)

Latest revision as of 15:24, 24 January 2024

The footer contains the links to important info pages in the wiki. Since these pages provide legal information to users, they are accessible from any wiki page.



Creating the linked target pages




In a newly installed wiki, the content for the links in the footer must first be created. By default, all users with editing rights can click on a link in the footer to create the corresponding page. The associated page is automatically created in the *Project* namespace. If editing should be restricted to a certain user group, the permissions for the *Project* namespace can be set accordingly.

If the *privacy policy* or *terms of service* pages are missing, it will be displayed in a page banner. The pages should then be created by an administrator.



Editing the footer links with the menu editor v4.4+

When an administrator hovers over one of the footer links, the *Edit footerlinks* link appears. Existing links can then be edited or removed (1) and new links added (1) by using the menu editor.





Changing the standard links -v4.3

The wiki has 3 standard links that are managed in the user interface.: *Privacy policy, About (sitename)* und *Disclaimers.*

Example: About (sitename)

In the following example, we change the link text *About (sitename)* to *Legal information*. In addition, we link to the new target page *Legal:Terms*.

- 1. Change the link text from *About (sitename)* to *Legal information*:
- 2. Open the page MediaWiki:Aboutsite.
 - 1. Add the text *Legal information* to the empty page. If you later want to switch back to the standard label, you can remove the custom text at that time.
- 3. To link the Legal information to a page that is different from the standard page MediaWiki:Privacypage:
 - 1. Open the page Project:Impressum.
 - 2. Redirect the page *Project:Impressum* to your custom page, e.g. *Legal:Terms*.

Standard configurations

The following table shows the default pages that are used to create the footer links and their associated target content.

Example: Privacy policy

- **Standard link text:** If the page *MediaWiki:Privacy* does not exist, the link shows the standard link text "Privacy policy" and points to the standard target page *Project:Privacy policy*.
- **Custom link text:** If the page *MediaWiki:Privacy* does exist and has as its content the term *Privacy*, the footer link displays *Privacy*.
- Removed link: If the page MediaWiki:Privacy exists but has no content, the link is removed from the footer.

Footer link	Link text defined in	Link target defined in	Standard target page
Privacy policy	MediaWiki:Privacy (Standardtext: Datenschutz)	MediaWiki:Privacypage	Project:Privacy policy
About (site <i>name)</i>	MediaWiki:Aboutsite	MediaWiki:Aboutpage	Project:About
Disclaimers	MediaWiki:Disclaimers	MediaWiki: Disclaimerpage	Project:General disclaimer

Both the page for the link text as well as the page for the link target cannot be empty. If one of them is empty, no footer link is generated. If one of the two pages doesn't exist, the respective standard behavior text for that page is used.

To suppress a footer link, you can, therefore, leave one of the two pages empty.



Linking external target pages


To link one of these footer links to an external web page, you first have to define an interwikilink for the external website.

Example: Linking the Privacy policy to the external page https://bluespice.com/privacy/.

1. Define the interwikilink for the domain *bluespice.com* on the page *Special:InterWikiLinks* (interwiki prefix: bls).



2. Insert the interwikilink on the link target page *MediaWiki:Privacypage* and save the page. Syntax: interwiki-prefix:target-page.



Adding more links

Additional links such as *Change cookie consent* or *Analysis service a*re automatically created by the corresponding extensions. To add custom links, a server administrator has to change the related server settings.

Related info

- https://www.mediawiki.org/wiki/Manual:Footer
- BlueSpice Layout



Manual:Extension/BlueSpiceDiscovery/Main navigation

Latest revision as of 14:25, 13 December 2023 (view source)

Margit Link-Rodrigue (talk | contribs)

No edit summary

Tag: 2017 source edit

(No difference)




Latest revision as of 14:25, 13 December 2023

Contents	
1 Overview	14
2 Editing the main navigation	14
2.1 Menu editor	14
2.2 Source edit mode	16
3 Deactivating standard links	16
4 Group-specific navigation	16
5 Additional customizations	17
6 Related info	17



Overview

By default, some links are provided as entry points to the wiki. Wiki administrators can deactivate these links in the configuration manager if needed. In addition, you can also add new links below the entrypoints (admin permissions required). Please note that no hierarchical links can be created. Therefore, it makes sense to mainly set up links to the most important topics and to portal pages that contain additional links or page lists.



Editing the main navigation

To open the menu editor:

1. **Click** E*dit sidebar* at the bottom of the navigation menu. If the page does not exist yet, you will see a notice on the page.

Menu editor




Visual menu editor is available from BlueSpice 4.2.


To add a new menu header using the menu editor:

1. Click Add new element to create a new menu header.






2. Enter the text for your menu header. In a multilingual wiki, you can also enter a message key.




3. Click Done.

To add links:

1. **Select** *Add new subitem* from the dropdown menu of the menu header.



2. Enter the page name as the link target and the label that you want to show:



- 3. Click Done.
- 4. **Repeat** steps 1-3.
- 5. Click Save changes.

Note: If you use the parser function {{#ifingroup:...} to display navigation elements in the source code, you must always edit the main navigation in the source code. In visual editing mode, saving removes any parser function or semantic queries.



Source edit mode

To add new links:

- 1. **Change** to source editing mode.
- 2. **Create** one or more navigation links (with or without section heading). The following example shows a link to the page "Company" with the label "Our company" and an external link to the BlueSpice website with the label "Website". The links are grouped together under the section heading "Quicklinks":

```
*Quicklinks
**Company|Our company
**https//www.bluespice.com/de|Website
```

3. **Save** the page. The links are now shown in the main navigation.

Link labels may collide with system messages. If this is the case, simply append the HTML-code for an empty space to the description:

**Portal|Portal

Deactivating standard links

The standard links can be deactivated in the configuration manager. The following settings are available under *Feature > Skinning*:

BlueSpiceBookshelf:

• Show entrypoint "Bookshelf"

BlueSpiceDiscovery:

- Show entrypoint "Mainpage"
- Show entrypoint "All pages"
- Show entrypoint "Recent changes"

BlueSpiceSocial:

Show entrypoint "Timeline"

BlueSpiceSocialBlog:

Show entrypoint "Blog"

Group-specific navigation

It is possible to show navigation elements for specific user groups only. Please note that the pipe symbol (|) between the page name and its label has to be escaped as $\{\{!\}\}$ within this function.

This syntax is defined in the extension UserFunctions.



```
{{#ifingroup:sysop,widgeteditor |
*Test2
**somepage{{!}}Some page
|}}
```

Note: Anytime the page is saved using the visual menu editor, the parser function will be overwritten and no longer works!

Additional customizations

- Alignment for navigation with long link labels
- Display icons with navigation links
- Multi-language navigation

Related info

- Custom menu
- User menu

Manual:Extension/BlueSpiceDiscovery/Main navigation/Icons: Difference between revisions

Latest revision as of 11:38, 23 December 2021 (view source)

Margit Link-Rodrigue (talk | contribs)
m ((username removed) (log details removed))

(No difference)



Latest revision as of 11:38, 23 December 2021

Icons anpassen


You can assign individual symbols to the navigation links in the main navigation by adapting the styling using CSS. Let's say you have a link named *Softwarekatalog*.

To add a book icon:

- 1. **Open** the page *MediaWiki:Common.css* in edit mode.
- 2. **Add** the following lines at the end of the page.
- 3. **Save** the page.

```
a#n-Softwarekatalog::before {
    content: '\e970';
    font-family: 'entypo';
    margin-left: -20px;
    padding-right: 4px;
    vertical-align:middle;
}
```

The link is now displayed with an icon.



Reload the page or empty the browser cache (F5 on the keyboard) if the changes are not immediately visible. If your link label includes special characters, you need to follow the instructions for navigation links with special characters.

Available icons

You can see all available icons on the page w/extensions/BlueSpiceFoundation/resources/bs.icons.php of your wiki.

A list with all icons and their character keys on this helpdesk is available here and is the same for any default installation of a BlueSpice wiki.

In the upper line you can click through different fonts, below you find the icons with the corresponding character keys. In *MediaWiki:Common.css* you have to adjust the entries *font-family* (entypo, fontawesome, icomoon, ...) and *content* (character key) accordingly.



Navigation links with special characters

If the text for the menu items contains special characters, they are converted in the HTML code of the page. In this case, right-click on the corresponding entry and, depending on the browser used, select "Inspect" or similar.

```
Quellcode Netzv
Elemente
                                                                     Sicherheit
                Konsole
                                Netzwerk
                                                                               Lighthouse
                                         Leistung
                                                 Speicherverbrauch
                                                               App
         ▼<div id="n-links-dokumentation" class="card w-100 bg-transp">
           <div id="n-links-dokumentation-head" class="card-header menu-title"> Dokumentation </div>
          ▼
            ▶ ...
            ▶ ...
            ▼<li class="list-group-item"
            <a id="n-Einf.C3.BChrung-Semantic-MediaWiki" href="/wiki/Handbuch:Semantic MediaWiki">Einführung Semantic MediaWiki</a> == $0

           </div>
          <a id="edit-sidebar-link" href="/w/index.php?title=MediaWiki:Sidebar&action=edit" title="MediaWiki:Sidebar bearbeiten" role="link" a
         </div>
Developer toolbar
```

For example, if you want to display the link description Introduction to Semantic MediaWiki with the book symbol, copy the value from the link ID and paste the following formatting instruction in *MediaWiki:Common.css*:

```
a#n-Softwarekatalog::before,a[id="n-Einf.C3.BChrung-Semantic-MediaWiki"]::before {cont
ent: '\e970';
   font-family: 'entypo';margin-left: -20px;
   padding-right: 4px;vertical-align:middle;
}
```

After saving Common.css and reloading the page you now see the selected icon.

Manual:Extension/BlueSpiceDiscovery/Main navigation /Language support: Difference between revisions

Latest revision as of 16:14, 30 March 2022 (view source)

Margit Link-Rodrigue (talk | contribs)

No edit summary

Tag: Visual edit

(No difference)



Latest revision as of 16:14, 30 March 2022

Contents	
1 Navigation based on the user language setting	
1.1 Link labels	21
1.2 Link targets	21
2 Related info	22



Navigation based on the user language setting

Note: These instructions do not apply in a farm environment or in separate language wikis. These instructions are used for maintaining languages in as single wiki.

Link labels

If you want the link labels in the main navigation or the custom menu to match the language a user has set under their *Preferences*, you need to provide a separate system message page for each menu item. These message pages need to be created in the namespace *MediaWiki*.

In the following example, we create a menu item called *Quality assurance*. A user who specified German (de) or formal German (de-formal) in their preferences, should see the label *Qualitätssicherung* instead.

To create the labels in EN, DE and DE-formal:

- 1. **Create** the page *MediaWiki:QA* and add the text for the English label (*Quality assurance*). Save the page.
- 2. **Create** the page *MediaWiki:QA|de* and add the text for the German label (*Qualitätssicherung*). Save the page.
- 3. **Create** a link on the page *MediaWiki:Sidebar*: **About_quality_assurance|QA This creates a link in the main navigation to the page *About quality assurance* and displays the label that is defined in the different language message pages for the message "QA". To test the languages, go to *Preferences* > *User Profile* in your user profile menu. In the section *Internationalisation*, set the language from English to German or vice versa and save the setting. The language of the menu item now displays in the correct language.

Link targets

If you have content in multiple languages, you want that users with English language preference settings not only see the corresponding menu labels. They should also be directed to an English page when they click on a menu item. Users with German language settings should see the German content after clicking on the German menu link. In this case, you also have to create separate link targets in addition to the language labels.

In the previous section, we already created the labels when a user switches languages. Now we also have to create different link targets for these pages. If the main language is English and the page is called *About quality assurance*, the translations can be located in subpages. For example, the German version is located under *About quality assurance/de*.

To create the link targets to the language pages:

- 1. **Create** the page *MediaWiki:QA-url* and add the link to the English page *About quality assurance*. The link is entered without brackets, in plain text. Save the page.
- 2. **Create** the page *MediaWiki:QA*-url/*de* and add the text for the German page (*About quality assurance* /de). The link is entered without brackets, in plain text. Save the page.



In the navigaion link to the Quality assurance page, change the link from

**About quality assurance|QA

to

**QA-url|QA

This achieves the language switch for the target pages (QA-url) and for the label (QA) of the menu item.

Depending on the language settings of the user, the user is now directly directed to the correct language version.

Related info

Interwikilinks

Manual:Extension/BlueSpiceDiscovery/Main navigation/Long link labels: Difference between revisions

Latest revision as of 16:31, 1 February 2023 (view source)

Margit Link-Rodrigue (talk | contribs)

No edit summary

Tag: Visual edit

(No difference)

Latest revision as of 16:31, 1 February 2023

You can add the following CSS declarations to the page *MediaWiki:Common.css* to gain more space and adjust the alignment when navigation items cause line wraps.



```
/*Override line height for individual nav items in main navigation*/
#sb-pri .list-group .list-group-item {padding:1px 0}
#sb-pri .list-group .list-group-item > a {line-height:1.4em; margin-bottom: 0.1em;padding: 5px 18px}
#sb-pri-cnt .card-header.menu-title {margin-bottom: 0.8rem;}
```

Bookshelf
All pages
Recent changes
DEPARTMENTS

Welcome
SG 01.02 This is a very long label for a department name
SG 01.04 Yet another longer label

standard layout

Bookshelf
All pages
Recent changes
DEPARTMENTS
Welcome
SG 01.02 This is a very long label for a department name
SG 01.04 Yet another longer label
adjusted layout

