

Contents

Manual:Extension/BlueSpiceHideTitle

VisualWikitext

Latest revision as of 16:47, 15 June 2023 ([view source](#))

[MediaWiki default](#) ([talk](#) | [contribs](#))

(Autogenerated)

Revision as of 12:44, 22 June 2023 ([view source](#))

[Dvogel](#) ([talk](#) | [contribs](#))

[m](#) (1 revision imported)

Line 1:

```
<includeonly>
```

```
<templatestyles src="Subpages/styles.css" /><div class="{{#switch: {{cols}}|no=template-subpages|nein=template-subpages|}} {{#switch: {{bullets}}|no=no-bullets|nein=no-bullets|}}">{{Special:Prefixindex|prefix={{parentnamespace}}:{{parentpage}}|/hideredirects=1|stripprefix=1}}</div></includeonly>
```

```
<noinclude>
```

This template lists all subpages of a wiki page. The result is displayed as a bulleted list and can be set to 1-3 columns.

```
<templatedata>
```

```
{
```

```
  "params": {
```

```
    "parentnamespace": {
```

```
      "label": {
```

```
        "en": "Namespace",
```

```
        "de": "Namensraum"
```

```
      },
```

```
      "description": {
```

```
        "en": "Leave blank for the Main namespace",
```

```
        "de": "Für den Hauptnamensraum leer lassen"
```

```
      },
```

```
      "suggested": true
```

```
    },
```

```
    "parentpage": {
```

```
      "label": {
```

```
        "en": "Parent page",
```

```
        "de": "Übergeordnete Seite"
```

```
      },
```

```
      "description": {
```

```
        "en": "The page that is one level above the pages you want to display",
```

Line 1:

```
==DescriptionMsg==
```

```
{{AutoDocDescriptionMsg
```

```
|name = BlueSpiceInsertTemplate
```

```
|desc = {{int:bs-insertTemplate-desc
```

```
}}
```

```
}}
```

```
==License==
```

```
{{AutoDocLicense
```

```
|name = GPL-3.0-only
```

```
}}
```

```
==Requirements==
```

```
{{AutoDocRequirements
```

```
|mediawiki = {{AutoDocVersion
```

```
|name = MediaWiki
```

```
|version = 1.36.0
```

```
}}
```

```
|extensions = {{AutoDocVersion
```

```
|name = BlueSpiceFoundation
```

```
|version = 4.1
```

```
}}
```

```
}}
```

```
==Config==
```

```
{{AutoDocConfig
```

```
|config = {{AutoDocOption
```

```
|name = InsertTemplateFavorites
```

```
|value = <nowiki>array (
```

"de": "Die Seite die eine Ebene über den gewünschten Unterseiten liegt."
},
"required": true
},
"cols": {
"label": {
"en": "Column layout",
"de": "Spaltenlayout"
},
"description": {
"en": "yes: creates 3 column layout, no: creates no columns",
"de": "ja: erstellt 3 Spalten; nein: erstellt keine Spalten"
},
"type": "string",
"example": {
"en": "yes, no",
"de": "ja, nein"
},
"default": {
"en": "no",
"de": "nein"
},
"suggested": true
},
"bullets": {
"label": {
"en": "Bullet points",
"de": "Aufzählungszeichen"
},
"description": {
"en": "no: removes bullet points",
"de": "nein: entfernt Aufzählungszeichen"
},
"example": {
"en": "yes, no",
"de": "ja, nein"

)</nowiki>
}}
}}
==ApiModules==
{{AutoDocApiModules
APIModules = {{AutoDocCallback
name = bs-inserttemplate-store
callback = BSApiInsertTemplateTemplateStore
}}
}}

```
    },
    "type": "string",
    "default": {
        "en": "yes",
        "de": "ja"
    },
    "suggested": true
}
},
"description": {
    "en": "Subpages",
    "de": "Unterseite"
}
}
</templatedata>
</noinclude>
```

Revision as of 12:44, 22 June 2023

Contents

1	DescriptionMsg	5
2	License	5
3	Requirements	5
4	Config	5
4.1	Configuration	5
5	ApiModules	5
5.1	API Modules	5

DescriptionMsg

Dialog to insert a template

License

GPL-3.0-only

Requirements

- MediaWiki: 1.36.0
- BlueSpiceFoundation: 4.1

Config

Configuration

Name	Value
InsertTemplateFavorites	array ()

ApiModules

API Modules

- bs-inserttemplate-store

 [Technical Reference: BlueSpiceHideTitle](#)