

Contents

1. Manual:Extension/BlueSpiceHideTitle	2
2. Reference:BlueSpiceHideTitle	4

Manual:Extension/BlueSpiceHideTitle

Contents

1	Description	3
2	Properties	3
2.1	Input properties	3
2.2	Output properties	4
3	Usage	4

Description

The *EditWikiPage* activity appends content to an existing wiki page.

Short profile	
Name	EditWikiPage
Async	Yes
BPMN type	bpmn:Task
BPMN Extension Element "wf:type"	edit_page

Properties

Input properties

Each input property can provide a default value if no other value is set by the workflow.

Name of property	Source	Description	Possible values	Type
title	-	Name of the wiki page that will be edited by this activity.		string
user	-	Name of user that will be shown as making the edit.	Default value: <i>MediaWiki default</i>	string
content	-	Content that will be added to the wiki page.		string
mode	-	How the content is added to the wiki page.	<i>append</i>: Content is added at the end of the page. <i>replace</i>: Content replaces all existing page content. <i>prepend</i>: Content is added at the beginning of the page.	string
minor	-	The edit will be marked as <i>major</i> or <i>minor</i> revision.	<i>1</i> (=minor revision) <i>0</i> (=major revision)	int

Output properties

Name of property	Source	Description	Type
<code>revisionId</code>	-	The revision ID of the edited page.	string
<code>timestamp</code>	-	The revision time of the edited page.	int

Usage

```
<bpmn:task id="Activity_18egh9o" name="Edit page">
  <bpmn:extensionElements>
    <wf:type>edit_page</wf:type>
  </bpmn:extensionElements>
  <bpmn:property name="title" default="Some page" validation="required"/>
  <bpmn:property name="user" default="Mediawiki default" validation="existing-
user"/>
  <bpmn:property name="content" default="This is my test at editing"/>
  <bpmn:property name="mode" default="append"/> <!-- Allowed: append, replace,
prepend -->
  <bpmn:property name="minor" default="1"/>
  <!-- Output properties -->
  <bpmn:property name="revisionId"/>
  <bpmn:property name="timestamp"/>
</bpmn:task>
```

[Technical Reference: BlueSpiceHideTitle](#)

Reference:BlueSpiceHideTitle

Extension: BlueSpiceHideTitle

[all extensions](#)

Overview			
Description:	Adds the magic word <code>__HIDETITLE__</code> to hide the title area of the page		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	GPL-3.0-only

Overview			
Type:	BlueSpice	Category:	Rich Articles
Edition:	BlueSpice pro, BlueSpice free, BlueSpice Farm, BlueSpice Cloud	Version:	4.1+

Features


HideTitle enables hiding of the title on the page, if it's necessary.

To hide a page's title, use `__HIDETITLE__` anywhere in its source code.

Changing an existing article's title completely is not possible that way, but you can move the article to have the correct title.

Page approval

If a page has the [approval feature](#) activated, you can approve the page via (`...all actions - > Approve page`) if the title section of the page is hidden. v4.3.2+



Technical Information

This information applies to BlueSpice 4. Technical details for BlueSpice Cloud can differ in some cases.

Requirements

MediaWiki: 1.38.0
BlueSpiceFoundation: 4.1

Integrates into

- BlueSpiceHideTitle
- BlueSpiceVisualEditorConnector

Special pages

Hooks

- [BSUsageTrackerRegisterCollectors](#)
- [BeforePageDisplay](#)
- [GetDoubleUnderscoreIDs](#)
- [OutputPageBodyAttributes](#)

Accessibility

Test status:	2-testing complete
Checked for:	Authoring tool
Last test date:	2022-08-04
WCAG level:	AA
WCAG support:	supports
Comments:	Add behavior switch in source editing mode
Extension type:	core
Extension focus:	organizer