

Contents

1. Manual:Extension/BlueSpicePagesVisited	2
2. Manual:Extension/BlueSpiceUserSidebar	4
3. Reference:BlueSpicePagesVisited	8

Visited pages

The extension **PagesVisited** creates a list of your recently visited pages.

Contents


1	Personal navigation	3
2	Embedding the tag on a page	3
3	Related info	4

Personal navigation

The functionality is integrated in the [personal navigation menu](#) (clipboard icon). If it has been removed, it can be re-added on the page *User:<username>/Sidebar*. This page is loaded when the *Edit sidebar* link at the bottom of the sidebar is clicked. This link is visible when you hover over any existing navigation item.


To display recently visited pages add the following item to the page:

* PAGESVISITED



PagesVisited in the personal navigation

Embedding the tag on a page



PagesVisited on the page


While in source edit mode, enter the following tag anywhere on the page.

```
<pagesvisited count="10" />
```

The list of recently viewed pages will appear at the place in the page where the tag was inserted.

Options that can be passed to the tag are:

- *count* - number of pages to show
- *maxtitlelength* - maximum length of each shown page
- *namespaces* - list of namespaces from which to show pages. Multiple namespaces can be entered, separated by comma.
- *order* - sorting of the pages displayed - can be "time" or "pagename"



Related info

- [Reference:BlueSpicePagesVisited](#)

➔ [Technical Reference: BlueSpicePagesVisited](#)

Personal navigation


Contents

1 Accessing the personal navigation	6
---	---

2 Customizing the sidebar	6
2.1 Menu editor	6
2.2 Source edit mode	8

Accessing the personal navigation

Every logged-in user has their own user menu. Changes to this menu are only visible to the individual user.



The menu is separated in two sections (see screenshot):

- Customizable links
- Personal tools (these links cannot be edited)

Customizing the sidebar

Initially, the customizable links show the following widgets:

- Pages visited (widget PAGESVISITED)
- My edits (widget YOUREDITS)

These widgets can be removed individually.

To customize the content of the user menu:

1. **Click** on your user profile image.
2. **Click** *Edit user menu*.

Menu editor



Visual menu editor is available from BlueSpice 4.2.

To add a new menu header using the menu editor:

1. **Click** *Add new element* to create a new menu header.

+ Add new element

Add a new menu heading

2. **Enter** the text for your menu header. In a multilingual wiki, you can also enter a [message key](#).

Cancel

Edit element

Done

Node type
Text or message key

Edit text or message key
Text or a message key

Topics *

Enter a heading name

3. **Click** Done.

To add links:

1. **Select** *Add new subitem* from the dropdown menu of the menu header.

Quicklinks

Edit node

Remove

Add new subitem

add a link as a new subitem

2. Enter the page name as the link target and the label that you want to show:

Cancel

Edit element

Done

Edit link
Link target

IMS:Process descriptions *

Link label

Processes *

enter link info

3. **Click** Done.
4. **Repeat** steps 1-3.
5. **Click** *Save changes*.

Note: If you use the parser function `{{#ifingroup:...` to display navigation elements in the source code, you must always edit the main navigation in the source code. In visual editing mode, saving removes any parser function or semantic queries.

Source edit mode

To add new links:

1. **Change** to source editing mode.
2. **Create** one or more navigation links (with or without section heading). The following example shows a link to the page "Company" with the label "Our company" and an external link to the BlueSpice website with the label "Website". The links are grouped together under the section heading "Quicklinks":

```
*Quicklinks
**Company|Our company
**https://www.bluespice.com/de|Website
```

3. **Save** the page. The links are now shown in the main navigation.

Link labels may collide with system messages. If this is the case, simply append the HTML-code for an empty space to the description:

```
**Portal|Portal&#160;
```



Technical Reference: BlueSpiceUserSidebar

Reference:BlueSpicePagesVisited

Extension: BlueSpicePagesVisited

[all extensions](#)

Overview			
Description:	Provides a personalized list of the last visited pages		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	GPL-3.0-only
Type:	BlueSpice	Category:	Personalization

Overview			
Edition:	BlueSpice pro, BlueSpice free, BlueSpice Farm, BlueSpice Cloud	Version:	4.1+
? View user help page			

Features

PagesVisited creates a list of a user's recently visited pages.

- Adds a menu item for last visited pages in the BlueSpice Personal navigation menu.
- Users can also add a tag into any page to create a list of pages they have visited.

Technical Information

This information applies to BlueSpice 4. Technical details for BlueSpice Cloud can differ in some cases.

Requirements

- MediaWiki: 1.36.0
- BlueSpiceFoundation: 4.1
- BlueSpiceWholsOnline: 4.1

Integrates into

- BlueSpiceUserSidebar
- BlueSpiceVisualEditorConnector
- ContentDroplets

Special pages

Hooks

- [BSUsageTrackerRegisterCollectors](#)

Accessibility

Test status:	2-testing complete
---------------------	--------------------

Checked for:	Web, Authoring tool
Last test date:	2022-08-09
WCAG level:	AA
WCAG support:	supports
Comments:	• Authoring tool: adds widget in source editing mode • Web: Output is a standard ul-list
Extension type:	core
Extension focus:	reader