

## Contents

1. <a href="#">Manual:Extension/BlueSpiceReminder</a> .....	2
2. <a href="#">Manual:Preferences</a> .....	4
3. <a href="#">Reference:BlueSpiceReminder</a> .....	15

## 7.4 Reminders


The extension **Reminder** allows users to keep track of pages by creating reminders for a particular date. By default, the wiki sends out a notification one week before and on the day that was set in the reminder.

### Contents


1	<a href="#">Setting a reminder</a>	3
2	<a href="#">My reminders</a>	3
3	<a href="#">Managing all wiki reminders</a>	4
4	<a href="#">Benachrichtigungen</a>	4
5	<a href="#">Related info</a>	4

## Setting a reminder

To create a reminder, click *Set reminder* in the page tools.



A dialog window opens. After entering the reminder data, the reminder is saved after clicking *Done*.




## My reminders

Users can view and manage a list of their own reminders. The list can be loaded in the following ways.

In the editing dialog (see image above) via the *My reminders* button.

Via the User menu > *Personal Tools* > *Reminders*.



Here, reminders can be edited (wrench icon) or deleted (x icon).

<input type="checkbox"/>	Page	Type	Remind on	Is repeating	Actions
<input type="checkbox"/>	Main Page	Page	2022-03-01	no	

My reminders

## Managing all wiki reminders

The Special:Reminder page is available to wiki administrators. It displays a list of all reminders for all sites and all users. Wiki admins can delete reminders here or edit the due date and other details. Users in the admin role can theoretically create reminders for other users. This ability should be used with caution, however, as users may not expect others to create reminders on their behalf.

## Benachrichtigungen

By default, users receive a notification in the wiki and via email a week before or on the due date. This behavior can be disabled in the [user preferences](#).

### Related info

- [Reference:BlueSpiceReminder](#)

[Technical reference: BlueSpiceReminder](#)

## Preferences

### Contents

1	What are user preferences?	6
2	User profile	6
2.1	Basic Information	6
2.2	Internationalisation	6
2.3	Signature	7
2.4	Email options	7
3	Appearance	7
3.1	Skin	7
3.2	Reading preferences	7
3.3	Date format	7
3.4	Time offset	7
3.5	Files	7
3.6	Diffs	8
3.7	Advanced options	9
3.8	Context menu	9
3.9	Dashboards	10
3.10	Player	10
3.11	Timeline	10
3.12	BlueSpice Calumma settings	10
4	Editing	11
4.1	General options	11
4.2	Editor	11
4.3	Preview	12
4.4	Reminder	12
4.5	Timeline	13
5	Recent changes	13
5.1	Display options	13
5.2	Advanced options	13
5.3	Edit review	13
6	Watchlist	13
6.1	Edit watchlist	13
6.2	Display options	13
6.3	Advanced options	14
6.4	Token	14
7	Notifications	14
7.1	Email options	14
7.2	Notify me about these events	15
7.3	New message indicator	15
7.4	Notifications on namespace events	15
7.5	Notifications on categories	15
7.6	Review	15
8	Extended Search	15
9	Semantic MediaWiki	15
10	Resetting all preferences	15

## What are user preferences?

As a BlueSpice user, you can customize a lot of settings to make your wiki experience more personal and more efficient.

For example, you may want to show a real photo of yourself or maybe you prefer a randomly generated image. You can also set when and how you want to be notified about changes that are happening on your wiki. To find content tailored to your needs, you can even exclude entire namespaces from your search results if you only need information from particular areas of your wiki.

Just remember that all settings only affect your own wiki experience (except for your profile information, of course, which is visible to all users).

### To access your preferences:


**Click** on the user menu.

**Click** *Preferences*. This opens the preferences page with multiple tabs.

Alternatively, you can access the page *Special:Preferences* directly.

## User profile

### Basic Information



**Real name:** This name is shown throughout the wiki. When users hover over your real name, your profile picture and contact information is shown.

**Change password:** If your wiki is not connected with the central authentication system of your company, you can manage your password here.

### User image:

*User image* text field: Enter the webaddress of a picture on another website and click *Save* at the bottom of the page. The profile picture points directly to the external image:


*Change profile picture* link: Upload an image to the wiki. Click *Browse* and then *Upload* to create a new profile image. If you click *Generate new avatar*, the system generates a graphic instead.

**Privacy policy** acceptance checkbox: Select and save this checkbox setting to confirm that you accept the privacy policy. Administrators can review this setting for all users on the page *Special:Privacy\_Admin*.

### Internationalisation

**Language:** Users can change their personal language that is used in the layout and menus. BlueSpice currently supports de-formal-German (formal), de-German and en-English.

**How do you prefer to be described?** Option for setting your gender preferences.



## Signature

**Your existing signature:** shows a preview of your current signature including your profile info when you hover over the link.

**New signature:** Enter a new name for your signature and save the *Preferences* page.

**Treat signautre as wikitext:** Your signature will be shown as text-only.

## Email options

If you provide an email adress, you can specify to receive email notifications in addition or in place of wiki notifications. As long as the email address is not confirmed, the system will not send emails. This also affects the settings in the [Notifications](#) tab.

If you want to exclude minor page edits from email notifications, you need to set it under the email options here.

## Appearance

---

### Skin

If your wiki has more than one skin, you can choose the layout of your wiki here. It only affects your view of the wiki. All other users see the skin that is selected in their preferences.

### Reading preferences

You can set if you want to see quick summaries of a page before you click on a link. This requires that the page has some intro text before the first heading on a page.

### Date format

You can set how you would like to see the timestamp on wiki pages, for example the timestamp of a user signature on a discussion page.

Rodrigue (talk) 09:10, 3 December 2019 (CET)

date format example

### Time offset


**Server time:** Shows the server time so that you can compare it to your local time.

**Local time:** Shows the time set in the time zone setting.

**Time zone:** When you select a time zone, your local time will be shown throughout the wiki wherever there is a timestamp.

### Files


**Image size limit:** Sets the maximum size of the preview image on the file description page.





**Thumbnail size:** Sets the size of the thumbnail image on a page if no custom size is specified in the image settings.

**Enable Media Viewer:** If this checkbox is not selected, image links on a page will load the file description page rather than the media viewer overlay.



## Diffs

**Do not show the page content below diffs:** Turns off the **VisualDiff view** as well as the wikitext view of revisions. Revisions are only shown in classic view.


**Don't show diff after performing a rollback:**



## Advanced options

### Link underlining:

*Always:* Underlines all links in the content area of a page, even if the selected skin specifies no underlining. The table of contents is not affected by this setting.




*Never:* Never underlines links in the content area of a page, even if the selected skin specifies underlining.

*Skin or browser default:* Keeps the link settings as specified in the skin.

**Threshold for stub link formatting:** Determines when the target page is considered short enough to change the link color to a page that fits the threshold criteria. If you choose 50 bytes, a link to a page with less than 50 characters (including wikitext), will be marked as a stub link and be shown in a different color. This only works if your wiki skin has a separate color value for stub links defined.


Show hidden categories:

**Auto-number headings:** Adds heading numbers to the page headings



## Context menu

Page links in the content area of the wiki show a context menu that allows to perform actions on the target page without having to go to the target page first. You can set whether you want to show the context menu with *right-click* or with *right-click + Strg*.



## Dashboards

By default, the logo of your wiki links to the main page. You can change this and link to your user dashboard instead.

## Player

When a page contains a video, you can set it to autoplay when you load a page.

## Timeline

You can set the timestamp on the timeline entries in date format or as age.


**Note:** It can take up to 24 hours for all timeline entries to show the new timestamp format. When you create a new entry, you should see the changed format immediately.




## BlueSpice Calumma settings

**Automatically hide main menu:** Hides the main menu every time you load a new page.

**Automatically hide tool menu:** Hides the tool menu every time you load a new page.





## Editing

### General options

**Enable section editing by right clicking on section titles:** Right-clicking a section title with the mouse sets the page in edit mode. The specified section can be edited immediately.


**Editing pages by double clicking (JavaScript):** Double-clicking on the page sets the page in edit mode. The double-click needs to be inside the text area of the page. Clicking in the title section of a page will not set the page into edit mode.

**Show the pending changes diff when editing pages:**

### Editor

**Edit area font style:** Displays source code in monospace, serif, or sans-serif font.

**Mark all edits minor by default:** This automatically sets the minor flag in the save dialog. It can be selected or deselected in the save dialog on the page itself:



**Note:** Note: The 'Watch this page' checkbox in the save dialog can be activated or deactivated by default under the preferences tab *Watchlist* under *Advanced options: Add pages and files I edit to my watchlist*.

**Prompt me when entering a blank edit summary:** Displays a text message when you click *Save changes* reminding you to enter a summary description. If you do not enter a description after that, the page will save without the summary the next time you click *Save changes*.

edit summary prompt

**Warn me when I leave an edit page with unsaved changes:** When you reload or leave a page with unsaved edits, a warning message is displayed. You can confirm to leave the page or stay on the page and save your changes.

**Show edit toolbar:** Disables VisualEditor in visual editing mode. Disabling is not recommended, as this reverts the editor back to a previous version of MediaWiki editor.

**Temporarily disable the visual editor while it is in beta:** You can disable visual editor while it is in [Extension:VisualEditor|beta mode](#). We recommend you do not disable VisualEditor unless you prefer to work with a previous visual editor version.

## Preview

These preview settings are only applied if you have temporarily disabled VisualEditor and the edit text area is on the same page as the page preview. In BlueSpice 3.1+ you can generally ignore these settings.

**Show preview on first edit:** The preview of the article is displayed when you click on "Edit"

**Show preview before edit box:** If this option is deactivated, the preview will be shown under the edit form

**Show previews without loading the page:**

## Reminder

**Default reminder period:** Prefills the date field for reminders with *current date + x days* specified here.

**Set reminder on page creation:** When you create a new page, a reminder for that page is automatically created based on the default reminder period you entered.

**Do not create reminder for the following namespaces:** Excludes namespaces from the automatic reminder on page creation.

## Timeline

**Warn me when I leave an edit of an entry with unsaved changes:** If unchecked, any unsaved changes to a social entity (such as blog entry, comment, microblog or discussion topic) will be automatically lost if you navigate to a different page or reload the page before saving your changes.

**Skip dialog on discussion creation:** Automatically creates a discussion page when a user adds a discussion directly on a page and the discussion page for the entry does not yet exist. If this checkbox is unchecked, the user has to create the discussion page first before the discussion topic can be posted.

## Recent changes

---

### Display options

**Days to show in recent changes:** You can set how many results are displayed on the page *Recent changes*.

**Number of edits to show in recent changes,....:**

### Advanced options

**Group changes by page in recent changes and watchlist:**

**Hide minor edits from recent changes:** Hide minor changes from appearing on your *Recent changes* page. This is useful if pages are saved a lot by a single user without major differences between the edits.

### Edit review

#### Basic interface

**When to show the stable version...':** *Here you can set to 'Always show the latest version* for each page. This setting is only useful if the **FlaggedRevs** feature is active in a namespace. It is a useful settings for users with review permissions who can accept draft versions. Without this setting, the last stable version of a page is shown by default.

**Show the pending changes diff when viewing the latest pending version:**

## Watchlist

---

### Edit watchlist

#### Edit entries on your watchlist:

*View and remove titles on your watchlist:* Links to the page [Special:EditWatchlist](#) where you can manage your watchlist entries. The watchlist is organized by namespaces.

*Edit raw watchlist:* Links to the page [Special:EditWatchlist/raw](#) where you can remove pages by page name from a textbox. This list is also organized by namespaces.

*Clear watchlist:* Links to the page [Special:EditWatchlist/clear](#) where you can empty your watchlist with the click of a button.

### Display options

**Days to show in watchlist:** Presets the value in the selection menu *Period of time to display* on the page *Special:Watchlist*.

**Maximum number of changes to show in watchlist:** Limits the number of changes that are displayed in your watchlist.

This example shows a default setting of 8 days and 20 changes.

- Watchlist options

Below are the last **20** changes in the last **192** hours, as of 3 December 2019, 13:40.

Period of time to display:

watchlist display options

## Advanced options

Here, you select all the criteria for automatically adding pages and files to your watchlist and for showing certain changes on your watchlist.

### Token


**Watchlist token:** The token can be used to create a public RSS feed to your watchlist. Anyone who knows this token can access the feed. The syntax for the feed URL is: `https://[YourWikiDomain]/w/api.php?action=feedwatchlist&wlowner=[USERNAME]&wltoken=[TOKEN]` .

## Notifications

**Important!** Notification don't consider the edit type "Minor edit". Therefore, notifications are sent even in the case where a user makes a minor edit.

Here you can set how and when you would like to receive notifications in email and/or in the notifications area of your user profile (Web notifications). If you haven't received email notifications yet, make sure that your email adress has been verified. This information is available in the *User profile* tab, under the section *Email options*.

To view your Web notifications, go to your User profile menu and select Notifications.




The user profile image in the main toolbar and the *Notifications* menu item show the number of new notifications. Notifications can set for a variety of events, such as new assignments or reminders. You can also select to be notified about changes only in certain namespaces or categories.

To configure which notifications you want to get, click on *Preferences* in the *Settings* menu (3).

### Email options

You can specify how often you receive emails: *never*, *immediately*, *daily*, or *weekly*.



If you unexpectedly don't receive emails for notifications, check under the *User profile* tab to make sure that you have already confirmed your email account.

**Email confirmation:** Your email address is not yet confirmed. No email will be sent for any of the following features.  
[Confirm your email address](#)

unconfirmed email address

## Notify me about these events

Notifications can be displayed in the Notifications page of the wiki. This functionality is provided by the MediaWiki extension *Echo*.

## New message indicator

This setting currently has no effect in BlueSpice. It is a configuration setting for the MediaWiki extension [Extension:Echo|Echo](#) (echo-show-alert).

## Notifications on namespace events

Select for which namespaces you want to receive notifications.

## Notifications on categories

Select for pages in which categories you want to receive notifications.

## Review

**Notify me about changes if I am the owner of a review:** Select if you want to be notified in email of any workflow changes of a review workflow if you are the owner of the review.

**Notify me about changes if I am the reviewer of a review:** Select if you want to be notified in email of any workflow changes of a review workflow if you are the owner of the review.

Under the settings for *Notify me about these events*, you can set if and how you want to be notified if someone assigns a review task to you.

## Extended Search

---

Here you can set which namespaces you want to include in your search results. This can be useful if you work in only some areas of the wiki or if you are looking for information in a few areas of your wiki only.

## Semantic MediaWiki

---

These user preferences are provided by Semantic MediaWiki. If you would like to change these settings, you can visit the corresponding [help page](#).

## Resetting all preferences

---

If you click *Restore all default settings (in all sections)*, all your customizations on all tabs are reset to their default settings. Since this could affect lots of customized settings, a warning page appears before the reset.

You can use this page to reset your preferences to the site defaults. This cannot be undone.

**Restore all default settings (in all sections)**

restoring default settings

Use the browser's back button if you do not want to restore the default settings.

## Reference:BlueSpiceReminder

## Extension\ : BlueSpiceReminder

[all extensions](#)

Overview			
<b>Description:</b>	Gives the user the opportunity to create reminders.		
<b>State:</b>	stable	<b>Dependency:</b>	BlueSpice
<b>Developer:</b>	HalloWelt	<b>License:</b>	GPL-3.0-only
<b>Type:</b>	BlueSpice	<b>Category:</b>	Quality Assurance
<b>Edition:</b>	BlueSpice pro, BlueSpice Farm, BlueSpice Cloud		
<a href="#">View help page</a>			

## Features

The extension **Reminder** allows users to keep track of pages by adding a notification date for themselves or for other users.

Set a reminder date for yourself or for other users

Make the date a recurring event

View and manage a list of your personal reminders

View a filterable list of all reminders on the wiki

In the user preferences, users can set if and how they want to be notified a week before the event and on the day of the event.

## Technical Information

This information applies to BlueSpice 4. Technical details for BlueSpice Cloud can differ in some cases.

## Requirements

MediaWiki: 1.35.0

BlueSpiceFoundation: 4.0

## Integrates into

BlueSpiceEchoConnector

BlueSpicePrivacy

BlueSpiceReminder

## Special pages

Reminder

## Permissions

Name	Description	Role
remindeditall	Edit others reminders	admin, maintenanceadmin



## User options

Name	Value
bs-reminder-forns	"
bs-reminder-oncreate	false
bs-reminder-period	6
echo-subscriptions-email-notification-bs-reminder-cat	1
echo-subscriptions-web-notification-bs-reminder-cat	1

## API Modules

bs-reminder-store

bs-reminder-tasks

## Hooks

[BSUserManagerAfterDeleteUser](#)

[BeforePageDisplay](#)

[BlueSpiceDiscoveryTemplateDataProviderAfterInit](#)

[ChameleonSkinTemplateOutputPageBeforeExec](#)

[GetPreferences](#)

[LoadExtensionSchemaUpdates](#)

[MWStakeCommonUIRegisterSkinSlotComponents](#)

[PageSaveComplete](#)

[PersonalUrls](#)

[SkinTemplateNavigation::Universal](#)

[StandardDialogsRegisterPageInfoPanelModules](#)

[UserMergeAccountFields](#)

## Accessibility

<b>Test status:</b>	2-testing complete
<b>Checked for:</b>	Web, Authoring tool
<b>Last test date:</b>	2022-08-05
<b>WCAG level:</b>	AA
<b>WCAG support:</b>	partially supports (workaround: no)
<b>Comments:</b>	<p>keyboard access works.  Screenreader: Extjs: Pagination in grids not announcing button labels at top and pagination buttons at bottom;  switching between browse/focus modes enables finding out how many pages there are and moving to the next page.  <a href="#">erm:27716</a></p>

<b>Extension type:</b>	core
<b>Extension focus:</b>	reader