

Unsaved changes (autosave)

The extension **SaferEdit** automatically saves a page at predefined intervals. If the page cannot be saved during editing (e.g., due to a browser crash), the unsaved user changes will be preserved for the user until the next page save.

Contents

1	About autosaved changes	2
2	Edit conflicts	2
3	User settings	2
4	Configuration	3
5	Related info	3

About autosaved changes

Recovery version: A recovery version is saved every 10 seconds during editing and is only available to this user. It is not deleted when logging off and available when the user logs on again.


Important! If you leave the page (e.g., by closing the browser or the browser tab), then the existing recovery version is automatically deleted and no longer available.

So if you have an issue with saving the page (e.g. lost internet connection) make sure to leave the page open until you can resave the page.

If a page is crashed/stuck, you can safely reload it using the "F5" button. The autosaved changes will be available for you.

Edit conflicts

When a user has a page open in edit mode, the page shows a page banner to indicate that changes are being made.




The first person to save the page that was edited by multiple users can save the page without issues. The next person needs to work through a page that will indicate the changes of the first person. They will have to be merged with the changes of the second person.

It is advisable that only one user at a time works on a wiki page.

User settings

Users can set in their preferences under the tab *Editing* if they want to see a warning message when they leave the page without saving pending changes. This setting is activated by default.



Configuration

In the [Config Manager](#), administrators can change the following settings:

- **Interval for lookup for concurrent editings:** Sets the time in seconds for checking if another person is editing the page.
- **Show name of current editor:** Shows or hides the name of the user who is currently editing the page.

Related info

- [Reference:BlueSpiceSaferEdit](#)



[Technical Reference: BlueSpiceSaferEdit](#)