

Contents

1. Manual:Extension/BlueSpiceUserSideBar	2
2. Manual:Extension/BlueSpiceDiscovery/Main navigation	4
3. Reference:BlueSpiceUserSidebar	8


User menu

Contents

1 Overview	3
2 Visual edit mode	3
3 Adding links in source editing mode	3
4 Related info	4

Overview

Users can customize their personal navigation menu. The mega menu can be opened by clicking on the profile picture in the top toolbar. The user menu consists of two sections: Customizable links and Personal tools. Only the customizable links can be edited.



By default, the menu shows the following information:

- Pages visited (widget PAGESVISITED)
- My edits (widget YOUREDITS)

These widgets can be removed individually when a user customizes the sidebar.

Visual edit mode

✿ Visual menu editor is available from BlueSpice 4.2.

Click *Edit user menu* to switch to edit mode.

To add a new menu heading:

1. Click *Add new element*.
2. Enter the text for your menu header. In a multilingual wiki, you can also enter a [message key](#).

Adding links in source editing mode

The syntax used to define the sidebar corresponds to the [main navigation](#). Entries starting with a single star ("*") create menu headings or sections while entries with two stars ("**") create links.

- * My bookmarks
- ** Wiki_Page1|Label
- ** https://externallink.com|Label

Related info

- [Reference:BlueSpiceUserSidebar](#)

 [Technical Reference: BlueSpiceUserSideBar](#)


Manual:Extension/BlueSpiceDiscovery/Main navigation

Contents


1 Overview	5
2 Editing the main navigation	5
2.1 Menu editor	5
2.2 Source edit mode	7
3 Deactivating standard links	7
4 Group-specific navigation	7
5 Additional customizations	8
6 Related info	8

Overview

By default, some links are provided as entry points to the wiki. Wiki administrators can deactivate these links in the [configuration manager](#) if needed. In addition, you can also add new links below the entrypoints (admin permissions required). Please note that no hierarchical links can be created. Therefore, it makes sense to mainly set up links to the most important topics and to portal pages that contain additional links or page lists.



Main navigation BlueSpice 4.4+



Main navigation BlueSpice -4.3

Editing the main navigation

To open the menu editor:

1. **Click** *Edit sidebar* at the bottom of the navigation menu. If the page does not exist yet, you will see a notice on the page.

Menu editor

* Visual menu editor is available from BlueSpice 4.2.

To add a new menu header using the menu editor:

1. **Click** *Add new element* to create a new menu header.

+ Add new element

Add a new menu heading

2. **Enter** the text for your menu header. In a multilingual wiki, you can also enter a [message key](#).

Cancel
Edit element
Done

Node type

Text or message key
▼

Edit text or message key

Text or a message key
Topics *

Enter a heading name

3. **Click Done.**

To add links:

1. **Select** *Add new subitem* from the dropdown menu of the menu header.

-
✖
Quicklinks
▼

✎ Edit node

✕ Remove

+ Add new subitem

add a link as a new subitem

2. Enter the page name as the link target and the label that you want to show:

Cancel
Edit element
Done

Edit link
 Link target ⓘ

IMS:Process descriptions
*

Link label

Processes
*

enter link info

3. **Click Done.**
4. **Repeat** steps 1-3.
5. **Click Save changes.**

Note: If you use the parser function `{{#ifingroup:...` to display navigation elements in the source code, you must always edit the main navigation in the source code. In visual editing mode, saving removes any parser function or semantic queries.

Source edit mode

To add new links:

1. **Change** to source editing mode.
2. **Create** one or more navigation links (with or without section heading). The following example shows a link to the page "Company" with the label "Our company" and an external link to the BlueSpice website with the label "Website". The links are grouped together under the section heading "Quicklinks":

```
*Quicklinks
**Company|Our company
**https://www.bluespice.com/de|Website
```

3. **Save** the page. The links are now shown in the main navigation.

Link labels may collide with system messages. If this is the case, simply append the HTML-code for an empty space to the description:

```
**Portal|Portal&#160;
```

Deactivating standard links

The standard links can be deactivated in the [configuration manager](#). The following settings are available under *Feature > Skinning*:

BlueSpiceBookshelf:

- Show entrypoint "Bookshelf"

BlueSpiceDiscovery:

- Show entrypoint "Mainpage"
- Show entrypoint "All pages"
- Show entrypoint "Recent changes"

BlueSpiceSocial:

- Show entrypoint "Timeline"

BlueSpiceSocialBlog:

- Show entrypoint "Blog"

Group-specific navigation

It is possible to show navigation elements for specific user groups only. Please note that the pipe symbol (|) between the page name and its label has to be escaped as `{{!}}` within this function.

This syntax is defined in the extension [UserFunctions](#).

```

{{#ifingroup:sysop,widgeteditor |
*Test2
**somepage{!}}Some page
|}}

```

Note: Anytime the page is saved using the visual menu editor, the parser function will be overwritten and no longer works!

Additional customizations

- [Alignment for navigation with long link labels](#)
- [Display icons with navigation links](#)
- [Multi-language navigation](#)

Related info

- [Custom menu](#)
- [User menu](#)

Reference:BlueSpiceUserSidebar

Extension: BlueSpiceUserSidebar

[↪ all extensions](#)

Overview			
Description:	Customizable personal navigation menu		
State:	stable	Dependency:	BlueSpice

Overview			
Developer:	HalloWelt	License:	GPL-3.0-only
Type:	BlueSpice	Category:	Personalization
Edition:	BlueSpice pro, BlueSpice free, BlueSpice Farm, BlueSpice Cloud	Version:	4.1+

[? View user help page](#)

Features

UserSideBar lets users create their own personal sidebar navigation.

- The content under Focus in the Users' Home Bar can be customized by the user.
- Extensions can provide a tag over which content is displayed, currently the following pages are shown by default:
 - PAGESVISITED
 - YOUREDITS (own edits)
 - WATCHLIST
- Users can also create their own areas:
 - Entries with an asterisk (*) are always interpreted as area headings (analog mediawiki: sidebar).
 - Entries with two stars (**) are content elements of the area. Single (**) without assignment to (*) are discarded.
 - The pages are determined as in the Mediawiki: Sidebar by URL

Technical Information

This information applies to BlueSpice 4. Technical details for BlueSpice Cloud can differ in some cases.

Requirements

MediaWiki: 1.36.0
BlueSpiceFoundation: 4.1

Integrates into

- BlueSpiceUserSidebar
- MenuEditor

Special pages

Configuration

Name	Value
MenuEditorUserSidebarAllowedKeywords	array (0 => 'PAGESVISITED', 1 => 'YOUREDITS',)

Hooks

- [BSUsageTrackerRegisterCollectors](#)
- [EditFormPreloadText](#)
- [MWStakeCommonUIRegisterSkinSlotComponents](#)

Accessibility

Test status:	2-testing complete
Checked for:	Web, Authoring tool
Last test date:	2022-08-12
WCAG level:	AA
WCAG support:	supports
Comments:	Simple editing in source editing mode. Output: navigation links with collapsible heading
Extension type:	core
Extension focus:	reader