

## Contents

1. Manual:Extension/VisualEditor/Tables .....	2
2. Reference:VisualEditor .....	6


## Manual:Extension/VisualEditor/Tables

### Contents


1	<a href="#">Insert a table</a>	3
2	<a href="#">Merge rows and columns</a>	3
3	<a href="#">Table properties</a>	4
4	<a href="#">Table styles</a>	5

## Insert a table

In VisualEditor, choose "Insert > Tables" to insert a table in a page:



After entering the rows and columns, an empty table appears with the edit menu:




When the mouse rests on a symbol, the respective function is displayed.

Double-click in the cells to insert text:

Time	Monday	Tuesday	Wednesday
8:00	Emails		Home office
9:00		Team meeting	
10:00	Phone calls		Phone calls
11:00			
12:00	Lunch	Marketing plan	

## Merge rows and columns

When you click in a row, an arrow appears at the left edge of the row and at the top of the column. To connect the cells in a row or a column, click on the respective arrow and then in the edit menu on "Merge":




You can also connect individual cells. Hold down the Shift key and click in two or more adjacent cells. Then connect the cells. The cells must be adjacent in a row or in a column so that they can be connected.

## Table properties

In the menu item Properties, there are numerous settings to adjust the functionality and presentation of the table:

Property	Description												
Caption	Shows a header above the table: <div style="border: 1px solid #ccc; padding: 5px; margin: 5px 0;"> <table border="1"> <thead> <tr> <th>Time</th> <th>Monday</th> <th>Tuesday</th> </tr> </thead> <tbody> <tr> <td>8:00</td> <td>Emails</td> <td></td> </tr> </tbody> </table> </div> <p>After disabling the header, it is lost and must be reentered when re-enabled.</p>	Time	Monday	Tuesday	8:00	Emails							
Time	Monday	Tuesday											
8:00	Emails												
Styed (wikitable)	enables the default wiki look after table styles were previously selected												
Sortable	In the first row, a sort function is displayed: <div style="border: 1px solid #ccc; padding: 5px; margin: 5px 0;"> <table border="1"> <thead> <tr> <th>Time ▲</th> <th>Monday ◆</th> <th>Tuesday ◆</th> </tr> </thead> <tbody> <tr> <td>8:00</td> <td>Emails</td> <td></td> </tr> <tr> <td>9:00</td> <td></td> <td>Team meeting</td> </tr> <tr> <td>10:00</td> <td>Phone calls</td> <td></td> </tr> </tbody> </table> </div> <p>The current sorting is shown in the title bar. Only one of the two sort arrows will appear in the sorted column.</p>	Time ▲	Monday ◆	Tuesday ◆	8:00	Emails		9:00		Team meeting	10:00	Phone calls	
Time ▲	Monday ◆	Tuesday ◆											
8:00	Emails												
9:00		Team meeting											
10:00	Phone calls												
Collapsible	The table can be hidden on the page via a text link.												
Collapsed initially	If the "Collapsible" property is active, this determines whether the table is visible or hidden when the wiki page is loaded. T												
Exportable													
	The filter function is activated in the title bar and allows the following actions: Sort table (ascending or descending values of the active column) Hide table columns Filter column (only values from the current column are considered here)												

Property	Description
Filterable	 <p>If the filter is activated, the table styles are ignored and the table is displayed in "Filter Style". After deactivating this function, the selected table style is displayed again.</p>
Table style	Here you can load different style sheets for the table.
Use full width for table	The table uses the full width of the wiki page, regardless of the table contents.

## Table styles

The following style sheets can be selected in the Table Style menu. Click on a picture to start the gallery:

Time	Monday	Tuesday	Wednesday
8:00	Emails		Home office
9:00		Team meeting	
10:00	Phone calls		Phone calls
11:00			
12:00	Lunch	Marketing plan	

Standard

Time	Monday	Tuesday	Wednesday
8:00	Emails		Home office
9:00		Team meeting	
10:00	Phone calls		Phone calls
11:00			
12:00	Lunch	Marketing plan	

Content

Time	Monday	Tuesday	Wednesday
8:00	Emails		Home office
9:00		Team meeting	
10:00	Phone calls		Phone calls
11:00			
12:00	Lunch	Marketing plan	

Content (black)

Time	Monday	Tuesday	Wednesday
8:00	Emails		Home office
9:00		Team meeting	
10:00	Phone calls		Phone calls
11:00			
12:00	Lunch	Marketing plan	

Content (blue)

Time	Monday	Tuesday	Wednesday
8:00	Emails		Home office
9:00		Team meeting	
10:00	Phone calls		Phone calls
11:00			
12:00	Lunch	Marketing plan	

Content (darkblue)

Time	Monday	Tuesday	Wednesday
8:00	Emails		Home office
9:00		Team meeting	
10:00	Phone calls		Phone calls
11:00			
12:00	Lunch	Marketing plan	

Cusco Sky

Time	Monday	Tuesday	Wednesday
8:00	Emails		Home office
9:00		Team meeting	
10:00	Phone calls		Phone calls
11:00			
12:00	Lunch	Marketing plan	

Casablanca

Time	Monday	Tuesday	Wednesday
8:00	Emails		Home office
9:00		Team meeting	
10:00	Phone calls		Phone calls
11:00			
12:00	Lunch	Marketing plan	

Greyscale

Time	Monday	Tuesday	Wednesday
8:00	Emails		Home office
9:00		Team meeting	
10:00	Phone calls		Phone calls
11:00			
12:00	Lunch	Marketing plan	

Greyscale (narrow)

The visual editor makes it easy to format content as a table. The following alternatives for creating tables exist:

Tables can also be inserted as a csv file on a page (just drag the CSV file onto the page in edit mode)  
Complex tables can alternatively be attached to the page as an xlsx file.

[Technical reference: VisualEditor](#)

## Reference:VisualEditor Extension\VisualEditor

[all extensions](#)

### Overview

**Description:** Is an editor you can use without having to enter special markup.

Overview			
<b>State:</b>	stable	<b>Dependency:</b>	MediaWiki
<b>Developer:</b>	MediaWiki	<b>License:</b>	MIT
<b>Type:</b>	<a href="#">MediaWiki</a>	<b>Category:</b>	Editor
<b>Edition:</b>	BlueSpice pro, BlueSpice free, BlueSpice Farm, BlueSpice Cloud		
<a href="#">View help page</a>			

## Features

**VisualEditor** is a WYSIWYG editor that enables you to edit wiki pages without having to enter special markup (like HTML, wiki tags). The editor menu bar resembles those of commonly used word processing programs.

## Technical information

### Configuration

Up to BlueSpice 3.2.x: The VisualEditor uses the Node.js service Parsoid. Because this service cannot be installed in some cases, this extension is deactivated by default. After successful installation and configuration, the visual editor can be activated as described.

BlueSpice 4.1.x+: VisualEditor no longer requires Parsoid. Therefore, VisualEditor is activated by default.

### Rights (permissions)

### Requirements

VisualEditor requires [BlueSpiceFoundation](#).

## Accessibility

<b>Test status:</b>	2-testing complete
<b>Checked for:</b>	Authoring tool
<b>Last test date:</b>	2022-08-04
<b>WCAG level:</b>	AA
<b>WCAG support:</b>	partially supports (workaround: yes)
<b>Comments:</b>	<ul style="list-style-type: none"> <li>● most important keyboard shortcuts (e.g., to save a page, to format elements) are available, but not for all elements;</li> <li>○ workaround1 : source editing</li> <li>○ workaround2: e.g. Chrome browser: alt+F opens browsers menu -&gt; s (to go to search function) -&gt; search for "Insert" and focus on Insert menu</li> <li>● high contrast mode support: starting mw 1.39 (see <a href="#">T180890</a>)</li> </ul>

<b>Extension type:</b>	core
<b>Extension focus:</b>	editor