

Contents

1. Manual:Semantic MediaWiki	2
2. Manual:Semantic MediaWiki/Examples	2
3. Manual:Semantic MediaWiki/Examples/Customer data	2
4. Manual:Semantic MediaWiki/Examples/Customer data/Customer page	2
5. Manual:Semantic MediaWiki/Examples/Customer data/Form	2
6. Manual:Semantic MediaWiki/Examples/Customer data/Form edit mode	2
7. Manual:Semantic MediaWiki/Examples/Customer data/Queries	2
8. Manual:Semantic MediaWiki/Examples/Customer data/Template	3
9. Manual:Semantic MediaWiki/Examples/Customer data/Template styling	3
10. Manual:Semantic MediaWiki/Naming conventions	3

Semantic MediaWiki Basics

The content format pdf is not supported by the content model wikitext.

Return to [Main Page](#).

Login required

Please [log in](#) to edit pages.

Return to [Manual:Semantic MediaWiki/Examples](#).

Example: Customer data

Please [log in](#) to edit pages.

Return to [Manual:Semantic MediaWiki/Examples/Customer data](#).

Login required

Please [log in](#) to edit pages.

Return to [Manual:Semantic MediaWiki/Examples/Customer data/Customer page](#).

Create a form

Please [log in](#) to edit pages.

Return to [Manual:Semantic MediaWiki/Examples/Customer data/Form](#).

Integrate form edit mode

Please [log in](#) to edit pages.

Return to [Manual:Semantic MediaWiki/Examples/Customer data/Form edit mode](#).

Query the data

You do not have permission to edit this page, for the following reason:

The action you have requested is limited to users in one of the groups: **Users**, **Administrators**, **ES_editors**, **editor**.

You can view and copy the source of this page.

===Simple page list=== Output of pages that use the template "Customer data" in a list format: `{{#ask: [[Category:Customer data]] |format= ul }}` Query:<syntaxhighlight lang="text"> `{{#ask: [[Category:Customer data]] |format= ul }}` </syntaxhighlight>

Return to [Manual:Semantic MediaWiki/Examples/Customer data/Queries](#).

Create a template

Please [log in](#) to edit pages.

Return to [Manual:Semantic MediaWiki/Examples/Customer data/Template](#).

Template styling

Please [log in](#) to edit pages.

Return to [Manual:Semantic MediaWiki/Examples/Customer data/Template styling](#).

Naming conventions

You do not have permission to edit this page, for the following reason:

The action you have requested is limited to users in one of the groups: **Users**, **Administrators**, **ES_editors**, **editor**.

You can view and copy the source of this page.

===Properties=== In den Kundendaten werden nun bestimmte Eigenschaften gesammelt, die jeden Kunden genauer beschreiben. Hierzu werden Attribute erstellt. Im Normalfall stehen diese Attribute in einer direkten Beziehung zur Seite selbst. Daher kann es hilfreich sein, die semantische Beziehung über das Attribut auszudrücken: Certain properties that describe each customer more precisely are now collected as customer data. Normally, these properties are directly related to the page itself. It can therefore be helpful to express the semantic relationship directly in the property: `<pre>Customer Technicon has location Regensburg. (page) (property) (value)</pre>` Therefore, we capture the relationship to the page in the property name: "Has location". `{{Messagebox|boxtype=note|Note text=It is not required to express this relationship function of properties (as predicates). The property can also simply be names "location" if its intended use is clear. There is, however a difference between "Has location" and "Is location of". For example, the customer Technicon has the location Regensburg. The city of Regensburg, on the other hand, is the location of the customer Technicon.}}`
<bs:drawio filename="Semantic MediaWiki/Nomenklatur-86700495" />

Return to [Manual:Semantic MediaWiki/Naming conventions](#).