

Contents

1. Manual:Semantic MediaWiki	2
2. Manual:Semantic MediaWiki/Examples	2
3. Manual:Semantic MediaWiki/Examples/Customer data	2
4. Manual:Semantic MediaWiki/Examples/Customer data/Customer page	2
5. Manual:Semantic MediaWiki/Examples/Customer data/Form	2
6. Manual:Semantic MediaWiki/Examples/Customer data/Form edit mode	2
7. Manual:Semantic MediaWiki/Examples/Customer data/Queries	2
8. Manual:Semantic MediaWiki/Examples/Customer data/Template	3
9. Manual:Semantic MediaWiki/Examples/Customer data/Template styling	3
10. Manual:Semantic MediaWiki/Naming conventions	3

Semantic MediaWiki Basics

The content format pdf is not supported by the content model wikitext.

Return to [Main Page](#).

Login required

Please [log in](#) to edit pages.

Return to [Manual:Semantic MediaWiki/Examples](#).

Example: Customer data

Please [log in](#) to edit pages.

Return to [Manual:Semantic MediaWiki/Examples/Customer data](#).

Login required

Please [log in](#) to edit pages.

Return to [Manual:Semantic MediaWiki/Examples/Customer data/Customer page](#).

Create a form

Please [log in](#) to edit pages.

Return to [Manual:Semantic MediaWiki/Examples/Customer data/Form](#).

Integrate form edit mode

Please [log in](#) to edit pages.

Return to [Manual:Semantic MediaWiki/Examples/Customer data/Form edit mode](#).

Query the data

You do not have permission to edit this page, for the following reason:

The action you have requested is limited to users in one of the groups: **Users**, **Administrators**, **ES_editors**, **editor**.

You can view and copy the source of this page.

==Adjusting the query== In semantic queries, results can be filtered by namespaces, categories and semantic attributes. ===Examples=== The following query shows all results for the namespace "Manual" and the category "Customer data". The output shows the location of the customers: <syntaxhighlight lang="text">{{#ask: [[Manual: +]] [[Category:Customer data]] |?Has location = Location }} </syntaxhighlight> Result: {{#ask: [[Manual: +]] [[Category:Customer data]] |?Has location = Location }}
The following query shows all results for the namespace "Manual" "and" for the namespace "(Main)""and'<nowiki/>" for the category "customer data". All three selection criteria have to be valid for a page to be included in the results. (Note: The namespace (Main) is referenced as empty prefix (<code>:</code>).<syntaxhighlight lang="text">{{#ask: [[Manual: +]]: +]] [[Category:Customer data]] |?Has location = Location |mainlabel = Customer }} </syntaxhighlight> Result: {{#ask: [[Handbuch: +]]: +]] [[Category:Customer data]] |?Has location = Location |mainlabel = Kunde }} The following query shows the results from namespace "Manual" and from the category "Customer data". <syntaxhighlight lang="text">{{#ask: [[Category:Customer data]] [[Has location::Regensburg]] |?Has location = Location |mainlabel = Customer }} </syntaxhighlight> Result: {{#ask: [[Category:Customer data]] [[Has location::Regensburg]] |?Has location = Location |mainlabel = Customer }} {{Box Links-en|Topic1=https://www.semantic-mediawiki.org/wiki/Help:Inline_queries https://www.semantic-mediawiki.org/wiki/Help:Inline_queries} Help page for semantic inline queries}} [[en:{{FULLPAGENAME}}]] [[de:Handbuch: Semantic_MediaWiki/Beispiele/Kundendaten/Abfrage]]

Return to [Manual:Semantic MediaWiki/Examples/Customer data/Queries](#).

Create a template

Please [log in](#) to edit pages.

Return to [Manual:Semantic MediaWiki/Examples/Customer data/Template](#).

Template styling

Please [log in](#) to edit pages.

Return to [Manual:Semantic MediaWiki/Examples/Customer data/Template styling](#).

Naming conventions

You do not have permission to edit this page, for the following reason:

The action you have requested is limited to users in one of the groups: **Users**, **Administrators**, **ES_editors**, **editor**.

You can view and copy the source of this page.

==Subpages== We can also work with a subpage system and work with properties like Property:Customer/Has_location, Property:Customer/Has_First_contact, and so on. If the property "Location" is also to be used elsewhere, it is advisable to define Property:Has_location instead of Property:Customer/Has_location. When properties can be clearly assigned to a use case or have several use cases, it makes sense to name them accordingly. For example, Property:Customer/Contract_number can be a sequential, whole number, but Property:Partner/Contract_number can contain entries such as "1.1.5" or "4.3.7". {{Box Links-en|Topic1=https://www.semantic-mediawiki.org/wiki/Help:Classification https://www.semantic-mediawiki.org/wiki/Help:Classification}} [[de:Handbuch: Semantic_MediaWiki/Nomenklatur]] [[en:{{FULLPAGENAME}}]]

Return to [Manual:Semantic MediaWiki/Naming conventions](#).