



Example: Customer data

In this exampla for SMW, we create a query for customer data. The collected information is shown at the beginning of each customer page.

| Location | Regensburg |
|---------------|------------|
| Contact | Jane Doe |
| First contact | 2020/12/21 |

This requires 4 steps:


- 1. Defining properties
- 2. Creating a template
- 3. Creating a form
- 4. Creating a category

Defining properties


For our customer query, we define 3 properties:

- Location
- Contact person
- Date of first contact
- 1. Switch to *Special pages* in the navigation menu *Global Actions*. Scroll down to section **Page Forms**.






2. Click *Create a property*. In the form, enter the name and data type for the first property Has location:: - Property name (1): Hat Location - Data type (2): Text



Click *Save page* (3). A message box appears that shows you that the property is now being processed in the wiki. You can ignore this message.



For each property, a page is created in the namespace Property in the wiki. This page contains the information about the data type.

3. Switch back to the page Wechseln Sie erneut zur Seite *Spezial:CreateProperty*. Create the property *Has contact person* with data type *Text* as shown before.


Example: Customer data



4. Switch back to Special:CreateProperty. Create the property Has First contact with data type Date.

Tip: In your personal navigation, you can create a quick link to the Page Forms section of the special pages main page. Just enter the following link: **[[Special:SpecialPages#Page_Forms]]

You can review the properties in your wiki by going to the page Special:Properties.



The necessary properties for data collection are now available. In the next step, we create the template that will be included in our customer pages to display the customer data.

Create the template

Related info

https://www.semantic-mediawiki.org/wiki/Help:Properties_and_types



