Contents

1. Reference:BlueSpiceAvatars 2
2. Category:Extension 4
3. GPL-3.0-only 9
4. Manual:Extension/BlueSpiceAvatars 9

Reference:BlueSpiceAvatars

Extension: BlueSpiceAvatars

all extensions

Overview			
Description:	Provides generic and individual user pictures		
State:	stable	**Dependency:**	BlueSpice
Developer:	HalloWelt	**License:**	GPL-3.0-only
Type:	BlueSpice	**Category:**	Personalization
Edition:	BlueSpice pro, BlueSpice free, BlueSpice Farm, BlueSpice Cloud	**Version:**	4.1+
View user help page			

Features

BlueSpiceAvatars handles profile images of wiki users. Initially, every user has an automatically generated avatar.

This extension adds an option to each user's page to change his profile image. At the top of a user's page users can see their current profile image and the link "Userimage". Clicking on this link opens a dialog offering several options for setting a profile image:

- upload a new image
- link to an image that has already been uploaded
- generate a new avatar

Technical Information

This information applies to BlueSpice 4. Technical details for BlueSpice Cloud can differ in some cases.

Requirements

MediaWiki: 1.36.0
BlueSpiceFoundation: 4.1

Integrates into

- BlueSpiceAvatars
- BlueSpicePrivacy

Special pages

Configuration

Name	Value
AvatarsGenerator	'InstantAvatar'

User options

Name	Value
bs-avatars-profileimage	''

API Modules

- bs-avatars-tasks

Hooks

- BSMigrateUserPropertiesFromDeviatingNames
- BSUEModulePDFFindFiles
- BeforePageDisplay
- GetPreferences
- PageHistoryLineEnding
- SetupAfterCache
- UploadVerifyFile

Accessibility

Test status:	2-testing complete
Checked for:	Web, Authoring tool
Last test date:	2022-08-08
WCAG level:	AA

WCAG support:	partially supports (workaround: no)
Comments:	Keyboard accessible. Note: If a user with a screenreader changes the avatar, it is not announced that the avatar has been changed.
Extension type:	extended
Extension focus:	reader

Category:Extension

Extensions that are bundled with one or more BlueSpice pro editions.

Pages in category "Extension"

The following 200 pages are in this category, out of 214 total.

(previous page) (next page)

A

- Reference:Arrays
- Reference:AtMentions
- Reference:Auth remoteuser

B

- Reference:BlueSpiceAbout
- Reference:BlueSpiceArticleInfo
- Reference:BlueSpiceArticlePreviewCapture
- Reference:BlueSpiceAvatars
- Reference:BlueSpiceBookshelf
- Reference:BlueSpiceCategoryCheck
- Reference:BlueSpiceCategoryManager
- Reference:BlueSpiceChecklist
- Reference:BlueSpiceCloudClient
- Reference:BlueSpiceConfigManager
- Reference:BlueSpiceContextMenu
- Reference:BlueSpiceCountThings
- Reference:BlueSpiceCustomMenu
- Reference:BlueSpiceDashboards
- Reference:BlueSpiceDiscovery
- Reference:BlueSpiceDistributionConnector
- Reference:BlueSpiceDrawioConnector

- Reference:BlueSpiceEchoConnector
- Reference:BlueSpiceEmoticons
- Reference:BlueSpiceExpiry
- Reference:BlueSpiceExportTables
- Reference:BlueSpiceExtendedFilelist
- Reference:BlueSpiceExtendedSearch
- Reference:BlueSpiceExtendedStatistics
- Reference:BlueSpiceFilterableTables
- Reference:BlueSpiceFlaggedRevsConnector
- Reference:BlueSpiceFoundation
- Reference:BlueSpiceGroupManager
- Reference:BlueSpiceHideTitle
- Reference:BlueSpiceInsertCategory
- Reference:BlueSpiceInsertFile
- Reference:BlueSpiceInsertLink
- Reference:BlueSpiceInsertMagic
- Reference:BlueSpiceInsertTemplate
- Reference:BlueSpiceInstanceStatus
- Reference:BlueSpiceInterWikiLinks
- Reference:BlueSpiceInterwikiSearch
- Reference:BlueSpiceMultiUpload
- Reference:BlueSpiceNamespaceManager
- Reference:BlueSpiceNSFileRepoConnector
- Reference:BlueSpicePageAccess
- Reference:BlueSpicePageAssignments
- Reference:BlueSpicePageFormsConnector
- Reference:BlueSpicePagesVisited
- Reference:BlueSpicePageTemplates
- Reference:BlueSpicePermissionManager
- Reference:BlueSpicePlayer
- Reference:BlueSpicePrivacy
- Reference:BlueSpiceProDistributionConnector
- Reference:BlueSpiceQrCode
- Reference:BlueSpiceRating
- Reference:BlueSpiceReadConfirmation
- Reference:BlueSpiceReaders
- Reference:BlueSpiceReminder
- Reference:BlueSpiceRSSFeeder
- Reference:BlueSpiceSaferEdit
- Reference:BlueSpiceSignHere
- Reference:BlueSpiceSmartList
- Reference:BlueSpiceSMWConnector
- Reference:BlueSpiceSocial
- Reference:BlueSpiceSocialBlog
- Reference:BlueSpiceSocialComments
- Reference:BlueSpiceSocialMicroBlog
- Reference:BlueSpiceSocialProfile
- Reference:BlueSpiceSocialRating
- Reference:BlueSpiceSocialResolve

- Reference:BlueSpiceSocialTags
- Reference:BlueSpiceSocialTimelineUpdate
- Reference:BlueSpiceSocialTopics
- Reference:BlueSpiceSocialWatch
- Reference:BlueSpiceTagCloud
- Reference:BlueSpiceUEModuleBookPDF
- Reference:BlueSpiceUEModuleDOCX
- Reference:BlueSpiceUEModuleHTML
- Reference:BlueSpiceUEModulePDF
- Reference:BlueSpiceUEModulePDFRecursive
- Reference:BlueSpiceUEModulePDFSubpages
- Reference:BlueSpiceUEModuleTable2Excel
- Reference:BlueSpiceUniversalExport
- Reference:BlueSpiceUsageTracker
- Reference:BlueSpiceUserInfo
- Reference:BlueSpiceUserManager
- Reference:BlueSpiceUserSidebar
- Reference:BlueSpiceVisualEditorConnector
- Reference:BlueSpiceWatchList
- Reference:BlueSpiceWebDAVClientIntegration
- Reference:BlueSpiceWebDAVMinorSave
- Reference:BlueSpiceWhoIsOnline
- Reference:BlueSpiceWikiExplorer
- Reference:BlueSpiceWikiFarm

C

- Reference:CategoryTree
- Reference:Checklists
- Reference:Cite
- Reference:CiteThisPage
- Reference:CodeEditor
- Reference:CodeMirror
- Reference:CognitiveProcessDesigner
- Reference:ConfirmAccount
- Reference:ConfirmEdit
- Reference:ContainerFilter
- Reference:ContentDroplets
- Reference:ContentProvisioning
- Reference:ContentStabilization
- Reference:ContentTransfer
- Reference:CreateUserPage

D

- Reference:Data Transfer
- Reference:DateTimeTools
- Reference:DrawioEditor
- Reference:DynamicPageList3

E

- Reference:Echo
- Reference:EmbedVideo
- Reference:EmbedVideo (fork)
- Reference:EnhancedUpload
- Reference:EventBus
- Reference:External Data
- Reference:ExtJSBase

F

- Reference:FilterSpecialPages
- Reference:FlaggedRevs
- Reference:FlexiSkin
- Reference:FontAwesome
- Reference:Forms

G

- Reference:Gadgets

H

- Template:Hdsk PT Extension HW
- Template:Hdsk PT Extension MW
- Reference:Header Tabs
- Reference:HeaderFooter
- Reference:HitCounters

I

- Reference:ImageMap
- Reference:ImageMapEdit
- Reference:ImportOfficeFiles
- Reference:InputBox
- Reference:Interwiki
- Reference:InviteSignup

L

- Reference:LDAP Authorization
- Reference:LDAPAuthentication2
- Reference:LDAPGroups
- Reference:LDAPProvider
- Reference:LDAPSyncAll
- Reference:LDAPUserInfo
- Reference:Lingo
- Reference:LocalisationUpdate
- Reference:LoginNotify

- Reference:Loops

M

- Reference:Maps
- Reference:Math
- Reference:MediaWiki
- Reference:MenuEditor
- Reference:MergeArticles
- Reference:MultimediaViewer

N

- Reference:NSFileRepo
- Reference:Nuke

O

- Reference:OATHAuth
- Reference:OOJSPlus
- Reference:OpenID Connect
- Reference:OpenLayers

P

- Reference:Page Forms
- Reference:PageCheckout
- Reference:PageHeader
- Reference:PageImages
- Reference:ParserFunctions
- Reference:ParserHooks
- Reference:PDFEmbed
- Reference:PdfHandler
- Reference:PluggableAuth
- Reference:Poem
- Reference:Popups
- Reference:PreToClip

R

- Archive:Reference:BlueSpiceCalumma
- Archive:Reference:BlueSpiceLatexRenderer
- Archive:Reference:BlueSpiceMatomoConnector
- Archive:Reference:BlueSpiceNamespaceCSS
- Archive:Reference:BlueSpiceSocialWikiPage
- Archive:Reference:Bootstrap
- Archive:Reference:Chameleon
- Reference:Renameuser
- Reference:Replace Text
- Reference:RevisionSlider

- Reference:RSS

S

- Reference:Scribunto
- Reference:SectionAnchors
- Reference:SecureLinkFixer
- Reference:Semantic Compound Queries
- Reference:Semantic Extra Special Properties
- Reference:Semantic MediaWiki
- Reference:Semantic Result Formats
- Reference:Semantic Scribunto
- Reference:SimpleSAMLphp
- Reference:SimpleTasks
- Reference:SpamBlacklist
- Reference:StandardDialogs
- Reference:SubPageList
- Reference:SyntaxHighlight

T

- Reference:TabberNeue
- Reference:TemplateData
- Reference:TemplateStyles
- Reference:TextExtracts
- Reference:TitleBlacklist

(previous page) (next page)

GPL-3.0-only

Redirect to:

- GPL v3

Avatars

BlueSpiceAvatars handles profile images of wiki users. If a user does not upload a profile image, an automatically generated avatar is used instead.

Contents

1 Changing the profile image 11


2 Using the <profileimage> tag 11
2.1 Available parameters 12
3 Configuration 12
4 Related info 13

Changing the profile image

The profile image appears throughout the wiki on pages that have been edited by the user. Clicking on the image leads to the user's profile page. The profile image is also used for the user menu in the main toolbar.

To change the profile image to an avatar:

1. **Click** P*references* in the user menu.
2. **Click** *Change profile picture* on the user profile tab.



change profile image

3. **Upload** an image **or create** a random avatar image.
4. **Save** your preferences at the bottom of the page.

Alternatively, you can change the profile picture directly on the profile page. The profile page can be accessed from the user menu under My profile. There, you click on the "dotted" menu icon. Click Userimage to load the profile picture dialog window.



Changing the profile picture from the profile page

Using the <profileimage> tag

Anywhere on a wiki page, users can add the <profileimage> tag to create a graphical link to any user's profile page.

```
<profileimage username="WikiSysop" />
```

The standard image shows the user's avatar image and the online status indicator. The default image size is 32x32px.



To link the image to the user's profile page, the tag can be wrapped in a regular wiki link:

```
[[User:WikiSysop|<profileimage username="WikiSysop" />]]
```


Available parameters

Parameter	Default	Description
username	-	username for which to show the avatar (value is set without the *User* namespace prefix)
width	32	sets the width of the image
height	32	sets the height of the image
raw	1	shows (1) or hides (0) the online status of the user

Configuration

An administrator can configure which generator is used for creating avatar images.

Go to *Global Actions* > *Config manager* and select the Extension *BlueSpiceAvatars*. Here, you can change the default generator for the automatic creation of avatars.




Settings in Config manager

An avatar image is automatically generated if the user does not upload a profile picture or if the user decides to create an avatar image in the preferences.



InstantAvatar

- **Generator**
  - **InstantAvatar:** Generates an avatar image based on using the initials of the Real name or the Username
  - **Identicon:** Generates an avatar image based on parts of the user's IP address.



Identicon

Related info

- Reference:BlueSpiceAvatars

Technical Reference: BlueSpiceAvatars