

Contents

1. Reference:BlueSpiceEchoConnector	2
2. Category:Extension	3
3. Manual:Extension/BlueSpiceEchoConnector	7

Reference:BlueSpiceEchoConnector

Extension\|: BlueSpiceEchoConnector

[all extensions](#)

Overview			
Description:	Connects BlueSpice with Echo		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	GPL-3.0-only
Type:	BlueSpice	Category:	Infrastructure
Edition:	BlueSpice free, BlueSpice pro, BlueSpice Farm, BlueSpice Cloud		
View help page			

Features

BlueSpiceEchoConnector connects BlueSpice with **Echo**.

Technical Information

This information applies to BlueSpice 4. Technical details for BlueSpice Cloud can differ in some cases.

Requirements

- MediaWiki: 1.35.0
- BlueSpiceFoundation: 4.0
- Echo: *

Integrates into

BlueSpiceEchoConnector

Special pages

Configuration

Name	Value
EchoEmailFormatterClasses	array ('plain-text' => 'BlueSpice\\EchoConnector\\Formatter\\EchoPlainTextEmailFor text-digest' => 'BlueSpice\\EchoConnector\\Formatter\\EchoPlainTextDigestErr 'html' => 'BlueSpice\\EchoConnector\\Formatter\\EchoHTMLEmailFormat digest' =>

Name	Value
	'BlueSpice\\EchoConnector\\Formatter\\EchoHtmlDigestEmailF
EchoHtmlMailTemplateName	array ('single' => 'SingleMail', 'digest' => 'Digest', 'primary_li 'PrimaryLink', 'secondary_link' => 'SecondaryLink', 'digest_list 'DigestList',)
EchoHtmlMailTemplatePath	'/templates'
ForceJobQueueForLargeAudienceThreshold	499
UseJobQueueForNotifications	false

Hooks

[ArticleDeleteComplete](#)
[BSUserManagerAfterAddUser](#)
[EchoGetBundleRules](#)
[EchoGetNotificationTypes](#)
[GetPreferences](#)
[LocalUserCreated](#)
[PageMoveComplete](#)
[PageSaveComplete](#)

Category:Extension

Extensions that are bundled with one or more BlueSpice pro editions.

Pages in category "Extension"

The following 198 pages are in this category, out of 198 total.

A

[Reference:Arrays](#)
[Reference:Auth remoteuser](#)

B

[Reference:BlueSpiceAbout](#)
[Reference:BlueSpiceArticleInfo](#)
[Reference:BlueSpiceArticlePreviewCapture](#)
[Reference:BlueSpiceAuthors](#)
[Reference:BlueSpiceAvatars](#)
[Reference:BlueSpiceBookshelf](#)
[Reference:BlueSpiceCategoryCheck](#)
[Reference:BlueSpiceCategoryManager](#)
[Reference:BlueSpiceChecklist](#)
[Reference:BlueSpiceCloudClient](#)
[Reference:BlueSpiceConfigManager](#)
[Reference:BlueSpiceContextMenu](#)
[Reference:BlueSpiceCountThings](#)
[Reference:BlueSpiceCustomMenu](#)
[Reference:BlueSpiceDashboards](#)
[Reference:BlueSpiceDiscovery](#)
[Reference:BlueSpiceDistributionConnector](#)
[Reference:BlueSpiceDrawioConnector](#)

[Reference:BlueSpiceEchoConnector](#)
[Reference:BlueSpiceEmoticons](#)
[Reference:BlueSpiceExpiry](#)
[Reference:BlueSpiceExportTables](#)
[Reference:BlueSpiceExtendedFilelist](#)
[Reference:BlueSpiceExtendedSearch](#)
[Reference:BlueSpiceExtendedStatistics](#)
[Reference:BlueSpiceFilterableTables](#)
[Reference:BlueSpiceFlaggedRevsConnector](#)
[Reference:BlueSpiceFoundation](#)
[Reference:BlueSpiceGroupManager](#)
[Reference:BlueSpiceHideTitle](#)
[Reference:BlueSpiceInsertCategory](#)
[Reference:BlueSpiceInsertFile](#)
[Reference:BlueSpiceInsertLink](#)
[Reference:BlueSpiceInsertMagic](#)
[Reference:BlueSpiceInsertTemplate](#)
[Reference:BlueSpiceInterWikiLinks](#)
[Reference:BlueSpiceInterwikiSearch](#)
[Reference:BlueSpiceMultiUpload](#)
[Reference:BlueSpiceNamespaceManager](#)
[Reference:BlueSpiceNSFileRepoConnector](#)
[Reference:BlueSpicePageAccess](#)
[Reference:BlueSpicePageAssignments](#)
[Reference:BlueSpicePageFormsConnector](#)
[Reference:BlueSpicePagesVisited](#)
[Reference:BlueSpicePageTemplates](#)
[Reference:BlueSpicePermissionManager](#)
[Reference:BlueSpicePlayer](#)
[Reference:BlueSpicePrivacy](#)
[Reference:BlueSpiceProDistributionConnector](#)
[Reference:BlueSpiceQrCode](#)
[Reference:BlueSpiceRating](#)
[Reference:BlueSpiceReadConfirmation](#)
[Reference:BlueSpiceReaders](#)
[Reference:BlueSpiceReminder](#)
[Reference:BlueSpiceRSSFeeder](#)
[Reference:BlueSpiceSaferEdit](#)
[Reference:BlueSpiceSignHere](#)
[Reference:BlueSpiceSmartList](#)
[Reference:BlueSpiceSMWConnector](#)
[Reference:BlueSpiceSocial](#)
[Reference:BlueSpiceSocialBlog](#)
[Reference:BlueSpiceSocialComments](#)
[Reference:BlueSpiceSocialMicroBlog](#)
[Reference:BlueSpiceSocialProfile](#)
[Reference:BlueSpiceSocialRating](#)
[Reference:BlueSpiceSocialResolve](#)
[Reference:BlueSpiceSocialTags](#)
[Reference:BlueSpiceSocialTimelineUpdate](#)
[Reference:BlueSpiceSocialTopics](#)
[Reference:BlueSpiceSocialWatch](#)
[Reference:BlueSpiceTagCloud](#)

[Reference:BlueSpiceUEModuleBookPDF](#)
[Reference:BlueSpiceUEModuleDOCX](#)
[Reference:BlueSpiceUEModuleHTML](#)
[Reference:BlueSpiceUEModulePDF](#)
[Reference:BlueSpiceUEModulePDFRecursive](#)
[Reference:BlueSpiceUEModulePDFSubpages](#)
[Reference:BlueSpiceUEModuleTable2Excel](#)
[Reference:BlueSpiceUniversalExport](#)
[Reference:BlueSpiceUsageTracker](#)
[Reference:BlueSpiceUserInfo](#)
[Reference:BlueSpiceUserManager](#)
[Reference:BlueSpiceUserSidebar](#)
[Reference:BlueSpiceVisualEditorConnector](#)
[Reference:BlueSpiceWatchList](#)
[Reference:BlueSpiceWebDAVClientIntegration](#)
[Reference:BlueSpiceWebDAVMinorSave](#)
[Reference:BlueSpiceWholsOnline](#)
[Reference:BlueSpiceWikiExplorer](#)
[Reference:BlueSpiceWikiFarm](#)

C

[Reference:CategoryTree](#)
[Reference:Cite](#)
[Reference:CiteThisPage](#)
[Reference:CodeEditor](#)
[Reference:CodeMirror](#)
[Reference:CognitiveProcessDesigner](#)
[Reference:ConfirmAccount](#)
[Reference:ConfirmEdit](#)
[Reference:ContentTransfer](#)
[Reference>CreateUserPage](#)

D

[Reference:Data Transfer](#)
[Reference:DrawioEditor](#)
[Reference:DynamicPageList3](#)

E

[Reference:Echo](#)
[Reference:EmbedVideo](#)
[Reference:EnhancedUpload](#)
[Reference:EventBus](#)
[Reference:External Data](#)
[Reference:ExtJSBase](#)

F

[Reference:FilterSpecialPages](#)
[Reference:FlaggedRevs](#)
[Reference:FlexiSkin](#)
[Reference:Forms](#)

G

[Reference:Gadgets](#)

H

[Reference:Header Tabs](#)

[Reference:HeaderFooter](#)
[Reference:HitCounters](#)

I

[Reference:ImageMap](#)
[Reference:ImageMapEdit](#)
[Reference:ImportOfficeFiles](#)
[Reference:InputBox](#)
[Reference:Interwiki](#)
[Reference:InviteSignup](#)

L

[Reference:LDAP Authorization](#)
[Reference:LDAPAuthentication2](#)
[Reference:LDAPGroups](#)
[Reference:LDAPProvider](#)
[Reference:LDAPSsyncAll](#)
[Reference:LDAPUserInfo](#)
[Reference:Lingo](#)
[Reference:LocalisationUpdate](#)
[Reference>LoginNotify](#)
[Reference:Loops](#)

M

[Reference:Maps](#)
[Reference:Math](#)
[Reference:MediaWiki](#)
[Reference:MenuEditor](#)
[Reference:MergeArticles](#)
[Reference:MultimediaViewer](#)

N

[Reference:NSFileRepo](#)
[Reference:Nuke](#)

O

[Reference:OATHAuth](#)
[Reference:OOJSPlus](#)
[Reference:OpenID Connect](#)
[Reference:OpenLayers](#)

P

[Reference:Page Forms](#)
[Reference:PageCheckout](#)
[Reference:PageHeader](#)
[Reference:PageImages](#)
[Reference:ParserFunctions](#)
[Reference:ParserHooks](#)
[Reference:PdfHandler](#)
[Reference:PluggableAuth](#)
[Reference:Poem](#)
[Reference:Popups](#)

R

[Archive:Reference:BlueSpiceCalumma](#)
[Archive:Reference:BlueSpiceLatexRenderer](#)
[Archive:Reference:BlueSpiceMatomoConnector](#)

[Archive:Reference:BlueSpiceNamespaceCSS](#)
[Archive:Reference:BlueSpiceSocialWikiPage](#)
[Archive:Reference:Bootstrap](#)
[Archive:Reference:Chameleon](#)
[Reference:Renameuser](#)
[Reference:Replace Text](#)
[Reference:RevisionSlider](#)
[Reference:RSS](#)

S

[Reference:Scribunto](#)
[Reference:SecureLinkFixer](#)
[Reference:Semantic Compound Queries](#)
[Reference:Semantic Extra Special Properties](#)
[Reference:Semantic MediaWiki](#)
[Reference:Semantic Result Formats](#)
[Reference:Semantic Scribunto](#)
[Reference:SimpleSAMLphp](#)
[Reference:SpamBlacklist](#)
[Reference:StandardDialogs](#)
[Reference:SubPageList](#)
[Reference:SyntaxHighlight](#)

T

[Reference:TemplateData](#)
[Reference:TemplateStyles](#)
[Reference:TextExtracts](#)
[Reference:TitleBlacklist](#)
[Reference:TitleKey](#)
[Reference:TwoColConflict](#)

U

[Reference:UnifiedTaskOverview](#)
[Reference:UrlGetParameters](#)
[Reference:UserFunctions](#)
[Reference:UserMerge](#)

V

[Reference:Validator](#)
[Reference:Variables](#)
[Reference:VisualEditor](#)

W

[Reference:WebAuthn](#)
[Reference:WebDAV](#)
[Reference:Widgets](#)
[Reference:WikiEditor](#)
[Reference:Workflows](#)

Notifications

Registered wiki users receive notifications for a variety of changes to the wiki. Users can set their notification preferences as needed.

Contents

1 Viewing notifications	9
2 Notification settings	10

Viewing notifications

To access the notifications page, click on your profile picture (1) and then click on *Notifications* in the Personal Tools (2). A red indicator is displayed if there are new notifications waiting.

The screenshot shows the 'Personal Tools' menu. On the right side, there is a profile picture placeholder with a red dot next to it, indicating unread notifications. The 'Notifications (9)' link is highlighted with a red dot. Other links include Tasks, Watchlist, Reminders, Contributions, Assignments, Privacy center, Profile, User dashboard, Admin dashboard, Preferences, and Log out. A 'New' button and various utility icons are visible at the top right.

The notifications page shows all incoming notifications.

The screenshot shows the 'Notifications' page. On the left, there is a 'Recent activity' sidebar with a list of pages with unread notifications. The main content area shows notifications grouped by date: 25 October 2019 and 24 October 2019. A 'Mark all as read in selected wiki: local' button is at the top right. A 'Mark group as read' button is below the 24 October 2019 group. A 'Preferences' dialog box is open over the 25 October 2019 group.

The following features are available:

1 - Recent activity: The filter lists notifications by page. Clicking on a page name will only show the notifications for that page.

2 - Status filter: You can view all notifications as well as read or unread notifications.


3 - Settings menu: Here you can go to the settings page to choose the type of notifications you want to receive.

4 - Notification: Clicking on a notification will mark it as read. Alternatively, you can click the blue status icon. Read notifications are marked with a dark background and a blank status icon.

Notification settings

Note:

- You are not notified about your own edits.
- No notifications are generated for page changes marked as "minor edit".



The following settings are available:

E-Mail options:

Send me: Frequency of notifications (none, immediately, daily, weekly)

Send to: If you enter or change the e-mail address here, it will be changed for the entire wiki (i.e., under your profile data).

Email format: (HTML or plain text)

Notify me about these events: E-mail and wiki notifications for different events can optionally be activated or deactivated here. You can see a description of the event by clicking on the info icon. Grayed out checkboxes cannot be activated or deactivated and are set the same for all users.

Notifications on namespace events (always both in e-mail and in the wiki):

when creating pages in a namespace when editing pages in a namespace

Notifications on categories (always both in e-mail and in the wiki):

when a page is added or removed from a category listed here

when a change is made to a page associated with that category

[Technical reference: BlueSpiceEchoConnector](#)