

Contents

Reference:BlueSpiceEchoConnector

Extension: BlueSpiceEchoConnector

[↪ all extensions](#)

Overview			
Description:	Connects BlueSpice with the extension <i>Echo</i>		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	GPL-3.0-only
Type:	BlueSpice	Category:	Infrastructure
Edition:	BlueSpice pro, BlueSpice free, BlueSpice farm, BlueSpice cloud	Version:	4.1+

[? View user help page](#)

Features

BlueSpiceEchoConnector connects BlueSpice with [Echo](#).

The date format of the E-mail notification sent by this extension can be customized in the [system message](#) *MediaWiki:Bs-notifications-echo-param-timestamp*. v4.4.1+

Technical Information

This information applies to BlueSpice 4. Technical details for BlueSpice cloud can differ in some cases.

Requirements

MediaWiki: 1.38.0
BlueSpiceFoundation: 4.1

- Echo: *

Integrates into

- [BlueSpiceDiscovery](#)
- [BlueSpiceEchoConnector](#)

Special pages

Configuration

Name	Value
EchoEmailFormatterClasses	array ('plain-text' => array ('class' => 'BlueSpice\\EchoConnector\\Formatter\\EchoPlainTextEmailFor', 'plain-text-digest' => array ('class' => 'BlueSpice\\EchoConnector\\Formatter\\EchoPlainTextDigestErr', 'html' => array ('class' => 'BlueSpice\\EchoConnector\\Formatter\\EchoHTMLEmailFormat', 'digest' => array ('class' => 'BlueSpice\\EchoConnector\\Formatter\\EchoHtmlDigestEmailF
EchoHtmlMailTemplateName	array ('single' => 'SingleMail', 'digest' => 'Digest', 'primary_li', 'PrimaryLink', 'secondary_link' => 'SecondaryLink', 'digest_list', 'DigestList',)
EchoHtmlMailTemplatePath	'/templates'
ForceJobQueueForLargeAudienceThreshold	499
UseJobQueueForNotifications	false

Hooks

- [ArticleDeleteComplete](#)
- [BSUserManagerAfterAddUser](#)
- [BeforePageDisplay](#)
- [EchoGetBundleRules](#)
- [EchoGetNotificationTypes](#)
- [GetPreferences](#)
- [LoadExtensionSchemaUpdates](#)
- [LocalUserCreated](#)
- [PageMoveComplete](#)
- [PageSaveComplete](#)
- [SkinTemplateNavigation::Universal](#)