

Contents

1. Reference:BlueSpiceHideTitle	2
2. Category:Extension	4
3. GPL-3.0-only	9
4. Manual:Extension/ContentStabilization	10

Reference:BlueSpiceHideTitle

Extension: BlueSpiceHideTitle

→ [all extensions](#)

Overview			
Description:	Adds the magic word <code>__HIDETITLE__</code> to hide the title area of the page		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	GPL-3.0-only
Type:	BlueSpice	Category:	Rich Articles
Edition:	BlueSpice pro, BlueSpice free, BlueSpice Farm, BlueSpice Cloud	Version:	4.1+

Features


HideTitle enables hiding of the title on the page, if it's necessary.

To hide a page's title, use `__HIDETITLE__` anywhere in its source code.

Changing an existing article's title completely is not possible that way, but you can move the article to have the correct title.

Page approval

If a page has the [approval feature](#) activated, you can approve the page via (`...all actions - > Approve page`) if the title section of the page is hidden. v4.3.2+



All actions menu with approval link highlighted

Technical Information

This information applies to BlueSpice 4. Technical details for BlueSpice Cloud can differ in some cases.

Requirements

MediaWiki: 1.38.0
BlueSpiceFoundation: 4.1

Integrates into

- BlueSpiceHideTitle
- BlueSpiceVisualEditorConnector

Special pages

Hooks

- [BSUsageTrackerRegisterCollectors](#)
- [BeforePageDisplay](#)
- [GetDoubleUnderscoreIDs](#)
- [OutputPageBodyAttributes](#)

Accessibility

Test status:	2-testing complete
Checked for:	Authoring tool
Last test date:	2022-08-04
WCAG level:	AA
WCAG support:	supports
Comments:	Add behavior switch in source editing mode
Extension type:	core
Extension focus:	organizer

Category:Extension

Extensions that are bundled with one or more BlueSpice pro editions.

Pages in category "Extension"

The following 200 pages are in this category, out of 214 total.

(previous page) ([next page](#))

A

- [Reference:Arrays](#)
- [Reference:AtMentions](#)
- [Reference:Auth remoteuser](#)

B

- [Reference:BlueSpiceAbout](#)
- [Reference:BlueSpiceArticleInfo](#)
- [Reference:BlueSpiceArticlePreviewCapture](#)
- [Reference:BlueSpiceAvatars](#)
- [Reference:BlueSpiceBookshelf](#)
- [Reference:BlueSpiceCategoryCheck](#)
- [Reference:BlueSpiceCategoryManager](#)

- [Reference:BlueSpiceChecklist](#)
- [Reference:BlueSpiceCloudClient](#)
- [Reference:BlueSpiceConfigManager](#)
- [Reference:BlueSpiceContextMenu](#)
- [Reference:BlueSpiceCountThings](#)
- [Reference:BlueSpiceCustomMenu](#)
- [Reference:BlueSpiceDashboards](#)
- [Reference:BlueSpiceDiscovery](#)
- [Reference:BlueSpiceDistributionConnector](#)
- [Reference:BlueSpiceDrawioConnector](#)
- [Reference:BlueSpiceEchoConnector](#)
- [Reference:BlueSpiceEmoticons](#)
- [Reference:BlueSpiceExpiry](#)
- [Reference:BlueSpiceExportTables](#)
- [Reference:BlueSpiceExtendedFilelist](#)
- [Reference:BlueSpiceExtendedSearch](#)
- [Reference:BlueSpiceExtendedStatistics](#)
- [Reference:BlueSpiceFilterableTables](#)
- [Reference:BlueSpiceFlaggedRevsConnector](#)
- [Reference:BlueSpiceFoundation](#)
- [Reference:BlueSpiceGroupManager](#)
- [Reference:BlueSpiceHideTitle](#)
- [Reference:BlueSpiceInsertCategory](#)
- [Reference:BlueSpiceInsertFile](#)
- [Reference:BlueSpiceInsertLink](#)
- [Reference:BlueSpiceInsertMagic](#)
- [Reference:BlueSpiceInsertTemplate](#)
- [Reference:BlueSpiceInstanceStatus](#)
- [Reference:BlueSpiceInterWikiLinks](#)
- [Reference:BlueSpiceInterwikiSearch](#)
- [Reference:BlueSpiceMultiUpload](#)
- [Reference:BlueSpiceNamespaceManager](#)
- [Reference:BlueSpiceNSFileRepoConnector](#)
- [Reference:BlueSpicePageAccess](#)
- [Reference:BlueSpicePageAssignments](#)
- [Reference:BlueSpicePageFormsConnector](#)
- [Reference:BlueSpicePagesVisited](#)
- [Reference:BlueSpicePageTemplates](#)
- [Reference:BlueSpicePermissionManager](#)
- [Reference:BlueSpicePlayer](#)
- [Reference:BlueSpicePrivacy](#)
- [Reference:BlueSpiceProDistributionConnector](#)
- [Reference:BlueSpiceQrCode](#)
- [Reference:BlueSpiceRating](#)
- [Reference:BlueSpiceReadConfirmation](#)
- [Reference:BlueSpiceReaders](#)
- [Reference:BlueSpiceReminder](#)
- [Reference:BlueSpiceRSSFeeder](#)
- [Reference:BlueSpiceSaferEdit](#)

- [Reference:BlueSpiceSignHere](#)
- [Reference:BlueSpiceSmartList](#)
- [Reference:BlueSpiceSMWConnector](#)
- [Reference:BlueSpiceSocial](#)
- [Reference:BlueSpiceSocialBlog](#)
- [Reference:BlueSpiceSocialComments](#)
- [Reference:BlueSpiceSocialMicroBlog](#)
- [Reference:BlueSpiceSocialProfile](#)
- [Reference:BlueSpiceSocialRating](#)
- [Reference:BlueSpiceSocialResolve](#)
- [Reference:BlueSpiceSocialTags](#)
- [Reference:BlueSpiceSocialTimelineUpdate](#)
- [Reference:BlueSpiceSocialTopics](#)
- [Reference:BlueSpiceSocialWatch](#)
- [Reference:BlueSpiceTagCloud](#)
- [Reference:BlueSpiceUEModuleBookPDF](#)
- [Reference:BlueSpiceUEModuleDOCX](#)
- [Reference:BlueSpiceUEModuleHTML](#)
- [Reference:BlueSpiceUEModulePDF](#)
- [Reference:BlueSpiceUEModulePDFRecursive](#)
- [Reference:BlueSpiceUEModulePDFSubpages](#)
- [Reference:BlueSpiceUEModuleTable2Excel](#)
- [Reference:BlueSpiceUniversalExport](#)
- [Reference:BlueSpiceUsageTracker](#)
- [Reference:BlueSpiceUserInfo](#)
- [Reference:BlueSpiceUserManager](#)
- [Reference:BlueSpiceUserSidebar](#)
- [Reference:BlueSpiceVisualEditorConnector](#)
- [Reference:BlueSpiceWatchList](#)
- [Reference:BlueSpiceWebDAVClientIntegration](#)
- [Reference:BlueSpiceWebDAVMinorSave](#)
- [Reference:BlueSpiceWholsOnline](#)
- [Reference:BlueSpiceWikiExplorer](#)
- [Reference:BlueSpiceWikiFarm](#)

C

- [Reference:CategoryTree](#)
- [Reference:Checklists](#)
- [Reference:Cite](#)
- [Reference:CiteThisPage](#)
- [Reference:CodeEditor](#)
- [Reference:CodeMirror](#)
- [Reference:CognitiveProcessDesigner](#)
- [Reference:ConfirmAccount](#)
- [Reference:ConfirmEdit](#)
- [Reference:ContainerFilter](#)
- [Reference:ContentDroplets](#)
- [Reference:ContentProvisioning](#)

- [Reference:ContentStabilization](#)
- [Reference:ContentTransfer](#)
- [Reference:CreateUserPage](#)

D

- [Reference:Data Transfer](#)
- [Reference:DateTimeTools](#)
- [Reference:DrawioEditor](#)
- [Reference:DynamicPageList3](#)

E

- [Reference:Echo](#)
- [Reference:EmbedVideo](#)
- [Reference:EmbedVideo \(fork\)](#)
- [Reference:EnhancedUpload](#)
- [Reference:EventBus](#)
- [Reference:External Data](#)
- [Reference:ExtJSBase](#)

F

- [Reference:FilterSpecialPages](#)
- [Reference:FlaggedRevs](#)
- [Reference:FlexiSkin](#)
- [Reference:FontAwesome](#)
- [Reference:Forms](#)

G

- [Reference:Gadgets](#)

H

- [Template:Hdsk PT Extension HW](#)
- [Template:Hdsk PT Extension MW](#)
- [Reference:Header Tabs](#)
- [Reference:HeaderFooter](#)
- [Reference:HitCounters](#)

I

- [Reference:ImageMap](#)
- [Reference:ImageMapEdit](#)
- [Reference:ImportOfficeFiles](#)
- [Reference:InputBox](#)
- [Reference:Interwiki](#)
- [Reference:InviteSignup](#)

L

- [Reference:LDAP Authorization](#)
- [Reference:LDAPAuthentication2](#)
- [Reference:LDAPGroups](#)
- [Reference:LDAPProvider](#)
- [Reference:LDAPSycAll](#)
- [Reference:LDAPUserInfo](#)
- [Reference:Lingo](#)
- [Reference:LocalisationUpdate](#)
- [Reference:LoginNotify](#)
- [Reference:Loops](#)

M

- [Reference:Maps](#)
- [Reference:Math](#)
- [Reference:MediaWiki](#)
- [Reference:MenuEditor](#)
- [Reference:MergeArticles](#)
- [Reference:MultimediaViewer](#)

N

- [Reference:NSFileRepo](#)
- [Reference:Nuke](#)

O

- [Reference:OATHAuth](#)
- [Reference:OOJSPlus](#)
- [Reference:OpenID Connect](#)
- [Reference:OpenLayers](#)

P

- [Reference:Page Forms](#)
- [Reference:PageCheckout](#)
- [Reference:PageHeader](#)
- [Reference:PageImages](#)
- [Reference:ParserFunctions](#)
- [Reference:ParserHooks](#)
- [Reference:PDFEmbed](#)
- [Reference:PdfHandler](#)
- [Reference:PluggableAuth](#)
- [Reference:Poem](#)
- [Reference:Popups](#)
- [Reference:PreToClip](#)

R

- [Archive:Reference:BlueSpiceCalumma](#)
- [Archive:Reference:BlueSpiceLatexRenderer](#)
- [Archive:Reference:BlueSpiceMatomoConnector](#)
- [Archive:Reference:BlueSpiceNamespaceCSS](#)
- [Archive:Reference:BlueSpiceSocialWikiPage](#)
- [Archive:Reference:Bootstrap](#)
- [Archive:Reference:Chameleon](#)
- [Reference:Renameuser](#)
- [Reference:Replace Text](#)
- [Reference:RevisionSlider](#)
- [Reference:RSS](#)

S

- [Reference:Scribunto](#)
- [Reference:SectionAnchors](#)
- [Reference:SecureLinkFixer](#)
- [Reference:Semantic Compound Queries](#)
- [Reference:Semantic Extra Special Properties](#)
- [Reference:Semantic MediaWiki](#)
- [Reference:Semantic Result Formats](#)
- [Reference:Semantic Scribunto](#)
- [Reference:SimpleSAMLphp](#)
- [Reference:SimpleTasks](#)
- [Reference:SpamBlacklist](#)
- [Reference:StandardDialogs](#)
- [Reference:SubPageList](#)
- [Reference:SyntaxHighlight](#)

T

- [Reference:TabberNeue](#)
- [Reference:TemplateData](#)
- [Reference:TemplateStyles](#)
- [Reference:TextExtracts](#)
- [Reference:TitleBlacklist](#)

([previous page](#)) ([next page](#))

GPL-3.0-only

Redirect to:

- [GPL v3](#)

Page approvals (Acceptance)



ContentStabilization is available from BlueSpice 4.3. Up to version 4.2, approvals are handled by the extension [FlaggedRevs](#).

The **ContentStabilization** extension is a MediaWiki extension that activates an approval mechanism. New versions of a page are initially marked as drafts. These remain in place until a user with approval rights reviews and approves the page.


Contents

1	Enable page approval	11
1.1	Existing Pages	11
1.2	First drafts	12
1.3	Drafts	12
2	Accepting a page	12
3	Configuration	13
3.1	Changes to templates, embedded files and transclusions	13
3.2	Reading permissions for drafts	22
3.3	Read permissions for first drafts	23
3.4	Summary: Read Permissions for Draft Pages	23
4	Quality management overview	24
5	Approving a page when the title area is hidden	25
6	Related info	27

Enable page approval


Drafts are activated via the namespace administration. A user with administrator rights checks whether *Approval* is enabled for a namespace. This is done under *Global Actions > Administration > Namespaces*.

Click the edit icon (wrench) in the *Actions* column. The namespace dialog opens. Select approval and click *Done*.



Existing Pages

After *Approval* is activated for a namespace, all existing pages in the namespace appear in draft mode. The pages now show the status *First draft*.



By default, the page status is displayed in the title area of every page with approval function .

Alternatively, the status info can be moved below the page content from the [Config manager](#).

First drafts

When a new page is created and saved for the first time, it will appear as **first draft**. By default, first drafts are visible to all users with read permissions. However, this can be restricted to individual user groups from the [Config manager](#).

Drafts

If a page is edited and saved multiple times in draft mode, each edit is logged in the page history:



• [\(cur | prev\)](#)  14:04, 4 November 2019  WikiSysop ([talk](#) | [contribs](#) | [block](#)) .. (1,332 bytes) (+486) .. (Tag: Visual edit) [\[pending review\]](#)

• [\(cur | prev\)](#)  14:03, 4 November 2019  WikiSysop ([talk](#) | [contribs](#) | [block](#)) .. (846 bytes) (+213) .. (Tag: Visual edit) [\[pending review\]](#)

• [\(cur | prev\)](#)  13:36, 4 November 2019  WikiSysop ([talk](#) | [contribs](#) | [block](#))  m .. (633 bytes) (+38) .. (Tag: 2017 source edit)

[Reviewed: 13:57, 4 November 2019 | [WikiSysop](#) | Everything looks correct.]

• [\(cur | prev\)](#)  12:45, 4 November 2019  WikiSysop ([talk](#) | [contribs](#) | [block](#)) .. (595 bytes) (+595) .. (Created page with "FlaggedRevs is an extension to the MediaWiki software that allows a wiki to monitor the changes that are made to pag...") (Tag: Visual edit)


[Compare selected revisions](#)

Drafts are shown in the revision history

Drafts are highlighted in color in the version history. In addition, they are marked with "Release pending".

Accepting a page

A user with [reviewer permissions](#) can approve the page from the status message in the title area of the page. The approval comment is logged in the page's version history.




 This page is **first draft** ▲

[Accept](#)

Approval from the title area

The new approval status is shown accordingly in the title area.



Audits

This page is **approved**

Approved page status

Configuration

The following settings are made in the [Config manager](#) in combination with namespace settings.

Changes to templates, embedded files and transclusions

If a page uses templates or contains other files such as images and embedded PDFs, or if content from other pages is transcluded and modified after the page was approved, those changes must also be approved. There are two mechanisms to accomplish the approval:

1. **The embedded resource is in a namespace without approval mechanism:** If the embedded resource is in a namespace without its own approval function, the approved version of the page shows the resource version that was embedded at the time of the page approval. An implicit draft version shows the most recent version of the embedded resource.
2. **The embedded resource is in a namespace with approval mechanism:** The approval is done directly for the resource itself to avoid approval on all affected content pages.

Important! If the approval mechanism is activated in a resource namespace (e.g. Template, File) in retrospect, all existing pages in the resource namespace are then in first draft. If the wiki is configured so that not all users can see drafts, the resources may need to be initially approved via server script if this cannot be accomplished manually.

[About approvals via server script.](#)

Setting	Behaviour of the approved content page - No resource approval mechanism Cancel Edit namespace Done Namespace name: File Alias: ☐ Subpages ☐ Content namespace ☐ CategoryCheck ☐ Secured page assignments ☐ PageTemplates ☒ Visual editor ☐ Rating ☐ Recommendations ☐ Read Confirmation ☒ Semantic MediaWiki ☐ Approval Resource without approval feature	Behaviour of t Approval m Cancel Namespac ☐ Subpages ☐ Content n ☐ Category(☐ Secured p ☐ PageTem ☒ Visual edi ☐ Rating ☐ Recomme ☐ Read Con ☒ Semantic ☒ Approval Resource wi
Versions that were current at the time of approval (Default)	Resource display: the embedded version at the time of approval is shown on the approved page:	Resource di: the embe

Setting	Behaviour of the approved content page - No resource approval mechanism Cancel Edit namespace Done Namespace name: File Alias: ☐ Subpages ☐ Content namespace ☐ CategoryCheck ☐ Secured page assignments ☐ PageTemplates ☒ Visual editor ☐ Rating ☐ Recommendations ☐ Read Confirmation ☒ Semantic MediaWiki ☐ Approval Resource without approval feature	Behaviour of t Approval m Cancel Namespac ☐ Subpages ☐ Content n ☐ Category(☐ Secured p ☐ PageTem ☒ Visual edi ☐ Rating ☐ Recomme ☐ Read Con ☒ Semantic ☒ Approval Resource wi
	Test 31730 embed Last edited 2 minutes ago by Mlink-rodrigue embed This page is approved but has a draft version  Approved page version with the version of the resource that was embedded at the time of page approval	Test 31 embe This page is embe Approved of page a

Setting	Behaviour of the approved content page - No resource approval mechanism Cancel Edit namespace Done Namespace name: File Alias: ☐ Subpages ☐ Content namespace ☐ CategoryCheck ☐ Secured page assignments ☐ PageTemplates ☒ Visual editor ☐ Rating ☐ Recommendations ☐ Read Confirmation ☒ Semantic MediaWiki ☐ Approval Resource without approval feature
----------------	---

Setting

Behaviour of the approved content page -

No resource approval mechanism

Cancel

Edit namespace

Done

Namespace name:

File

Alias:

☐ Subpages

☐ Content namespace

☐ CategoryCheck

☐ Secured page assignments

☐ PageTemplates

☒ Visual editor

☐ Rating

☐ Recommendations

☐ Read Confirmation

☒ Semantic MediaWiki

☐ Approval

Resource without approval feature

Behaviour of t

Approval m

Cancel

Namespac

☐ Subpages

☐ Content n

☐ Category(

☐ Secured p

☐ PageTem

☒ Visual edi

☐ Rating

☐ Recomme

☐ Read Con

☒ Semantic

☒ Approval

Resource wi

Page is a draft due to changes in included resources

Test

31730

embed

embed

This page is a draft but has an approved version



Page draft due to change of embedded resource

Page is a

Test

31

embe

This page is

Page draft

Setting	Behaviour of the approved content page - No resource approval mechanism Cancel Edit namespace Done Namespace name: File Alias: ☐ Subpages ☐ Content namespace ☐ CategoryCheck ☐ Secured page assignments ☐ PageTemplates ☒ Visual editor ☐ Rating ☐ Recommendations ☐ Read Confirmation ☒ Semantic MediaWiki ☐ Approval Resource without approval feature	Behaviour of the approved content page - Approval mechanism Cancel Namespace ☐ Subpages ☐ Content namespace ☐ CategoryCheck ☐ Secured page assignments ☐ PageTemplates ☒ Visual editor ☐ Rating ☐ Recommendations ☐ Read Confirmation ☒ Semantic MediaWiki ☒ Approval Resource without approval feature
---------	---	--

Setting	Behaviour of the approved content page - No resource approval mechanism Cancel Edit namespace Done Namespace name: File Alias: ☐ Subpages ☐ Content namespace ☐ CategoryCheck ☐ Secured page assignments ☐ PageTemplates ☒ Visual editor ☐ Rating ☐ Recommendations ☐ Read Confirmation ☒ Semantic MediaWiki ☐ Approval Resource without approval feature	Behaviour of t Approval m Cancel Namespac ☐ Subpages ☐ Content n ☐ Category(☐ Secured p ☐ PageTem ☒ Visual edi ☐ Rating ☐ Recomme ☐ Read Con ☒ Semantic ☒ Approval Resource wi
		Test 31 embe This page is The curre

Setting	Behaviour of the approved content page - No resource approval mechanism Cancel Edit namespace Done Namespace name: File Alias: ☐ Subpages ☐ Content namespace ☐ CategoryCheck ☐ Secured page assignments ☐ PageTemplates ☒ Visual editor ☐ Rating ☐ Recommendations ☐ Read Confirmation ☒ Semantic MediaWiki ☐ Approval Resource without approval feature	Behaviour of t Approval m Cancel Namespac ☐ Subpages ☐ Content n ☐ Category(☐ Secured p ☐ PageTem ☒ Visual edi ☐ Rating ☐ Recomme ☐ Read Con ☒ Semantic ☒ Approval Resource wi
		Resource a takes plac indication
Current versions of included pages	Resource display: the current version of the resource is shown:	Resource di the curre

Setting

Behaviour of the approved content page -

No resource approval mechanism

Cancel

Edit namespace

Done

Namespace name:File

Alias:

☐ Subpages

☐ Content namespace

☐ CategoryCheck

☐ Secured page assignments

☐ PageTemplates

☒ Visual editor

☐ Rating

☐ Recommendations

☐ Read Confirmation

☒ Semantic MediaWiki

☐ Approval

Resource without approval feature

Behaviour of t

Approval m

Cancel

Namespac

☐ Subpages

☐ Content n

☐ CategoryC

☐ Secured p

☐ PageTem

☒ Visual edi

☐ Rating

☐ Recomme

☐ Read Con

☒ Semantic

☒ Approval

Resource wi

Test31730embed

Last edited one hour ago by Mlink-rodrigue

embed

This page is approved



Approved page with the current version of the resource

Resource approval:

- the resource itself cannot be approved

Test31730embed

This page is app

Approved pa

Resource ap

- The appro therefore mechanis

Reading permissions for drafts

By default, all users can see a page's drafts, including users with only read permissions.

To hide drafts from users, the *user* group must be removed from the configuration. This setting then applies to the entire wiki and cannot be further restricted to specific namespaces.

An administrator changes the groups that can see drafts in the *Show draft versions for the following groups* box.

Warning! *If the group user is off is removed from the configuration, users in this group cannot see draft versions even if they are assigned a workflow task.*

After removing the group *user*, the desired group(s), e.g. B. the group *editor*, can be added to the configuration and saved.

Note: If no user groups are specified in the configuration field, even users with share rights and sysop users will not see a visual status indicator of the page. Instead, you have access to drafts through the page's history.

In order for administrators to see the status directly on the page, they must be added to a group listed here in the configuration.

Read permissions for first drafts

By default, first drafts are visible to all users who have read permissions in a namespace. However, if first drafts are only visible to those users who can generally view page drafts, this can be done in the configuration management by selecting *Allow viewing of first draft version for users who can normally not see drafts* to be disabled.

Summary: Read Permissions for Draft Pages

Define groups:

- **Group *user*:** Only the user groups that have been given this right in the configuration management can see first drafts and other drafts. By default, this is the user group (=all users who are logged into the wiki and have the appropriate reading rights in a namespace).
- **Adjust groups:** In the configuration management, the reading rights for (first) drafts can be restricted to other groups.
- **Group *sysop*:** Users in group *sysop* can always view drafts through the history. The sysop group can therefore not be set explicitly in the configuration. If *sysop* users can directly see the approval status on the page, they need to be added to a group with read permissions for drafts.

Export draft pages:

- **Single page export:** Users with reading rights on a draft page can print it directly as a PDF.
- **Book export:** Only approved pages are exported. If there is only a first draft of a page, it will be exported. **Exception:** If the book is printed by a user who does not have access to the first draft, the first draft will not be printed out in the book. Instead, the PDF shows the following message:

13 MLR:Erm31730/firstdraft

You do not have permission to action-badaccess-group0, for the following reason:

You are not allowed to execute the action you have requested.

Permissions error PDF export

Effects on Semantic MediaWiki properties

If a namespace has SemanticMediaWiki [Semantic MediaWiki](#) activated, the following SMW queries are available depending on the approval status of the page:

Document state	Available properties
First draft	Current values
Approved	Values of the approved (stable) version
Draft	Values of the approved (stable) version (default setting)
Implicit draft ^[1]	Values of the approved (stable) version

The availability of the semantic properties is determined by the following configuration setting:

```
$bsgFlaggedRevsConnectorStabilizeSMWPropertyValues = true;
```

The value for this setting can be set to *false* in the *LocalSettings.php* of the server file system. If set to *false*, the property values of the draft version are used for semantic queries instead of the values for the stable version.

Quality management overview

The Special page *Special:Quality_management_overview* allows all users with *reviewer* permissions to view and filter a list of wiki pages and their review status. Pages for which a user does not have read permissions are not shown.

Quality management overview

Approval is currently enabled for the following namespaces: Test, File, DV_Test_2, VHNS, MOG2, Mein_Namensraum and MLR


Page	State	In sync	Last approver	Last approval date	Comment from last approval
Test:31	First draft	✓			
Test:31/30/embed	Approved	✓	Mlink-rodrique	2023/07/24 09:27	
Test:Bilder	First draft	✓			
Test:BuchMassenimport	First draft	✓			
Test:Deutsch	Approved	✓	Walter I. K. Isysop	2023/05/25 09:56	
Test:English	Approved	✓	Walter I. K. Isysop	2023/06/05 08:36	

Special page "Quality management overview"

Approving a page when the title area is hidden

When the title area is hidden, you can approve the page from the `...all actions` menu:

1. **Switch** to the draft version of the page (this not necessary when the page is in *First draft* status). v4.3.2+



Before v.4.3.2, this switch-link is not available. In that case, go to the page history and click on the latest time stamp to switch to the draft version of the page.

Sandbox

[View logs for this page](#)

[Compare versions](#)

Revision	Changed by	Difference	Summary	State	Approved by
☐ 12:15, 13 November 2023	Mwilliams	17 bytes	Changed categories.	Approved	Parnoux
☐ 14:24, 14 July 2023	Mwilliams	-1 byte	Checklist item status changed	Approved	Parnoux
☐ 13:18, 4 July 2023	Snaumann	-34 bytes		Approved	Parnoux
☐ 13:17, 4 July 2023	Snaumann	1 byte		Approved	Parnoux
☐ 13:17, 4 July 2023	Snaumann	0 bytes		Approved	WikiSysop
☐ 12:51, 4 July 2023	Mwilliams	-1 byte		Approved	Mwilliams
☐ 12:50, 4 July 2023	Mwilliams	-6 bytes		Approved	Parnoux
☐ 12:48, 4 July 2023	Mwilliams	122 bytes	Created page with "test"	Approved	Parnoux

[Columns](#)

- ☒ check
- ☒ Revision
- ☒ Changed by
- ☒ Difference

The latest time stamp in the page history links to the draft page.

2. Approve the page via ...all actions -> Approve page .

All actions

Views

- Read
- Edit
- Edit source
- View history

Namespaces

- MLR2
- Discussion
- New page
- New subpage
- New section
- New file

Content actions

- Delete
- Move
- Protect
- Unwatch
- Refresh
- New file
- Import Word file
- Approve page**
- Add to book
- Insert category
- Set page assignments
- Copy
- Set reminder
- Set expiry
- Start a workflow

Toolbox

- E-Mail
- What links here
- Related changes
- Upload file
- Special pages
- Copy URL
- Page information
- Browse properties
- Cite this page
- Export pages
- Display readers
- QR code
- Workflows related to this page

ACTIONS

- Move
- Copy
- Delete
- Refresh
- Start a workflow
- Approve page
- Set expiry
- Set reminder
- Set page assignments
- Add to book

DETAILS

- View history
- Page information
- Browse properties
- ... all actions**

All actions menu with approval link highlighted

Related info

- [Quality management tools](#)
- [Reference:FlaggedRevs](#)
- [Reference:BlueSpiceFlaggedRevsConnector](#)
- [Manual:Semantic MediaWiki](#)

1. [↑](#) An approved page has an implicit draft, if there have been changes to embedded resources (e.g., a template or an image) since the last page approval.



[Technical Reference: ContentStabilization](#)