

Contents

--

Reference:BlueSpiceInsertCategory

VisualWikitext

Revision as of 12:51, 14 December 2021 (view source)

hw>Unknown user

No edit summary

Latest revision as of 12:34, 20 December 2021 (view source)

WikiSysop (talk | contribs)

m (1 revision imported)

Line 1:

==DescriptionMsg==
{{AutoDocDescriptionMsg
name = BlueSpiceBookshelf
desc = {{int:bs-bookshelf-extension-description
}}
}}
==License==
{{AutoDocLicense
name = GPL-3.0-only
}}
}}
==Requirements==
{{AutoDocRequirements
mediawiki = {{AutoDocVersion
name = MediaWiki
version = 1.35.0
}}
extensions = {{AutoDocVersion
name = BlueSpiceFoundation
version = 4.0
}}
}}
==IntegratesInto==
{{AutoDocIntegratesInto
into = {{AutoDocListItem
item = BlueSpiceBookshelf

Line 1:

{{BSEExtensionInfo
desc=Provides a dialogue to see a category overview for inserting, as well as creating and deleting categories.
status=stable
developer=HalloWelt
type=BlueSpice
edition=BlueSpice free, BlueSpice pro, BlueSpice Farm, BlueSpice Cloud
compatible=BlueSpice
category=Editor
license=GPL v3 only
features=""InsertCategory"" allows to add categories to a page in view mode or in visual edit mode.
This extension is in use in the page information flyout, in the [[Layout/Title section{{!}}title section]] and in the [[mediawikiwiki:Extension:BlueSpiceMultiUpload multi-upload]] dialog.
Some aspects of this extension can be configured on Special:BlueSpiceConfigManager, under section "Insert category". Here wiki administrators can configure:
*whether to set the page categories as default in the file upload dialog
*whether to insert a category with its parent category

}}
}}
==SpecialPages==
{{AutoDocSpecialPages
SpecialPages = {{AutoDocCallback
name = Bookshelf
callback = \BlueSpice\Bookshelf\Special\Bookshelf
}}
{{AutoDocCallback
name = BookshelfBookEditor
callback = \BlueSpice\Bookshelf\Special\BookshelfBookEditor
}}
{{AutoDocCallback
name = BookshelfBookManager
callback = \BlueSpice\Bookshelf\Special\BookshelfBookManager
}}
}}
==Permissions==
{{AutoDocPermissions
permissions = {{AutoDocPermission
name = bookshelf-viewspecialpage
type = global
roles = reader
desc = {{int:right-bookshelf-viewspecialpage
}}
}}
{{AutoDocPermission
name = bookshelfbookmanager-viewspecialpage
type = global
roles = reader
desc = {{int:right-bookshelfbookmanager-viewspecialpage
}}
}}
}}
==DefaultUserOptions==
{{AutoDocDefaultUserOptions

}}

```
|options = {{AutoDocOption
|name = bs-bookshelf-defaultview
|value = <nowiki>'gridviewpanel'</nowiki>
}}
}}
==Config==
{{AutoDocConfig
|config = {{AutoDocOption
|name = BookShelfDefaultCoverImage
|value = <nowiki>'resources/images/assets/coverimage
/dummy.png'</nowiki>
}}
{{AutoDocOption
|name =
BookShelfShowChapterNavigationPagerAfterContent
|value = <nowiki>false</nowiki>
}}
{{AutoDocOption
|name =
BookShelfShowChapterNavigationPagerBeforeContent
|value = <nowiki>false</nowiki>
}}
{{AutoDocOption
|name = BookshelfPrependPageTOCNumbers
|value = <nowiki>true</nowiki>
}}
{{AutoDocOption
|name = BookshelfSupressBookNS
|value = <nowiki>true</nowiki>
}}
{{AutoDocOption
|name = BookshelfTitleDisplayText
|value = <nowiki>true</nowiki>
}}
}}
==ApiModules==
{{AutoDocApiModules
|APIModules = {{AutoDocCallback
|name = bs-bookshelf-bookstore
```

```
|callback = ApiBookshelfBookStore
}}
{{AutoDocCallback
|name = bs-bookshelf-manage
|callback = ApiBookshelfManage
}}
{{AutoDocCallback
|name = bs-bookshelf-mass-add-page-store
|callback = ApiBookshelfMassAddPageStore
}}
{{AutoDocCallback
|name = bs-bookshelf-page-collection-store
|callback = ApiBookshelfPageCollectionStore
}}
{{AutoDocCallback
|name = bs-bookshelf-store
|callback = ApiBookshelfStore
}}
}}
==Hooks==
{{AutoDocHooks
|Hooks = {{AutoDocCallback
|name = [https://www.mediawiki.org/wiki/Manual:Hooks
/BSBookshelfGetBookData BSBookshelfGetBookData]
|callback =
\BlueSpice\Bookshelf\Hook\BSBookshelfGetBookData\RunLegacyHook::callback
}}
{{AutoDocCallback
|name = [https://www.mediawiki.org/wiki/Manual:Hooks
/BSInsertMagicAjaxGetData BSInsertMagicAjaxGetData]
|callback =
\BlueSpice\Bookshelf\Hook\BSInsertMagicAjaxGetData\AddBookshelfTag::callback,
\BlueSpice\Bookshelf\Hook\BSInsertMagicAjaxGetData\AddBookmetaTag::callback,
\BlueSpice\Bookshelf\Hook\BSInsertMagicAjaxGetData\AddBooklistTag::callback
}}
{{AutoDocCallback
|name = [https://www.mediawiki.org/wiki/Manual:Hooks
/BSUEModulePDFAfterFindFiles
BSUEModulePDFAfterFindFiles]
```

```
|callback =
\BlueSpice\Bookshelf\Hook\BSUEModulePDFAfterFindFiles\Ad
dAttachments::callback
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks
/BSUEModulePDFbeforeGetPage
BSUEModulePDFbeforeGetPage]
```

```
|callback =
\BlueSpice\Bookshelf\Hook\BSUEModulePDFbeforeGetPage\A
daptPageTitle::callback
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks
/BSUEModulePDFcollectMetaData
BSUEModulePDFcollectMetaData]
```

```
|callback =
\BlueSpice\Bookshelf\Hook\BSUEModulePDFcollectMetaData\
SupressBookNS::callback,
\BlueSpice\Bookshelf\Hook\BSUEModulePDFcollectMetaData\
AddBookMeta::callback
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks
/BSUEModulePDFgetPage BSUEModulePDFgetPage]
```

```
|callback =
\BlueSpice\Bookshelf\Hook\BSUEModulePDFgetPage\ModifyF
orExport::callback
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks
/BeforePageDisplay BeforePageDisplay]
```

```
|callback =
\BlueSpice\Bookshelf\Hook\BeforePageDisplay\AddResources
::callback
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks
/BlueSpiceDiscoveryTemplateDataProviderAfterInit
BlueSpiceDiscoveryTemplateDataProviderAfterInit]
```

```
|callback = discovery-skin
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks
/ChameleonSkinTemplateOutputPageBeforeExec
ChameleonSkinTemplateOutputPageBeforeExec]
```

```
|callback =
BlueSpice\Bookshelf\Hook\ChameleonSkinTemplateOutputPa
geBeforeExec\SetBookContentModelActions::callback,
```

```
BlueSpice\Bookshelf\Hook\ChameleonSkinTemplateOutputPa
geBeforeExec\AddChapterPager::callback,
BlueSpice\Bookshelf\Hook\ChameleonSkinTemplateOutputPa
geBeforeExec\AddBookshelfUI::callback,
BlueSpice\Bookshelf\Hook\ChameleonSkinTemplateOutputPa
geBeforeExec\AddToBookTool::callback
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks
/ContentHandlerDefaultModelFor
ContentHandlerDefaultModelFor]
```

```
|callback =
BlueSpice\Bookshelf\Hook\ContentHandlerDefaultModelFor\G
etBookContentHandler::callback
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks
/GetPreferences GetPreferences]
```

```
|callback =
\BlueSpice\Bookshelf\Hook\GetPreferences\BookshelfDefault
View::callback
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks
/LoadExtensionSchemaUpdates
LoadExtensionSchemaUpdates]
```

```
|callback =
BlueSpice\Bookshelf\Hook\LoadExtensionSchemaUpdates\Ad
dConvertContentModel::callback
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks
/MWStakeCommonUIRegisterSkinSlotComponents
MWStakeCommonUIRegisterSkinSlotComponents]
```

```
|callback = common-user-interface
```

```
}}
```

```
{{AutoDocCallback
```

```
|name = [https://www.mediawiki.org/wiki/Manual:Hooks
/SkinTemplateNavigation::Universal
SkinTemplateNavigation::Universal]
```

```
|callback =
BlueSpice\Bookshelf\Hook\SkinTemplateNavigationUniversal\
AddAddToBookEntry::callback,
BlueSpice\Bookshelf\Hook\SkinTemplateNavigationUniversal\
AddEditBook::callback
```

```
}}
```

```
}}
```

Latest revision as of 12:34, 20 December 2021

Extension: BlueSpiceInsertCategory

→ [all extensions](#)

Overview			
Description:	Dialog to enter a category link		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	GPL-3.0-only
Type:	BlueSpice	Category:	Editor
Edition:	BlueSpice free, BlueSpice pro, BlueSpice Farm, BlueSpice Cloud	Version:	4.1+

Features

InsertCategory allows to add categories to a page in view mode or in visual edit mode.

This extension is in use in the page information flyout, in the **title section** and in the **multi-upload** dialog.

Some aspects of this extension can be configured on Special:BlueSpiceConfigManager, under section "Insert category". Here wiki administrators can configure:

- whether to set the page categories as default in the file upload dialog
- whether to insert a category with its parent category

Technical Information

This information applies to BlueSpice 4. Technical details for BlueSpice Cloud can differ in some cases.

Requirements

MediaWiki: 1.36.0
BlueSpiceFoundation: 4.1

Integrates into

- [BlueSpiceArticleInfo](#)
- [BlueSpiceDiscovery](#)

Special pages

Configuration

Name	Value
InsertCategoryUploadPanelIntegration	false
InsertCategoryWithParents	false

Hooks

- [BeforePageDisplay](#)
- [ChameleonSkinTemplateOutputPageBeforeExec](#)
- [SkinTemplateNavigation::Universal](#)