

Reference:BlueSpiceInsertCategory

Contents

1 DescriptionMsg 2

2 License 2

3 Requirements 2

4 IntegratesInto 2

5 SpecialPages 2

6 Permissions 2

6.1 Permissions 2

7 DefaultUserOptions 2

7.1 User options 2

8 Config 3

8.1 Configuration 3

9 ApiModules 3

9.1 API Modules 3

10 Hooks 3

10.1 Hooks 3

DescriptionMsg

Enables BlueSpice to manage and export hierarchical collections of articles.

License

GPL-3.0-only

Requirements

- MediaWiki: 1.35.0
- BlueSpiceFoundation: 4.0

IntegratesInto

- BlueSpiceBookshelf

SpecialPages

- Bookshelf
- BookshelfBookEditor
- BookshelfBookManager

Permissions

Permissions

Name	Description	Role
bookshelf-viewspecialpage	Access the special page Special:Bookshelf	reader
bookshelfbookmanager-viewspecialpage	Access the special page Special:BookshelfBookManager	reader

DefaultUserOptions

User options

Name	Value
bs-bookshelf-defaultview	'gridviewpanel'

Config

Configuration

Name	Value
BookShelfDefaultCoverImage	'resources/images/assets/coverimage/dummy.png'
BookShelfShowChapterNavigationPagerAfterContent	false
BookShelfShowChapterNavigationPagerBeforeContent	false
BookshelfPrependPageTOCNumbers	true
BookshelfSupressBookNS	true
BookshelfTitleDisplayText	true

ApiModules

API Modules

- [bs-bookshelf-bookstore](#)
- [bs-bookshelf-manage](#)
- [bs-bookshelf-mass-add-page-store](#)
- [bs-bookshelf-page-collection-store](#)
- [bs-bookshelf-store](#)

Hooks

Hooks

- [BSBookshelfGetBookData](#)
- [BSInsertMagicAjaxGetData](#)
- [BSUEModulePDFAfterFindFiles](#)
- [BSUEModulePDFbeforeGetPage](#)
- [BSUEModulePDFcollectMetaData](#)
- [BSUEModulePDFgetPage](#)
- [BeforePageDisplay](#)
- [BlueSpiceDiscoveryTemplateDataProviderAfterInit](#)
- [ChameleonSkinTemplateOutputPageBeforeExec](#)
- [ContentHandlerDefaultModelFor](#)
- [GetPreferences](#)
- [LoadExtensionSchemaUpdates](#)
- [MWStakeCommonUIRegisterSkinSlotComponents](#)

- [SkinTemplateNavigation::Universal](#)