Contents

1. Reference:BlueSpicePrivacy 2
2. AutoDoc:BlueSpicePrivacy 3
3. Template:BSExtensionInfo 5
4. Template:Extension DPL 7
5. Template:Messagebox 9
6. Template:Messagebox/styles.css 12
7. Template:Translation 14
8. Template:WcagCheck 17
9. Template:WcagCheck/styles.css 19
10. User:Margit.link-rodrigue 22

Reference:BlueSpicePrivacy

Basic information

Display title	Reference:BlueSpicePrivacy
Default sort key	BlueSpicePrivacy
Page length (in bytes)	3,843
Namespace	Reference
Page ID	577
Page content language	en - English
Page content model	wikitext
Indexing by robots	Allowed
Number of redirects to this page	0
Counted as a content page	Yes
Number of subpages of this page	0 (0 redirects; 0 non-redirects)

Page protection

Edit	Allow all users (infinite)
Move	Allow all users (infinite)

View the protection log for this page.

Edit history

Page creator	hw>Mlink-rodrigue
Date of page creation	15:56, 7 July 2021
Latest editor	Margit Link-Rodrigue (talk | contribs)
Date of latest edit	15:23, 14 March 2023

Total number of edits	14
Total number of distinct authors	3
Recent number of edits (within past 90 days)	0
Recent number of distinct authors	0

Page properties

Magic words (2)	• __HIDETITLE__ • __NOTOC__
Transcluded templates (8)	Templates used on this page: • Template:BSExtensionInfo (view source) • Template:Extension DPL (view source) • Template:Messagebox (view source) • Template:Messagebox/styles.css (view source) • Template:Translation (view source) • Template:WcagCheck (view source) • Template:WcagCheck/styles.css (view source) • AutoDoc:BlueSpicePrivacy (view source)

Information for "AutoDoc:BlueSpicePrivacy"

Basic information

Display title	AutoDoc:BlueSpicePrivacy
Default sort key	BlueSpicePrivacy
Page length (in bytes)	4,415
Namespace	AutoDoc
Page ID	113
Page content language	en - English
Page content model	wikitext

Indexing by robots	Allowed
Number of redirects to this page	0
Number of subpages of this page	0 (0 redirects; 0 non-redirects)

Page protection

Edit	Allow all users (infinite)
Move	Allow all users (infinite)

View the protection log for this page.

Edit history

Page creator	hw>Unknown user
Date of page creation	11:51, 14 December 2021
Latest editor	Margit Link-Rodrigue (talk | contribs)
Date of latest edit	14:09, 1 December 2023
Total number of edits	8
Total number of distinct authors	4
Recent number of edits (within past 90 days)	0
Recent number of distinct authors	0

Page properties

Transcluded templates (14)	Templates used on this page: • Template:AutoDocApiModules (view source) • Template:AutoDocCallback (view source) • Template:AutoDocConfig (view source) • Template:AutoDocDescriptionMsg (view source) • Template:AutoDocHooks (view source) • Template:AutoDocIntegratesInto (view source) • Template:AutoDocLicense (view source)

	• Template:AutoDocListItem (view source) • Template:AutoDocOption (view source) • Template:AutoDocPermission (view source) • Template:AutoDocPermissions (view source) • Template:AutoDocRequirements (view source) • Template:AutoDocSpecialPages (view source) • Template:AutoDocVersion (view source)
Page transcluded on (1)	Template used on this page: • Reference:BlueSpicePrivacy (view source)

Information for "Template:BSExtensionInfo"

Basic information

Display title	Template:BSExtensionInfo
Default sort key	BSExtensionInfo
Page length (in bytes)	2,682
Namespace	Template
Page ID	780
Page content language	en - English
Page content model	wikitext
Indexing by robots	Allowed
Number of redirects to this page	0
Number of subpages of this page	0 (0 redirects; 0 non-redirects)

Page protection

Edit	Allow all users (infinite)
Move	Allow all users (infinite)

View the protection log for this page.

Edit history

Page creator	WikiSysop (talk | contribs)
Date of page creation	12:04, 20 December 2021
Latest editor	Margit Link-Rodrigue (talk | contribs)
Date of latest edit	07:23, 8 August 2023
Total number of edits	51
Total number of distinct authors	2
Recent number of edits (within past 90 days)	0
Recent number of distinct authors	0

Page properties

Pages transcluded on (111)	Templates used on this page: • Reference:AtMentions (view source) • Reference:BlueSpiceAbout (view source) • Reference:BlueSpiceArticleInfo (view source) • Reference:BlueSpiceArticlePreviewCapture (view source) • Reference:BlueSpiceAvatars (view source) • Reference:BlueSpiceBookshelf (view source) • Reference:BlueSpiceCategoryCheck (view source) • Reference:BlueSpiceCategoryManager (view source) • Reference:BlueSpiceChecklist (view source) • Reference:BlueSpiceConfigManager (view source) • Reference:BlueSpiceContextMenu (view source) • Reference:BlueSpiceCountThings (view source) • Reference:BlueSpiceCustomMenu (view source) • Reference:BlueSpiceDashboards (view source) • Reference:BlueSpiceDistributionConnector (view source) • Reference:BlueSpiceDrawioConnector (view source) • Reference:BlueSpiceEchoConnector (view source) • Reference:BlueSpiceEmoticons (view source) • Reference:BlueSpiceExpiry (view source) • Reference:BlueSpiceExportTables (view source) • Reference:BlueSpiceExtendedFilelist (view source) • Reference:BlueSpiceExtendedSearch (view source) • Reference:BlueSpiceExtendedStatistics (view source) • Reference:BlueSpiceFilterableTables (view source)

	• Reference:BlueSpiceFlaggedRevsConnector (view source) • Reference:BlueSpiceFoundation (view source) • Reference:BlueSpiceGroupManager (view source) • Reference:BlueSpiceHideTitle (view source) • Reference:BlueSpiceInsertCategory (view source) • Reference:BlueSpiceInsertFile (view source) • Reference:BlueSpiceInsertLink (view source) • Reference:BlueSpiceInsertMagic (view source) • Reference:BlueSpiceInterWikiLinks (view source) • Reference:BlueSpiceInterwikiSearch (view source) • Reference:BlueSpiceMultiUpload (view source) • Reference:BlueSpiceNSFileRepoConnector (view source) • Reference:BlueSpiceNamespaceManager (view source) • Reference:BlueSpicePageAccess (view source) • Reference:BlueSpicePageAssignments (view source) • Reference:BlueSpicePageFormsConnector (view source) • Reference:BlueSpicePageTemplates (view source) • Reference:BlueSpicePagesVisited (view source) • Reference:BlueSpicePermissionManager (view source) • Reference:BlueSpicePlayer (view source) • Reference:BlueSpicePrivacy (view source) • Reference:BlueSpiceQrCode (view source) • Reference:BlueSpiceRSSFeeder (view source) • Reference:BlueSpiceRating (view source) • Archive:Reference:BlueSpiceCalumma (view source) • Archive:Reference:BlueSpiceNamespaceCSS (view source) • More...

Information for "Template:Extension DPL"

Basic information

Display title	Template:Extension DPL
Default sort key	Extension DPL
Page length (in bytes)	273
Namespace	Template
Page ID	18
Page content language	en - English

Page content model	wikitext
Indexing by robots	Allowed
Number of redirects to this page	0
Number of subpages of this page	0 (0 redirects; 0 non-redirects)

Page protection

Edit	Allow all users (infinite)
Move	Allow all users (infinite)

View the protection log for this page.

Edit history

Page creator	DynamicPageList3 extension (talk | contribs)
Date of page creation	09:59, 3 December 2021
Latest editor	DynamicPageList3 extension (talk | contribs)
Date of latest edit	09:59, 3 December 2021
Total number of edits	1
Total number of distinct authors	1
Recent number of edits (within past 90 days)	0
Recent number of distinct authors	0

Page properties

Pages transcluded on (138)	Templates used on this page: • Reference:AtMentions (view source) • Reference:BlueSpiceAbout (view source) • Reference:BlueSpiceArticleInfo (view source) • Reference:BlueSpiceArticlePreviewCapture (view source) • Reference:BlueSpiceAvatars (view source) • Reference:BlueSpiceBookshelf (view source)

	• Reference:BlueSpiceCategoryCheck (view source) • Reference:BlueSpiceCategoryManager (view source) • Reference:BlueSpiceChecklist (view source) • Reference:BlueSpiceConfigManager (view source) • Reference:BlueSpiceContextMenu (view source) • Reference:BlueSpiceCountThings (view source) • Reference:BlueSpiceCustomMenu (view source) • Reference:BlueSpiceDashboards (view source) • Reference:BlueSpiceDistributionConnector (view source) • Reference:BlueSpiceDrawioConnector (view source) • Reference:BlueSpiceEchoConnector (view source) • Reference:BlueSpiceEmoticons (view source) • Reference:BlueSpiceExpiry (view source) • Reference:BlueSpiceExportTables (view source) • Reference:BlueSpiceExtendedFilelist (view source) • Reference:BlueSpiceExtendedSearch (view source) • Reference:BlueSpiceExtendedStatistics (view source) • Reference:BlueSpiceFilterableTables (view source) • Reference:BlueSpiceFlaggedRevsConnector (view source) • Reference:BlueSpiceFoundation (view source) • Reference:BlueSpiceGroupManager (view source) • Reference:BlueSpiceHideTitle (view source) • Reference:BlueSpiceInsertCategory (view source) • Reference:BlueSpiceInsertFile (view source) • Reference:BlueSpiceInsertLink (view source) • Reference:BlueSpiceInsertMagic (view source) • Reference:BlueSpiceInterWikiLinks (view source) • Reference:BlueSpiceInterwikiSearch (view source) • Reference:BlueSpiceMultiUpload (view source) • Reference:BlueSpiceNSFileRepoConnector (view source) • Reference:BlueSpiceNamespaceManager (view source) • Reference:BlueSpicePageAccess (view source) • Reference:BlueSpicePageAssignments (view source) • Manual:Extension/BlueSpiceArticleInfo (view source) • Manual:Extension/BlueSpiceAuthors (view source) • Manual:Extension/BlueSpiceAvatars (view source) • Manual:Extension/BlueSpiceExtendedSearch (view source) • Manual:Extension/BlueSpicePageTemplates (view source) • Manual:Extension/BlueSpiceSaferEdit (view source) • Manual:Extension/BlueSpiceUniversalExport (view source) • Manual:Extension/BlueSpiceUserSidebar (view source) • Manual:Extension/DynamicPageList3 (view source) • Archive:Reference:BlueSpiceCalumma (view source) • Archive:Reference:BlueSpiceNamespaceCSS (view source) • More...

Information for "Template:Messagebox"

Basic information

Display title	Template:Messagebox
Default sort key	Messagebox
Page length (in bytes)	2,032
Namespace	Template
Page ID	803
Page content language	en - English
Page content model	wikitext
Indexing by robots	Allowed
Number of redirects to this page	0
Number of subpages of this page	1 (0 redirects; 1 non-redirect)

Page protection

Edit	Allow all users (infinite)
Move	Allow all users (infinite)

View the protection log for this page.

Edit history

Page creator	hw>WikiSysop
Date of page creation	17:05, 13 December 2021
Latest editor	WikiSysop (talk | contribs)
Date of latest edit	16:14, 3 August 2023
Total number of edits	5

Total number of distinct authors	2
Recent number of edits (within past 90 days)	0
Recent number of distinct authors	0

Page properties

Pages transcluded on (105)	Templates used on this page: • Video-Tutorials (view source) • Template:Filename (view source) • Reference:BlueSpiceInterwikiSearch (view source) • Reference:BlueSpicePrivacy (view source) • Reference:BlueSpiceSocial (view source) • Reference:BlueSpiceSocialBlog (view source) • Reference:BlueSpiceSocialComments (view source) • Reference:BlueSpiceSocialMicroBlog (view source) • Reference:BlueSpiceSocialProfile (view source) • Reference:BlueSpiceSocialRating (view source) • Reference:BlueSpiceSocialTags (view source) • Reference:BlueSpiceSocialTopics (view source) • Reference:BlueSpiceSocialWatch (view source) • Reference:ContentTransfer (view source) • Reference:FlaggedRevs (view source) • Reference:SyntaxHighlight (view source) • Manual:Extension/BlueSpiceConfigManager (view source) • Manual:Extension/BlueSpiceDiscovery/Footer (view source) • Manual:Extension/BlueSpiceExtendedSearch (view source) • Manual:Extension/BlueSpiceFilterableTables (view source) • Manual:Extension/BlueSpicePageTemplates (view source) • Manual:Extension/BlueSpicePrivacy (view source) • Manual:Extension/BlueSpiceSaferEdit (view source) • Manual:Extension/BlueSpiceTagSearch (view source) • Manual:Extension/BlueSpiceUniversalExport (view source) • Manual:Extension/DrawioEditor (view source) • Manual:Extension/EmbedVideo (view source) • Manual:Extension/FlexiSkin (view source) • Manual:Preferences (view source) • Manual:Semantic MediaWiki/Examples/Customer data (view source) • Manual:Semantic MediaWiki/Examples/Customer data/Form (view source) • Manual:Semantic MediaWiki/Examples/Customer data/Form edit mode (view source) • Manual:Semantic MediaWiki/Examples/Customer data/Template styling (view source) • Manual:Semantic MediaWiki/Naming conventions (view source) • Manual:Subpage (view source)

	• Setup:Installation Guide (view source) • Setup:Installation Guide/Optimization/Caching (view source) • Setup:Installation Guide/Security Settings/File System Permissions (view source) • Setup:Installation Guide/System Preparation/Linux/Apache and PHP (view source) • Setup:Installation Guide/System Preparation/Linux/Elasticsearch (view source) • Setup:Installation Guide/System Preparation/Linux/Jetty (view source) • Setup:Installation Guide/System Preparation/Linux/MariaDB (view source) • Setup:Installation Guide/System Preparation/Linux/Memcached (view source) • Setup:Installation Guide/System Preparation/Linux/PhantomJS (view source) • Setup:Installation Guide/System Preparation/Linux/Python (view source) • Setup:Installation Guide/System Preparation/Linux/Texvc (view source) • Setup:Installation Guide/Webservices/PDF-Export (view source) • Setup:Installation Guide/With Installer (view source) • Setup:Release History (view source) • Archive:Reference:BlueSpiceSocialWikiPage (view source) • More...

Information for "Template:Messagebox/styles.css"

Basic information

Display title	Template:Messagebox/styles.css
Default sort key	Messagebox/styles.css
Page length (in bytes)	2,060
Namespace	Template
Page ID	804
Page content language	en - English
Page content model	Sanitized CSS
Indexing by robots	Allowed
Number of redirects to this page	0
Number of subpages of this page	0 (0 redirects; 0 non-redirects)

Page protection

Edit	Allow all users (infinite)
Move	Allow all users (infinite)

View the protection log for this page.

Edit history

Page creator	hw>Margit.link-rodrigue
Date of page creation	17:29, 3 December 2021
Latest editor	Margit Link-Rodrigue (talk | contribs)
Date of latest edit	08:58, 25 May 2023
Total number of edits	5
Total number of distinct authors	3
Recent number of edits (within past 90 days)	0
Recent number of distinct authors	0

Page properties

Pages transcluded on (120)	Templates used on this page: • Video-Tutorials (view source) • Template:Filename (view source) • Reference:BlueSpiceInterwikiSearch (view source) • Reference:BlueSpicePrivacy (view source) • Reference:BlueSpiceSocial (view source) • Reference:BlueSpiceSocialBlog (view source) • Reference:BlueSpiceSocialComments (view source) • Reference:BlueSpiceSocialMicroBlog (view source) • Reference:BlueSpiceSocialProfile (view source) • Reference:BlueSpiceSocialRating (view source) • Reference:BlueSpiceSocialTags (view source) • Reference:BlueSpiceSocialTopics (view source) • Reference:BlueSpiceSocialWatch (view source) • Reference:ContentTransfer (view source) • Reference:FlaggedRevs (view source)

	• Reference:SyntaxHighlight (view source) • Manual:Extension/BlueSpiceConfigManager (view source) • Manual:Extension/BlueSpiceDiscovery/Footer (view source) • Manual:Extension/BlueSpiceExtendedSearch (view source) • Manual:Extension/BlueSpiceFilterableTables (view source) • Manual:Extension/BlueSpiceNamespaceCSS (view source) • Manual:Extension/BlueSpicePageTemplates (view source) • Manual:Extension/BlueSpicePrivacy (view source) • Manual:Extension/BlueSpiceSaferEdit (view source) • Manual:Extension/BlueSpiceTagSearch (view source) • Manual:Extension/BlueSpiceUniversalExport (view source) • Manual:Extension/BlueSpiceUserSidebar (view source) • Manual:Extension/DrawioEditor (view source) • Manual:Extension/EmbedVideo (view source) • Manual:Extension/FlexiSkin (view source) • Manual:Preferences (view source) • Manual:Semantic MediaWiki/Examples/Customer data (view source) • Manual:Semantic MediaWiki/Examples/Customer data/Form (view source) • Manual:Semantic MediaWiki/Examples/Customer data/Form edit mode (view source) • Manual:Semantic MediaWiki/Examples/Customer data/Template styling (view source) • Manual:Semantic MediaWiki/Naming conventions (view source) • Manual:Subpage (view source) • Setup:Installation Guide (view source) • Setup:Installation Guide/System Preparation/Linux/Apache and PHP (view source) • Setup:Installation Guide/System Preparation/Linux/Elasticsearch (view source) • Setup:Installation Guide/System Preparation/Linux/Jetty (view source) • Setup:Installation Guide/System Preparation/Linux/MariaDB (view source) • Setup:Installation Guide/System Preparation/Linux/Memcached (view source) • Setup:Installation Guide/System Preparation/Linux/PhantomJS (view source) • Setup:Installation Guide/System Preparation/Linux/Python (view source) • Setup:Installation Guide/System Preparation/Linux/Texvc (view source) • Setup:Installation Guide/Webservices/PDF-Export (view source) • Setup:Installation Guide/With Installer (view source) • Setup:Release History (view source) • Archive:Reference:BlueSpiceSocialWikiPage (view source) • More...

Information for "Template:Translation"

Basic information

Display title	Template:Translation
Default sort key	Translation
Page length (in bytes)	139
Namespace	Template
Page ID	451
Page content language	en - English
Page content model	wikitext
Indexing by robots	Allowed
Number of redirects to this page	0
Number of subpages of this page	0 (0 redirects; 0 non-redirects)

Page protection

Edit	Allow all users (infinite)
Move	Allow all users (infinite)

View the protection log for this page.

Edit history

Page creator	WikiSysop (talk | contribs)
Date of page creation	10:17, 20 December 2021
Latest editor	Margit Link-Rodrigue (talk | contribs)
Date of latest edit	13:37, 28 September 2023
Total number of edits	3
Total number of distinct authors	2

Recent number of edits (within past 90 days)	0
Recent number of distinct authors	0

Page properties

Pages transcluded on (263)	Templates used on this page: • Reference:AtMentions (view source) • Reference:Auth remoteuser (view source) • Reference:BlueSpiceAbout (view source) • Reference:BlueSpiceArticleInfo (view source) • Reference:BlueSpiceArticlePreviewCapture (view source) • Reference:BlueSpiceAvatars (view source) • Reference:BlueSpiceBookshelf (view source) • Reference:BlueSpiceCategoryCheck (view source) • Reference:BlueSpiceCategoryManager (view source) • Reference:BlueSpiceChecklist (view source) • Reference:BlueSpiceCloudClient (view source) • Reference:BlueSpiceConfigManager (view source) • Reference:BlueSpiceContextMenu (view source) • Reference:BlueSpiceCountThings (view source) • Reference:BlueSpiceCustomMenu (view source) • Reference:BlueSpiceDashboards (view source) • Reference:BlueSpiceDistributionConnector (view source) • Reference:BlueSpiceDrawioConnector (view source) • Reference:BlueSpiceEchoConnector (view source) • Reference:BlueSpiceEmoticons (view source) • Reference:BlueSpiceExpiry (view source) • Reference:BlueSpiceExportTables (view source) • Reference:BlueSpiceExtendedFilelist (view source) • Reference:BlueSpiceExtendedSearch (view source) • Reference:BlueSpiceExtendedStatistics (view source) • Reference:BlueSpiceFilterableTables (view source) • Reference:BlueSpiceFlaggedRevsConnector (view source) • Reference:BlueSpiceFoundation (view source) • Reference:BlueSpiceGroupManager (view source) • Reference:BlueSpiceHideTitle (view source) • Reference:FilterSpecialPages (view source) • Manual:Extension/BlueSpiceArticleInfo (view source) • Manual:Extension/BlueSpiceAuthors (view source) • Manual:Extension/BlueSpiceAvatars (view source) • Manual:Extension/BlueSpiceCountThings (view source) • Manual:Extension/BlueSpiceDashboards (view source) • Manual:Extension/BlueSpiceExtendedSearch (view source) • Manual:Extension/BlueSpiceInsertMagic (view source)

	• Manual:Extension/BlueSpiceInterwikiSearch (view source) • Manual:Extension/BlueSpiceNamespaceCSS (view source) • Manual:Extension/BlueSpicePagesVisited (view source) • Manual:Extension/BlueSpiceQrCode (view source) • Manual:Extension/BlueSpiceReaders (view source) • Manual:Extension/BlueSpiceSmartList (view source) • Manual:Extension/BlueSpiceSocialWikiPage (view source) • Manual:Extension/BlueSpiceTagCloud (view source) • Manual:Extension/BlueSpiceTagSearch (view source) • Manual:Extension/BlueSpiceUniversalExport (view source) • Manual:Extension/BlueSpiceUserSidebar (view source) • Archive:Reference:BlueSpiceCalumma (view source) • More...

Information for "Template:WcagCheck"

Basic information

Display title	Template:WcagCheck
Default sort key	WcagCheck
Page length (in bytes)	1,476
Namespace	Template
Page ID	2168
Page content language	en - English
Page content model	wikitext
Indexing by robots	Allowed
Number of redirects to this page	0
Number of subpages of this page	1 (0 redirects; 1 non-redirect)

Page protection

Edit	Allow all users (infinite)

Move	Allow all users (infinite)

View the protection log for this page.

Edit history

Page creator	Margit Link-Rodrigue (talk | contribs)
Date of page creation	11:22, 3 August 2022
Latest editor	Margit Link-Rodrigue (talk | contribs)
Date of latest edit	15:23, 10 August 2022
Total number of edits	82
Total number of distinct authors	1
Recent number of edits (within past 90 days)	0
Recent number of distinct authors	0

Page properties

Transcluded template (1)	Template used on this page: • Template:WcagCheck/styles.css (view source)
Pages transcluded on (156)	Templates used on this page: • Reference:AtMentions (view source) • Reference:Auth remoteuser (view source) • Reference:BlueSpiceAbout (view source) • Reference:BlueSpiceArticleInfo (view source) • Reference:BlueSpiceArticlePreviewCapture (view source) • Reference:BlueSpiceAvatars (view source) • Reference:BlueSpiceCategoryCheck (view source) • Reference:BlueSpiceCategoryManager (view source) • Reference:BlueSpiceChecklist (view source) • Reference:BlueSpiceConfigManager (view source) • Reference:BlueSpiceContextMenu (view source) • Reference:BlueSpiceCountThings (view source) • Reference:BlueSpiceCustomMenu (view source) • Reference:BlueSpiceDashboards (view source) • Reference:BlueSpiceDistributionConnector (view source) • Reference:BlueSpiceDrawioConnector (view source)

	• Reference:BlueSpiceEmoticons (view source) • Reference:BlueSpiceExpiry (view source) • Reference:BlueSpiceExportTables (view source) • Reference:BlueSpiceExtendedFilelist (view source) • Reference:BlueSpiceExtendedSearch (view source) • Reference:BlueSpiceExtendedStatistics (view source) • Reference:BlueSpiceFilterableTables (view source) • Reference:BlueSpiceFlaggedRevsConnector (view source) • Reference:BlueSpiceFoundation (view source) • Reference:BlueSpiceGroupManager (view source) • Reference:BlueSpiceHideTitle (view source) • Reference:BlueSpiceInsertFile (view source) • Reference:BlueSpiceInsertLink (view source) • Reference:BlueSpiceInsertMagic (view source) • Reference:BlueSpiceInterWikiLinks (view source) • Reference:BlueSpiceInterwikiSearch (view source) • Reference:BlueSpiceMultiUpload (view source) • Reference:BlueSpiceNSFileRepoConnector (view source) • Reference:BlueSpiceNamespaceManager (view source) • Reference:BlueSpicePageAccess (view source) • Reference:BlueSpicePageAssignments (view source) • Reference:BlueSpicePageFormsConnector (view source) • Reference:BlueSpicePageTemplates (view source) • Reference:BlueSpicePagesVisited (view source) • Reference:BlueSpicePlayer (view source) • Reference:BlueSpicePrivacy (view source) • Reference:BlueSpiceQrCode (view source) • Reference:BlueSpiceRSSFeeder (view source) • Reference:BlueSpiceRating (view source) • Reference:BlueSpiceReadConfirmation (view source) • Reference:BlueSpiceReaders (view source) • Reference:BlueSpiceReminder (view source) • Reference:BlueSpiceSMWConnector (view source) • Reference:FilterSpecialPages (view source) • More...

Information for "Template:WcagCheck/styles.css"

Basic information

Display title	Template:WcagCheck/styles.css
Default sort key	WcagCheck/styles.css

Page length (in bytes)	351
Namespace	Template
Page ID	2178
Page content language	en - English
Page content model	Sanitized CSS
Indexing by robots	Allowed
Number of redirects to this page	0
Number of subpages of this page	0 (0 redirects; 0 non-redirects)

Page protection

Edit	Allow all users (infinite)
Move	Allow all users (infinite)

View the protection log for this page.

Edit history

Page creator	Margit Link-Rodrigue (talk | contribs)
Date of page creation	08:01, 4 August 2022
Latest editor	Margit Link-Rodrigue (talk | contribs)
Date of latest edit	11:28, 8 August 2022
Total number of edits	10
Total number of distinct authors	1
Recent number of edits (within past 90 days)	0
Recent number of distinct authors	0

Page properties

Pages transcluded on (159)	Templates used on this page: • Reference:AtMentions (view source) • Reference:Auth remoteuser (view source) • Reference:BlueSpiceAbout (view source) • Reference:BlueSpiceArticleInfo (view source) • Reference:BlueSpiceArticlePreviewCapture (view source) • Reference:BlueSpiceAvatars (view source) • Reference:BlueSpiceCategoryCheck (view source) • Reference:BlueSpiceCategoryManager (view source) • Reference:BlueSpiceChecklist (view source) • Reference:BlueSpiceConfigManager (view source) • Reference:BlueSpiceContextMenu (view source) • Reference:BlueSpiceCountThings (view source) • Reference:BlueSpiceCustomMenu (view source) • Reference:BlueSpiceDashboards (view source) • Reference:BlueSpiceDistributionConnector (view source) • Reference:BlueSpiceDrawioConnector (view source) • Reference:BlueSpiceEmoticons (view source) • Reference:BlueSpiceExpiry (view source) • Reference:BlueSpiceExportTables (view source) • Reference:BlueSpiceExtendedFilelist (view source) • Reference:BlueSpiceExtendedSearch (view source) • Reference:BlueSpiceExtendedStatistics (view source) • Reference:BlueSpiceFilterableTables (view source) • Reference:BlueSpiceFlaggedRevsConnector (view source) • Reference:BlueSpiceFoundation (view source) • Reference:BlueSpiceGroupManager (view source) • Reference:BlueSpiceHideTitle (view source) • Reference:BlueSpiceInsertFile (view source) • Reference:BlueSpiceInsertLink (view source) • Reference:BlueSpiceInsertMagic (view source) • Reference:BlueSpiceInterWikiLinks (view source) • Reference:BlueSpiceInterwikiSearch (view source) • Reference:BlueSpiceMultiUpload (view source) • Reference:BlueSpiceNSFileRepoConnector (view source) • Reference:BlueSpiceNamespaceManager (view source) • Reference:BlueSpicePageAccess (view source) • Reference:BlueSpicePageAssignments (view source) • Reference:BlueSpicePageFormsConnector (view source) • Reference:BlueSpicePageTemplates (view source) • Reference:BlueSpicePagesVisited (view source) • Reference:BlueSpicePlayer (view source) • Reference:BlueSpicePrivacy (view source)

	• Reference:BlueSpiceQrCode (view source) • Reference:BlueSpiceRSSFeeder (view source) • Reference:BlueSpiceRating (view source) • Reference:BlueSpiceReadConfirmation (view source) • Reference:BlueSpiceReaders (view source) • Reference:BlueSpiceReminder (view source) • Reference:BlueSpiceSMWConnector (view source) • Reference:FilterSpecialPages (view source) • More...

Information for "User:Margit.link-rodrigue"

Basic information

Display title	User:Margit.link-rodrigue
Default sort key	Margit.link-rodrigue
Page length (in bytes)	106
Namespace	User
Page ID	60
Page content language	en - English
Page content model	wikitext
User ID	6
Indexing by robots	Allowed
Number of redirects to this page	0
Number of subpages of this page	6 (1 redirect; 5 non-redirects)

Page protection

Edit	Allow all users (infinite)
Move	Allow all users (infinite)

View the protection log for this page.

Edit history

Page creator	Margit Link-Rodrigue (talk | contribs)
Date of page creation	14:36, 3 December 2021
Latest editor	Margit Link-Rodrigue (talk | contribs)
Date of latest edit	12:43, 18 January 2023
Total number of edits	5
Total number of distinct authors	1
Recent number of edits (within past 90 days)	0
Recent number of distinct authors	0

Page properties

Transcluded template (1)	Template used on this page: • Template:Userpage standard content (view source)