

Contents

|   |    |
|---|----|
| 1. Reference:BlueSpiceReadConfirmation .....      | 2  |
| 2. Manual:Extension/BlueSpiceConfigManager .....  | 11 |
| 3. Manual:Extension/BlueSpiceDiscovery .....      | 17 |
| 4. Manual:Extension/BlueSpiceSocial .....         | 24 |
| 5. Manual:Extension/BlueSpiceSocialBlog .....     | 31 |
| 6. Manual:Extension/BlueSpiceSocialWikiPage ..... | 39 |
| 7. Manual:MagicWords .....                        | 47 |
| 8. Reference:BlueSpiceSocial .....                | 55 |
| 9. Template:AskList .....                         | 62 |
| 10. User:Margit.link-rodrigue .....               | 69 |

# Reference:BlueSpiceReadConfirmation

VisualWikitext

Revision as of 10:49, 22 September 2022 (view source)

Margit Link-Rodrigue (talk | contribs)

No edit summary

Tag: 2017 source edit

Latest revision as of 10:39, 29 September 2022 (view source)

Margit Link-Rodrigue (talk | contribs)

No edit summary

Tag: Visual edit

Line 1:

```
<noinclude>This template produces a standard list for semantic queries. The style can be selected as needed.</noinclude>
```

```
<includeonly><templatestyles src="AskList/styles.css" />
```

```
<div class="smwpagelist {{smwstyle}} col{{smwcols}}>{{#ask:{{smwarg}} [[Modification date::+]]
```

```
|format=plainlist
```

```
|?smwimg
```

```
|template=AskList/{{#if: {{smwstyle}}|{{smwstyle}}|standard}}
```

```
}}</div></includeonly>
```

```
<noinclude>
```

```
<templatedata>
```

```
{
```

```
"params": {
```

```
"smwcols": {
```

```
"label": "Columns",
```

```
"default": "3",
```

```
"suggested": true
```

```
},
```

```
"smwstyle": {
```

```
"label": "Style",
```

```
"suggested": true
```

Line 1:

```
<bookshelf src="Book:User manual" />
```

```
{{DISPLAYTITLE:Introduction to BlueSpice Social}}
```

'''BlueSpiceSocial''' is a set of extensions that add social features around a wiki page. It allows users to quickly communicate on the wiki and to express their opinion on pages.

```
==Scope==
```

BlueSpice Social contains the following functionality:

'''User profile:''' Provides the page "User:<username>".

'''Attachments:''' Connects uploaded files to wiki pages.

'''Discussions:''' Enables discussions with comments created on wiki pages. Discussion entries can be marked as "closed".

'''Activities:''' Automatically creates pages in the "SocialEntity" namespace to track page edits and creations.

'''Blog:''' Provides the special page "Special:Blog". A blog view can also be embedded into individual wiki pages.

'''Microblog:''' Similar to blog entries, but without a headline.

'''Timeline:''' A chronological list of all social entities. The timeline filter can be used for displaying social entities on wiki pages.

```
<section end="training-slides" /><section end="training-maintainer" />
```

```
==User profile==
```

Every user has a profile that is displayed on the page "User:<username>". Users can access their user profile by clicking on "Profile" in the user menu (located in the [[Manual:Extension/BlueSpiceDiscovery|header bar]]).

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

```

    },
    "smwarg": {
        "label": "Query arguments",
        "suggested": true
    },
    "smwimg": {
        "label": "Image",
        "suggested": true
    }
},
    "description": "SMW list",
    "format": "inline",
    "paramOrder": [
        "smwarg",
        "smwcols",
        "smwstyle",
        "smwimg"
    ]
}
</templatedata>
</noinclude>

```

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page. [[File:Profile1a-en.png|thumb|User profile|alt=User profile|center|650x650px]]

#### ==Discussions==

BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page. If it is the first entry in a discussion, the discussion page is automatically created at this time if this is configured in the [[Manual:Extension/BlueSpiceConfigManager|Configuration manager]].

The discussion section can be disabled on the page-level by adding the [[Manual:MagicWords|MagicWord]] "<nowiki>\_NODISCUSSION\_</nowiki>" to the page in source editing mode.

#### ==Timeline==

[[File:Timeline1a-en.png|thumb|alt=Timeline|center|650x650px|Timeline]]

Timeline is a special page that provides an overview of all social conversations on the wiki.

By default, it is listed on the "Main navigation". You can also access the page directly at <code>Special:Timeline</code>.

On this page, users can sort and filter existing social entries or create new entries.

#### ===Creating new entries===

To create a new entry, click on the "Plus" icon to add a new timeline entry:

**'''Blog entry'''**: [[#Blog|Blog]] is used for topics to be shared with other users on the wiki

**'''Microblog'''**: Like a blog entry, but without titles. It should be used for a short entry, e.g., a quick announcement.

**'''Discussion topic'''**: Adds a discussion entry to a particular wiki page.

#### ===Interacting with social entities===

Every entry in the timeline is called a social entity. Depending on the type of social entity, the following interaction options exist:

\*<sup>111</sup>Comments: Number of comments related to the entity. Clicking on "Comments" opens all current comments and allows users to add a comment (if user has the necessary permissions).

**\*\*\*Recommend:\*\*\*** Number of users that recommended the entity. Users can add a recommendation by clicking on "Recommend".

**\*"Linked articles:"** Number of articles linked to this entity  
Clicking on "Linked articles" shows the list of linked articles.

**\*""Watch/Unwatched:"" Shows if the user is currently watching the entity (the receives notifications when the entity is changed). Clicking on Watch or Unwatch changes the state of watching.**

**\*"Resolved/Unresolved":** The status of the entity. Some entities, like discussions on a question can have a status attached to them, so that other users know if the question is answered.

## ==Blog==

**[[Manual:Extension/Blog|Blog]]** is a special page showing an overview of all blog entities available on the wiki. By default, it is listed on the "Main navigation." You can also access the page directly at `<code>Special:Blog</code>`.

**Users can sort and filter the list entries by clicking on the icons above the list.**

**Learn how to [[Manual:Extension BlueSpiceSocialBlog|include the blog on any wiki page]].**

## ==Permissions==

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role "commenter."

**<br />**

```
{| class="contenttable-blue" style=""
```

!Rechte/Rolle

!commenter

!editor

!admin

**!maintenance-<br />**

admin

## !Berechtigung

1-

|Create and edit blog entry

1

 $|x$  $|x$

|                                 |
|---------------------------------|
| x                               |
| social-blog                     |
| -                               |
| Comment on blog entry           |
| x                               |
| x                               |
| x                               |
| x                               |
| social-blog-comment             |
| -                               |
| Create and edit microblog entry |
| x                               |
| x                               |
| x                               |
| x                               |
| social-microblog                |
| -                               |
| Comment on microblog entry      |
| x                               |
| x                               |
| x                               |
| x                               |
| social-microblog-comment        |
| -                               |
| Create discussion entry         |
| x                               |
| x                               |
| x                               |
| x                               |
| social-topics                   |
| -                               |
| Comment on discussion entry     |
| x                               |
| x                               |
| x                               |
| x                               |
| social-topics-comment           |
| -                               |

|Create and edit attachments

|x

|x

|x

|x

|social-stash

|}

The comments function for blog, microblog and discussion entries can be deactivated in the LocalSettings-file on the server.

==<span class="mw-headline" id="Deaktivieren der Kommentarfunktion" style="box-sizing: inherit;">Deactivating the comments feature</span>==

The comment function for comments on blog, microblog and discussion entries can be deactivated in the LocalSettings file on the server.

\$bsgSocialCanHaveChildrenBlacklist = [

'blog', // disable comments on blog

'topic', // diable comments on discussion topics

'microblog' // disable comments on microblogs

];

<br />{{Box Links-en

|Topic1=[[Manual:Extension/BlueSpiceSocialBlog|Blog]]

|Topic4=[[Reference:BlueSpiceSocial]]

|Topic5=

|Topic2=[[Manual:Extension/BlueSpiceSocialWikiPage|Discussions and Attachments]]

|Topic6=

}}

[[en:{{FULLPAGENAME}}]]

[[de:Handbuch:Erweiterung/BlueSpiceSocial]]

[[Category:Social]]

**Latest revision as of 10:39, 29 September 2022**

---

**BlueSpiceSocial** is a set of extensions that add social features around a wiki page. It allows users to quickly communicate on the wiki and to express their opinion on pages.

## Contents

|  |    |
|--|----|
| 1 Scope .....                              | 8  |
| 2 User profile .....                       | 8  |
| 3 Discussions .....                        | 9  |
| 4 Timeline .....                           | 9  |
| 4.1 Creating new entries .....             | 9  |
| 4.2 Interacting with social entities ..... | 9  |
| 5 Blog .....                               | 10 |
| 6 Permissions .....                        | 10 |
| 7 Deactivating the comments feature .....  | 10 |
| 8 Related info .....                       | 11 |

## Scope

BlueSpice Social contains the following functionality:

- **User profile:** Provides the page *User:<username>*.
- **Attachments:** Connects uploaded files to wiki pages.
- **Discussions:** Enables discussions with comments created on wiki pages. Discussion entries can be marked as "closed".
- **Activities:** Automatically creates pages in the *SocialEntity* namespace to track page edits and creations.
- **Blog:** Provides the special page *Special:Blog*. A blog view can also be embedded into individual wiki pages.
- **Microblog:** Similar to blog entries, but without a headline.
- **Timeline:** A chronological list of all social entities. The timeline filter can be used for displaying social entities on wiki pages.

## User profile

Every user has a profile that is displayed on the page *User:<username>*. Users can access their user profile by clicking on *Profile* in the user menu (located in the [header bar](#)).

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page.

The screenshot displays a user profile for Sarah Naumann. At the top, there is a profile picture of a smiling woman. To the right of the picture, a table lists her details: Name (Sarah Naumann), Department (IT), Function (Senior Operations Engineer), Location (Ulm), and Telephone (+49 73 4860-94). An 'Edit' button is visible in the top right corner of this section. Below the profile information, there are four circular icons: a list, a funnel, a plus sign, and a refresh symbol. The main content area shows a comment by Greg Rundlett about BlueSpice, followed by a comment by Sarah Naumann. Sarah's comment includes a smaller version of her profile information table. At the bottom, another comment by Sarah Naumann is partially visible.

|            |                            |
|------------|----------------------------|
| Name       | Sarah Naumann              |
| Department | IT                         |
| Function   | Senior Operations Engineer |
| Location   | Ulm                        |
| Telephone  | +49 73 4860-94             |

Greg Rundlett über BlueSpice

Bei der EMWCon in Houston kam Greg Rundlett zu folgendem Ergebnis:BlueSpice is really the best option out there - I think globally - for MediaWiki Enterprise, MediaWiki hosting and support.

Comment (1) vor einem Monat • Sarah Naumann

Sarah Naumann

|            |                            |
|------------|----------------------------|
| Name       | Sarah Naumann              |
| Department | IT                         |
| Function   | Senior Operations Engineer |
| Location   | Ulm                        |
| Telephone  | +49 73 4860-94             |

vor einem Monat

Sarah Naumann commented "Starker Kaffee"

Die Pulvermenge steigt doch nicht linear mit der Wassermenge. Siehe zum Beispiel den




## Discussions

BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page. If it is the first entry in a discussion, the discussion page is automatically created at this time if this is configured in the [Configuration manager](#).

The discussion section can be disabled on the page-level by adding the [MagicWord](#) `__NODISCUSSION__` to the page in source editing mode.


## Timeline

Horst Schreiber commented "Greg Rundlett über BlueSpice"




Danke für den Hinweis! Eine Übersetzung wäre noch schön gewesen. Ich glaube auch nicht, dass jeder Leser schon versteht, was WebDAV bringt. Vielleicht kann man das noch etwas ausführlicher erklären?

vor einem Monat • Horst Schreiber



 Recommend (0)

Greg Rundlett über BlueSpice




Bei der EMWCon in Houston kam Greg Rundlett zu folgendem Ergebnis:BlueSpice is really the best option out there - I think globally - for MediaWiki Enterprise, MediaWiki hosting and support.

Comment (1) vor einem Monat • Sarah Naumann


 Recommend (0) 

Maik Kalb commented "Starker Kaffee"



Naja. 6g Kaffee pro Tasse sagt die Anleitung. Und linear mit den Tassen steigt dann schon die Pulvermenge. Übrigens: Wer den letzten Kaffee rauspresst, sollte gleich neuen kochen.

vor einem Monat • Maik Kalb

 Recommend (0)

Timeline

Timeline is a special page that provides an overview of all social conversations on the wiki.

By default, it is listed on the *Main navigation*. You can also access the page directly at [Special: Timeline](#). On this page, users can sort and filter existing social entries or create new entries.

## Creating new entries

To create a new entry, click on the "Plus" icon to add a new timeline entry:

- **Blog entry:** [Blog](#) is used for topics to be shared with other users on the wiki
- **Microblog:** Like a blog entry, but without titles. It should be used for a short entry, e.g., a quick announcement.
- **Discussion topic:** Adds a discussion entry to a particular wiki page.

## Interacting with social entities

Every entry in the timeline is called a social entity. Depending on the type of social entity, the following interaction options exist:

- **Comments:** Number of comments related to the entity. Clicking on *Comments* opens all current comments and allows users to add a comment (if user has the necessary permissions).

- **Recommend:** Number of users that recommended the entity. Users can add a recommendation by clicking on *Recommend*.
- **Linked articles:** Number of articles linked to this entity. Clicking on *Linked articles* shows the list of linked articles.
- **Watch/Unwatched:** Shows if the user is currently watching the entity (the receives notifications when the entity is changed). Clicking on Watch or Unwatch changes the state of watching.
- **Resolved/Unresolved:** The status of the entity. Some entities, like discussions on a question can have a status attached to them, so that other users know if the question is answered.

## Blog

**Blog** is a special page showing an overview of all blog entities available on the wiki. By default, it is listed on the *Main navigation*. You can also access the page directly at `Special:Blog`. Users can sort and filter the list entries by clicking on the icons above the list.

Learn how to [include the blog on any wiki page](#).

## Permissions

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role *commenter*.

| Rechte/Rolle                    | commenter | editor | admin | maintenance-admin | Berechtigung             |
|---------------------------------|-----------|--------|-------|-------------------|--------------------------|
| Create and edit blog entry      |           | x      | x     | x                 | social-blog              |
| Comment on blog entry           | x         | x      | x     | x                 | social-blog-comment      |
| Create and edit microblog entry | x         | x      | x     | x                 | social-microblog         |
| Comment on microblog entry      | x         | x      | x     | x                 | social-microblog-comment |
| Create discussion entry         | x         | x      | x     | x                 | social-topics            |
| Comment on discussion entry     | x         | x      | x     | x                 | social-topics-comment    |
| Create and edit attachments     | x         | x      | x     | x                 | social-stash             |

The comments function for blog, microblog and discussion entries can be deactivated in the LocalSettings-file on the server.

## Deactivating the comments feature

The comment function for comments on blog, microblog and discussion entries can be deactivated in the LocalSettings file on the server.

```
$bsgSocialCanHaveChildrenBlacklist = [  
    'blog', // disable comments on blog  
    'topic', // diable comments on discussion topics  
    'microblog' // disable comments on microblogs  
];
```

## Related info

- [Blog](#)
- [Discussions and Attachments](#)
- [Reference:BlueSpiceSocial](#)

## Config manager

[Browse history interactively](#)  
[VisualWikitext](#)

Revision as of 19:19, 18 March 2022 ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary

[← Older edit](#)

Latest revision as of 10:39, 29 September 2022 ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary

[Tag: Visual edit](#)

Line 19:

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page. [[File:Profile1a-en.png|thumb|User profile|alt=User profile|center|650x650px]]

==Attachments==

For every content page on the wiki, BlueSpiceSocial integrates an attachments section. This section shows the files that are related to the particular page. Users can add or remove files to and from this section by clicking on the "... " icon at the bottom of the section. Clicking on this icon links to "Special:Attachments/Page name", which allows managing the files attached to a particular page.

Users can attach files that are already uploaded to the wiki by clicking on the "Plus" button and selecting a file. Or, users can upload new files to be attached by dropping files into the marked area or by clicking the same area to select the files to upload.

Line 19:

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page. [[File:Profile1a-en.png|thumb|User profile|alt=User profile|center|650x650px]]

This page also shows the history of file attachments for the page.

Page attachments can be disabled in the Page by adding the `[[Manual:MagicWords|MagicWord]] "<nowiki>_NOSTASH_</nowiki>"` to the page in source editing mode.

`[[File:Anhang-en.png|alt=Attachments on a wiki page|center|thumb|650x650px|Attachments on a wiki page]]`

==Discussions==

Like page attachments, BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki **page without having to switch to the discussions** page. If it is the first entry in a discussion, the discussion page is automatically created at this time.

The discussion section can be disabled **in** the **Page** by adding the `[[Manual:MagicWords|MagicWord]] "<nowiki>_NODISCUSSION_</nowiki>"` to the page in source editing mode.

==Timeline==

#### Line 67:

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role "commenter."

<br />

{| class="contenttable-blue"

!Rechte/Rolle

!commenter

#### Line 136:

<br />{ {Box Links-en

|Topic1=[[Manual:Extension/BlueSpiceSocialBlog|Blog]]

|Topic4=[[Manual:Extension/BlueSpiceSocialComments|Social comments]]

|Topic5=[[Manual:Extension/BlueSpiceSocialProfile|User Profile]]

|Topic2=[[Manual:Extension/BlueSpiceSocialWikiPage|Discussions and Attachments]]

|Topic6=[[Reference:BlueSpiceSocial]]

}}

==Discussions==

BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page. If it is the first entry in a discussion, the discussion page is automatically created at this time **if this is configured in the [[Manual:Extension/BlueSpiceConfigManager|Configuration manager]]**.

The discussion section can be disabled **on** the **page-level** by adding the `[[Manual:MagicWords|MagicWord]] "<nowiki>_NODISCUSSION_</nowiki>"` to the page in source editing mode.

==Timeline==

#### Line 55:

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role "commenter."

<br />

{| class="contenttable-blue" style=""

!Rechte/Rolle

!commenter

#### Line 124:

<br />{ {Box Links-en

|Topic1=[[Manual:Extension/BlueSpiceSocialBlog|Blog]]

|Topic4=[[Reference:BlueSpiceSocial]]

|Topic5=

|Topic2=[[Manual:Extension/BlueSpiceSocialWikiPage|Discussions and Attachments]]

|Topic6=

}}

**Latest revision as of 10:39, 29 September 2022**

---

**BlueSpiceSocial** is a set of extensions that add social features around a wiki page. It allows users to quickly communicate on the wiki and to express their opinion on pages.

## Contents

|  |    |
|--|----|
| 1 Scope .....                              | 14 |
| 2 User profile .....                       | 14 |
| 3 Discussions .....                        | 15 |
| 4 Timeline .....                           | 15 |
| 4.1 Creating new entries .....             | 15 |
| 4.2 Interacting with social entities ..... | 15 |
| 5 Blog .....                               | 16 |
| 6 Permissions .....                        | 16 |
| 7 Deactivating the comments feature .....  | 16 |
| 8 Related info .....                       | 17 |

## Scope

BlueSpice Social contains the following functionality:

- **User profile:** Provides the page *User:<username>*.
- **Attachments:** Connects uploaded files to wiki pages.
- **Discussions:** Enables discussions with comments created on wiki pages. Discussion entries can be marked as "closed".
- **Activities:** Automatically creates pages in the *SocialEntity* namespace to track page edits and creations.
- **Blog:** Provides the special page *Special:Blog*. A blog view can also be embedded into individual wiki pages.
- **Microblog:** Similar to blog entries, but without a headline.
- **Timeline:** A chronological list of all social entities. The timeline filter can be used for displaying social entities on wiki pages.

## User profile

Every user has a profile that is displayed on the page *User:<username>*. Users can access their user profile by clicking on *Profile* in the user menu (located in the [header bar](#)).

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page.

The screenshot displays a user profile for Sarah Naumann. At the top, there is a profile picture of a smiling woman. To the right of the picture, a table lists her details: Name (Sarah Naumann), Department (IT), Function (Senior Operations Engineer), Location (Ulm), and Telephone (+49 73 4860-94). An 'Edit' link is visible in the top right corner of this section. Below the profile information, there are four circular icons: a list, a funnel, a plus sign, and a refresh symbol. The main content area shows a comment by Greg Rundlett about BlueSpice, followed by a comment by Sarah Naumann. Sarah's comment includes a smaller version of her profile information table. At the bottom, a comment by Sarah Naumann is partially visible, mentioning 'Starker Kaffee'.

|            |                            |
|------------|----------------------------|
| Name       | Sarah Naumann              |
| Department | IT                         |
| Function   | Senior Operations Engineer |
| Location   | Ulm                        |
| Telephone  | +49 73 4860-94             |

Greg Rundlett über BlueSpice

Bei der EMWCon in Houston kam Greg Rundlett zu folgendem Ergebnis:BlueSpice is really the best option out there - I think globally - for MediaWiki Enterprise, MediaWiki hosting and support.

Comment (1) vor einem Monat • Sarah Naumann

Sarah Naumann

|            |                            |
|------------|----------------------------|
| Name       | Sarah Naumann              |
| Department | IT                         |
| Function   | Senior Operations Engineer |
| Location   | Ulm                        |
| Telephone  | +49 73 4860-94             |

vor einem Monat

Sarah Naumann commented "Starker Kaffee"

Die Pulvermenge steigt doch nicht linear mit der Wassermenge. Siehe zum Beispiel den


## Discussions

BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page. If it is the first entry in a discussion, the discussion page is automatically created at this time if this is configured in the [Configuration manager](#).

The discussion section can be disabled on the page-level by adding the [MagicWord](#) `__NODISCUSSION__` to the page in source editing mode.


## Timeline

Horst Schreiber commented "Greg Rundlett über BlueSpice"




Danke für den Hinweis! Eine Übersetzung wäre noch schön gewesen. Ich glaube auch nicht, dass jeder Leser schon versteht, was WebDAV bringt. Vielleicht kann man das noch etwas ausführlicher erklären?

vor einem Monat • Horst Schreiber



 Recommend (0)

Greg Rundlett über BlueSpice




Bei der EMWCon in Houston kam Greg Rundlett zu folgendem Ergebnis:BlueSpice is really the best option out there - I think globally - for MediaWiki Enterprise, MediaWiki hosting and support.

Comment (1) vor einem Monat • Sarah Naumann


 Recommend (0) 

Maik Kalb commented "Starker Kaffee"



Naja. 6g Kaffee pro Tasse sagt die Anleitung. Und linear mit den Tassen steigt dann schon die Pulvermenge. Übrigens: Wer den letzten Kaffee rauspresst, sollte gleich neuen kochen.

vor einem Monat • Maik Kalb

 Recommend (0)

Timeline

Timeline is a special page that provides an overview of all social conversations on the wiki.

By default, it is listed on the *Main navigation*. You can also access the page directly at [Special: Timeline](#). On this page, users can sort and filter existing social entries or create new entries.

## Creating new entries

To create a new entry, click on the "Plus" icon to add a new timeline entry:

- **Blog entry:** [Blog](#) is used for topics to be shared with other users on the wiki
- **Microblog:** Like a blog entry, but without titles. It should be used for a short entry, e.g., a quick announcement.
- **Discussion topic:** Adds a discussion entry to a particular wiki page.

## Interacting with social entities

Every entry in the timeline is called a social entity. Depending on the type of social entity, the following interaction options exist:

- **Comments:** Number of comments related to the entity. Clicking on *Comments* opens all current comments and allows users to add a comment (if user has the necessary permissions).

- **Recommend:** Number of users that recommended the entity. Users can add a recommendation by clicking on *Recommend*.
- **Linked articles:** Number of articles linked to this entity. Clicking on *Linked articles* shows the list of linked articles.
- **Watch/Unwatched:** Shows if the user is currently watching the entity (the user receives notifications when the entity is changed). Clicking on Watch or Unwatch changes the state of watching.
- **Resolved/Unresolved:** The status of the entity. Some entities, like discussions on a question, can have a status attached to them, so that other users know if the question is answered.

## Blog

**Blog** is a special page showing an overview of all blog entities available on the wiki. By default, it is listed on the *Main navigation*. You can also access the page directly at `Special:Blog`. Users can sort and filter the list entries by clicking on the icons above the list.

Learn how to [include the blog on any wiki page](#).

## Permissions

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role *commenter*.

| Rechte/Rolle                    | commenter | editor | admin | maintenance-admin | Berechtigung             |
|---------------------------------|-----------|--------|-------|-------------------|--------------------------|
| Create and edit blog entry      |           | x      | x     | x                 | social-blog              |
| Comment on blog entry           | x         | x      | x     | x                 | social-blog-comment      |
| Create and edit microblog entry | x         | x      | x     | x                 | social-microblog         |
| Comment on microblog entry      | x         | x      | x     | x                 | social-microblog-comment |
| Create discussion entry         | x         | x      | x     | x                 | social-topics            |
| Comment on discussion entry     | x         | x      | x     | x                 | social-topics-comment    |
| Create and edit attachments     | x         | x      | x     | x                 | social-stash             |

The comments function for blog, microblog and discussion entries can be deactivated in the LocalSettings-file on the server.

## Deactivating the comments feature

The comment function for comments on blog, microblog and discussion entries can be deactivated in the LocalSettings file on the server.



```
$bsgSocialCanHaveChildrenBlacklist = [  
    'blog', // disable comments on blog  
    'topic', // disable comments on discussion topics  
    'microblog' // disable comments on microblogs  
];
```

## Related info

- [Blog](#)
- [Discussions and Attachments](#)
- [Reference:BlueSpiceSocial](#)



[Technical Reference: BlueSpiceSocial](#)



[Technical Reference: BlueSpiceSocial](#)



[Technical Reference: BlueSpiceDiscovery](#)



[Technical Reference: BlueSpiceConfigManager](#)

# Manual:Extension/BlueSpiceSocial: Difference between revisions

[Browse history interactively](#)  
[VisualWikitext](#)

**Revision as of 19:19, 18 March 2022** ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary

[← Older edit](#)

**Latest revision as of 10:39, 29 September 2022** ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary

[Tag: Visual edit](#)

**Line 19:**

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page.[[File:Profile1a-en.png|thumb|User profile|alt=User profile|center|650x650px]]

**==Attachments==**

For every content page on the wiki, BlueSpiceSocial integrates an attachments section. This section shows the files that are related to the particular page. Users can add or remove files to and from this section by clicking on the "... " icon at the bottom of the section. Clicking on this icon links to "Special:Attachments/Page\_name", which allows managing the files attached to a particular page.

Users can attach files that are already uploaded to the wiki by clicking on the "Plus" button and selecting a file. Or, users can upload new files to be attached by dropping files into the marked area or by clicking the same area to select the files to upload.

This page also shows the history of file attachments for the page.

Page attachments can be disabled in the Page by adding the [[Manual:MagicWords|MagicWord]] "<nowiki>\_NOSTASH\_</nowiki>" to the page in source editing mode.

[[File:Anhang-en.png|alt=Attachments on a wiki page|center|thumb|650x650px|Attachments on a wiki page]]

**==Discussions==**

Like page attachments, BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page **without having to switch to the discussions** page. If it is the first entry in a discussion, the discussion page is automatically created at this time.

**Line 19:**

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page.[[File:Profile1a-en.png|thumb|User profile|alt=User profile|center|650x650px]]

**==Discussions==**

BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page. If it is the first entry in a discussion, the discussion page is automatically created at this time **if this is configured in the** [[Manual:Extension/BlueSpiceConfigManager|Configuration manager]].

The discussion section can be disabled **in** the **Page** by adding the `[[Manual:MagicWords|MagicWord]] "<nowiki>__NODISCUSSION__</nowiki>"` to the page in source editing mode.

The discussion section can be disabled **on** the **page-level** by adding the `[[Manual:MagicWords|MagicWord]] "<nowiki>__NODISCUSSION__</nowiki>"` to the page in source editing mode.

==Timeline==

==Timeline==

Line 67:

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role "commenter."

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role "commenter."

<br />

<br />

{| class="contenttable-blue"

{| class="contenttable-blue" style=""

!Rechte/Rolle

!Rechte/Rolle

!commenter

!commenter

Line 136:

Line 124:

<br />{{Box Links-en

<br />{{Box Links-en

|Topic1=[[Manual:Extension/BlueSpiceSocialBlog|Blog]]

|Topic1=[[Manual:Extension/BlueSpiceSocialBlog|Blog]]

|Topic4=[[Manual:Extension/BlueSpiceSocialComments|Social comments]]

|Topic4=[[Reference:BlueSpiceSocial]]

|Topic5=[[Manual:Extension/BlueSpiceSocialProfile|User Profile]]

|Topic5=

|Topic2=[[Manual:Extension/BlueSpiceSocialWikiPage|Discussions and Attachments]]

|Topic2=[[Manual:Extension/BlueSpiceSocialWikiPage|Discussions and Attachments]]

|Topic6=[[Reference:BlueSpiceSocial]]

|Topic6=

}}

}}

**Latest revision as of 10:39, 29 September 2022**

---

**BlueSpiceSocial** is a set of extensions that add social features around a wiki page. It allows users to quickly communicate on the wiki and to express their opinion on pages.

## Contents

|  |    |
|--|----|
| 1 Scope .....                              | 21 |
| 2 User profile .....                       | 21 |
| 3 Discussions .....                        | 22 |
| 4 Timeline .....                           | 22 |
| 4.1 Creating new entries .....             | 22 |
| 4.2 Interacting with social entities ..... | 22 |
| 5 Blog .....                               | 23 |
| 6 Permissions .....                        | 23 |
| 7 Deactivating the comments feature .....  | 23 |
| 8 Related info .....                       | 24 |

## Scope

BlueSpice Social contains the following functionality:

- **User profile:** Provides the page *User:<username>*.
- **Attachments:** Connects uploaded files to wiki pages.
- **Discussions:** Enables discussions with comments created on wiki pages. Discussion entries can be marked as "closed".
- **Activities:** Automatically creates pages in the *SocialEntity* namespace to track page edits and creations.
- **Blog:** Provides the special page *Special:Blog*. A blog view can also be embedded into individual wiki pages.
- **Microblog:** Similar to blog entries, but without a headline.
- **Timeline:** A chronological list of all social entities. The timeline filter can be used for displaying social entities on wiki pages.

## User profile

Every user has a profile that is displayed on the page *User:<username>*. Users can access their user profile by clicking on *Profile* in the user menu (located in the [header bar](#)).

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page.

The screenshot displays a user profile for Sarah Naumann. At the top, there is a profile picture of a smiling woman. To the right of the picture, a table lists her details: Name (Sarah Naumann), Department (IT), Function (Senior Operations Engineer), Location (Ulm), and Telephone (+49 73 4860-94). An 'Edit' button is visible in the top right corner of this section. Below the profile information, there are four circular icons: a list, a funnel, a plus sign, and a refresh symbol. The main content area shows a comment by Greg Rundlett about BlueSpice, followed by a comment by Sarah Naumann. Sarah's comment includes a smaller version of her profile information table. At the bottom, it shows Sarah Naumann commented 'Starker Kaffee'.

|            |                            |
|------------|----------------------------|
| Name       | Sarah Naumann              |
| Department | IT                         |
| Function   | Senior Operations Engineer |
| Location   | Ulm                        |
| Telephone  | +49 73 4860-94             |

Greg Rundlett über BlueSpice

Bei der EMWCon in Houston kam Greg Rundlett zu folgendem Ergebnis:BlueSpice is really the best option out there - I think globally - for MediaWiki Enterprise, MediaWiki hosting and support.

Comment (1) vor einem Monat • Sarah Naumann

Sarah Naumann

|            |                            |
|------------|----------------------------|
| Name       | Sarah Naumann              |
| Department | IT                         |
| Function   | Senior Operations Engineer |
| Location   | Ulm                        |
| Telephone  | +49 73 4860-94             |

vor einem Monat

Sarah Naumann commented "Starker Kaffee"

Die Pulvermenge steigt doch nicht linear mit der Wassermenge. Siehe zum Beispiel den


## Discussions

BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page. If it is the first entry in a discussion, the discussion page is automatically created at this time if this is configured in the [Configuration manager](#).

The discussion section can be disabled on the page-level by adding the [MagicWord](#) `__NODISCUSSION__` to the page in source editing mode.


## Timeline

Horst Schreiber commented "Greg Rundlett über BlueSpice"



Danke für den Hinweis! Eine Übersetzung wäre noch schön gewesen. Ich glaube auch nicht, dass jeder Leser schon versteht, was WebDAV bringt. Vielleicht kann man das noch etwas ausführlicher erklären?

vor einem Monat • Horst Schreiber



 Recommend (0)

Greg Rundlett über BlueSpice




Bei der EMWCon in Houston kam Greg Rundlett zu folgendem Ergebnis:BlueSpice is really the best option out there - I think globally - for MediaWiki Enterprise, MediaWiki hosting and support.

Comment (1) vor einem Monat • Sarah Naumann


 Recommend (0) 

Maik Kalb commented "Starker Kaffee"



Naja. 6g Kaffee pro Tasse sagt die Anleitung. Und linear mit den Tassen steigt dann schon die Pulvermenge. Übrigens: Wer den letzten Kaffee rauspresst, sollte gleich neuen kochen.

vor einem Monat • Maik Kalb

 Recommend (0)

Timeline

Timeline is a special page that provides an overview of all social conversations on the wiki.

By default, it is listed on the *Main navigation*. You can also access the page directly at [Special: Timeline](#). On this page, users can sort and filter existing social entries or create new entries.

## Creating new entries

To create a new entry, click on the "Plus" icon to add a new timeline entry:

- **Blog entry:** [Blog](#) is used for topics to be shared with other users on the wiki
- **Microblog:** Like a blog entry, but without titles. It should be used for a short entry, e.g., a quick announcement.
- **Discussion topic:** Adds a discussion entry to a particular wiki page.

## Interacting with social entities

Every entry in the timeline is called a social entity. Depending on the type of social entity, the following interaction options exist:

- **Comments:** Number of comments related to the entity. Clicking on *Comments* opens all current comments and allows users to add a comment (if user has the necessary permissions).

- **Recommend:** Number of users that recommended the entity. Users can add a recommendation by clicking on *Recommend*.
- **Linked articles:** Number of articles linked to this entity. Clicking on *Linked articles* shows the list of linked articles.
- **Watch/Unwatched:** Shows if the user is currently watching the entity (the receives notifications when the entity is changed). Clicking on Watch or Unwatch changes the state of watching.
- **Resolved/Unresolved:** The status of the entity. Some entities, like discussions on a question can have a status attached to them, so that other users know if the question is answered.

## Blog

---

**Blog** is a special page showing an overview of all blog entities available on the wiki. By default, it is listed on the *Main navigation*. You can also access the page directly at `Special:Blog`. Users can sort and filter the list entries by clicking on the icons above the list.

Learn how to [include the blog on any wiki page](#).

## Permissions

---

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role *commenter*.

| Rechte/Rolle                    | commenter | editor | admin | maintenance-admin | Berechtigung             |
|---------------------------------|-----------|--------|-------|-------------------|--------------------------|
| Create and edit blog entry      |           | x      | x     | x                 | social-blog              |
| Comment on blog entry           | x         | x      | x     | x                 | social-blog-comment      |
| Create and edit microblog entry | x         | x      | x     | x                 | social-microblog         |
| Comment on microblog entry      | x         | x      | x     | x                 | social-microblog-comment |
| Create discussion entry         | x         | x      | x     | x                 | social-topics            |
| Comment on discussion entry     | x         | x      | x     | x                 | social-topics-comment    |
| Create and edit attachments     | x         | x      | x     | x                 | social-stash             |

The comments function for blog, microblog and discussion entries can be deactivated in the LocalSettings-file on the server.

## Deactivating the comments feature

---

The comment function for comments on blog, microblog and discussion entries can be deactivated in the LocalSettings file on the server.

```
$bsgSocialCanHaveChildrenBlacklist = [  
    'blog', // disable comments on blog  
    'topic', // disable comments on discussion topics  
    'microblog' // disable comments on microblogs  
];
```

## Related info

- [Blog](#)
- [Discussions and Attachments](#)
- [Reference:BlueSpiceSocial](#)



[Technical Reference: BlueSpiceSocial](#)



[Technical Reference: BlueSpiceSocial](#)



[Technical Reference: BlueSpiceDiscovery](#)

## Social Wiki

[Browse history interactively](#)  
[VisualWikitext](#)

Revision as of 19:19, 18 March 2022 ([view source](#))

Latest revision as of 10:39, 29 September 2022 ([view source](#))



Margit Link-Rodrigue (talk | contribs)  
No edit summary  
← Older edit

Margit Link-Rodrigue (talk | contribs)  
No edit summary  
Tag: Visual edit

Line 19:

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page. [[File:Profile1a-en.png|thumb|User profile|alt=User profile|center|650x650px]]

==Attachments==

For every content page on the wiki, BlueSpiceSocial integrates an attachments section. This section shows the files that are related to the particular page. Users can add or remove files to and from this section by clicking on the "... " icon at the bottom of the section. Clicking on this icon links to "Special:Attachments/Page\_name", which allows managing the files attached to a particular page.

Users can attach files that are already uploaded to the wiki by clicking on the "Plus" button and selecting a file. Or, users can upload new files to be attached by dropping files into the marked area or by clicking the same area to select the files to upload.

This page also shows the history of file attachments for the page.

Page attachments can be disabled in the Page by adding the [[Manual:MagicWords|MagicWord]] "<nowiki>\_\_NOSTASH\_\_</nowiki>" to the page in source editing mode.

[[File:Anhang-en.png|alt=Attachments on a wiki page|center|thumb|650x650px|Attachments on a wiki page]]

==Discussions==

Like page attachments, BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page without having to switch to the discussions page. If it is the first entry in a discussion, the discussion page is automatically created at this time.

The discussion section can be disabled in the Page by adding the [[Manual:MagicWords|MagicWord]] "<nowiki>\_\_NODISCUSSION\_\_</nowiki>" to the page in source editing mode.

==Timeline==

Line 67:

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role "commenter."

Line 19:

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page. [[File:Profile1a-en.png|thumb|User profile|alt=User profile|center|650x650px]]

==Discussions==

BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page. If it is the first entry in a discussion, the discussion page is automatically created at this time if this is configured in the [[Manual:Extension/BlueSpiceConfigManager|Configuration manager]].

The discussion section can be disabled on the page-level by adding the [[Manual:MagicWords|MagicWord]] "<nowiki>\_\_NODISCUSSION\_\_</nowiki>" to the page in source editing mode.

==Timeline==

Line 55:

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role "commenter."

|                              |
|------------------------------|
| <br />                       |
| {  class="contenttable-blue" |
| !Rechte/Rolle                |
| !commenter                   |

Line 136:

|   |
|---|
| <br />{{Box Links-en  |
| Topic1=[[Manual:Extension/BlueSpiceSocialBlog Blog]]                            |
| Topic4=[[Manual:Extension/BlueSpiceSocialComments Social comments]]             |
| Topic5=[[Manual:Extension/BlueSpiceSocialProfile User Profile]]                 |
| Topic2=[[Manual:Extension/BlueSpiceSocialWikiPage Discussions and Attachments]] |
| Topic6=[[Reference:BlueSpiceSocial]]  |
| }}  |
|   |

|                                       |
|---------------------------------------|
| <br />                                |
| {  class="contenttable-blue" style="" |
| !Rechte/Rolle                         |
| !commenter                            |

Line 124:

|   |
|---|
| <br />{{Box Links-en  |
| Topic1=[[Manual:Extension/BlueSpiceSocialBlog Blog]]                            |
| Topic4=[[Reference:BlueSpiceSocial]]  |
| Topic5=   |
| Topic2=[[Manual:Extension/BlueSpiceSocialWikiPage Discussions and Attachments]] |
| Topic6=   |
| }}  |
|   |

**Latest revision as of 10:39, 29 September 2022**

---

**BlueSpiceSocial** is a set of extensions that add social features around a wiki page. It allows users to quickly communicate on the wiki and to express their opinion on pages.

## Contents

|  |    |
|--|----|
| 1 Scope .....                              | 28 |
| 2 User profile .....                       | 28 |
| 3 Discussions .....                        | 29 |
| 4 Timeline .....                           | 29 |
| 4.1 Creating new entries .....             | 29 |
| 4.2 Interacting with social entities ..... | 29 |
| 5 Blog .....                               | 30 |
| 6 Permissions .....                        | 30 |
| 7 Deactivating the comments feature .....  | 30 |
| 8 Related info .....                       | 31 |

## Scope

BlueSpice Social contains the following functionality:

- **User profile:** Provides the page *User:<username>*.
- **Attachments:** Connects uploaded files to wiki pages.
- **Discussions:** Enables discussions with comments created on wiki pages. Discussion entries can be marked as "closed".
- **Activities:** Automatically creates pages in the *SocialEntity* namespace to track page edits and creations.
- **Blog:** Provides the special page *Special:Blog*. A blog view can also be embedded into individual wiki pages.
- **Microblog:** Similar to blog entries, but without a headline.
- **Timeline:** A chronological list of all social entities. The timeline filter can be used for displaying social entities on wiki pages.

## User profile

Every user has a profile that is displayed on the page *User:<username>*. Users can access their user profile by clicking on *Profile* in the user menu (located in the [header bar](#)).

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page.

The screenshot displays a user profile for Sarah Naumann. At the top, there is a profile picture of a smiling woman. To the right of the picture, a table lists her details: Name (Sarah Naumann), Department (IT), Function (Senior Operations Engineer), Location (Ulm), and Telephone (+49 73 4860-94). An 'Edit' link is visible in the top right corner of this section. Below the profile information, there are four circular icons: a list, a funnel, a plus sign, and a refresh symbol. The main content area shows a comment by Greg Rundlett about BlueSpice, followed by a comment by Sarah Naumann. Sarah's comment includes a smaller version of her profile information table. At the bottom, another comment by Sarah Naumann is partially visible.

|            |                            |
|------------|----------------------------|
| Name       | Sarah Naumann              |
| Department | IT                         |
| Function   | Senior Operations Engineer |
| Location   | Ulm                        |
| Telephone  | +49 73 4860-94             |

Greg Rundlett über BlueSpice

Bei der EMWCon in Houston kam Greg Rundlett zu folgendem Ergebnis:BlueSpice is really the best option out there - I think globally - for MediaWiki Enterprise, MediaWiki hosting and support.

Comment (1) vor einem Monat • Sarah Naumann

Sarah Naumann

|            |                            |
|------------|----------------------------|
| Name       | Sarah Naumann              |
| Department | IT                         |
| Function   | Senior Operations Engineer |
| Location   | Ulm                        |
| Telephone  | +49 73 4860-94             |

vor einem Monat

Sarah Naumann commented "Starker Kaffee"

Die Pulvermenge steigt doch nicht linear mit der Wassermenge. Siehe zum Beispiel den

## Discussions

BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page. If it is the first entry in a discussion, the discussion page is automatically created at this time if this is configured in the [Configuration manager](#).

The discussion section can be disabled on the page-level by adding the [MagicWord](#) `__NODISCUSSION__` to the page in source editing mode.

## Timeline

The screenshot shows a 'Timeline' section with three entries. Each entry includes a user profile picture, a title, a comment text, and a 'Recommend' button with a count. The first entry is by Horst Schreiber, the second by Greg Rundlett, and the third by Maik Kalb. The timeline is titled 'Timeline' at the bottom.

Horst Schreiber commented "Greg Rundlett über BlueSpice"

Danke für den Hinweis! Eine Übersetzung wäre noch schön gewesen. Ich glaube auch nicht, dass jeder Leser schon versteht, was WebDAV bringt. Vielleicht kann man das noch etwas ausführlicher erklären?

vor einem Monat • Horst Schreiber

Recommend (0)

Greg Rundlett über BlueSpice

Bei der EMWCon in Houston kam Greg Rundlett zu folgendem Ergebnis: BlueSpice is really the best option out there - I think globally - for MediaWiki Enterprise, MediaWiki hosting and support.

Comment (1) vor einem Monat • Sarah Naumann

More ▾

Recommend (0)

Maik Kalb commented "Starker Kaffee"

Naja. 6g Kaffee pro Tasse sagt die Anleitung. Und linear mit den Tassen steigt dann schon die Pulvermenge. Übrigens: Wer den letzten Kaffee rauspresst, sollte gleich neuen kochen.

vor einem Monat • Maik Kalb

Recommend (0)

Timeline

Timeline is a special page that provides an overview of all social conversations on the wiki.

By default, it is listed on the *Main navigation*. You can also access the page directly at [Special: Timeline](#). On this page, users can sort and filter existing social entries or create new entries.

## Creating new entries

To create a new entry, click on the "Plus" icon to add a new timeline entry:

- **Blog entry:** [Blog](#) is used for topics to be shared with other users on the wiki
- **Microblog:** Like a blog entry, but without titles. It should be used for a short entry, e.g., a quick announcement.
- **Discussion topic:** Adds a discussion entry to a particular wiki page.

## Interacting with social entities

Every entry in the timeline is called a social entity. Depending on the type of social entity, the following interaction options exist:

- **Comments:** Number of comments related to the entity. Clicking on *Comments* opens all current comments and allows users to add a comment (if user has the necessary permissions).

- **Recommend:** Number of users that recommended the entity. Users can add a recommendation by clicking on *Recommend*.
- **Linked articles:** Number of articles linked to this entity. Clicking on *Linked articles* shows the list of linked articles.
- **Watch/Unwatched:** Shows if the user is currently watching the entity (the user receives notifications when the entity is changed). Clicking on Watch or Unwatch changes the state of watching.
- **Resolved/Unresolved:** The status of the entity. Some entities, like discussions on a question can have a status attached to them, so that other users know if the question is answered.

## Blog

**Blog** is a special page showing an overview of all blog entities available on the wiki. By default, it is listed on the *Main navigation*. You can also access the page directly at `Special:Blog`. Users can sort and filter the list entries by clicking on the icons above the list.

Learn how to [include the blog on any wiki page](#).

## Permissions

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role *commenter*.

| Rechte/Rolle                    | commenter | editor | admin | maintenance-admin | Berechtigung             |
|---------------------------------|-----------|--------|-------|-------------------|--------------------------|
| Create and edit blog entry      |           | x      | x     | x                 | social-blog              |
| Comment on blog entry           | x         | x      | x     | x                 | social-blog-comment      |
| Create and edit microblog entry | x         | x      | x     | x                 | social-microblog         |
| Comment on microblog entry      | x         | x      | x     | x                 | social-microblog-comment |
| Create discussion entry         | x         | x      | x     | x                 | social-topics            |
| Comment on discussion entry     | x         | x      | x     | x                 | social-topics-comment    |
| Create and edit attachments     | x         | x      | x     | x                 | social-stash             |

The comments function for blog, microblog and discussion entries can be deactivated in the LocalSettings-file on the server.

## Deactivating the comments feature

The comment function for comments on blog, microblog and discussion entries can be deactivated in the LocalSettings file on the server.

```
$bsgSocialCanHaveChildrenBlacklist = [
    'blog', // disable comments on blog
    'topic', // disable comments on discussion topics
    'microblog' // disable comments on microblogs
];
```

## Related info

- [Blog](#)
- [Discussions and Attachments](#)
- [Reference:BlueSpiceSocial](#)



[Technical Reference: BlueSpiceSocial](#)



[Technical Reference: BlueSpiceSocial](#)

## Manual:Extension/BlueSpiceSocial: Difference between revisions

[Browse history interactively](#)  
[VisualWikitext](#)

**Revision as of 19:19, 18 March 2022** ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary

[← Older edit](#)

**Latest revision as of 10:39, 29 September 2022** ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary

[Tag: Visual edit](#)

**Line 19:**

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

**Line 19:**

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page.

==Attachments==

For every content page on the wiki, BlueSpiceSocial integrates an attachments section. This section shows the files that are related to the particular page. Users can add or remove files to and from this section by clicking on the "..."/>

Users can attach files that are already uploaded to the wiki by clicking on the "Plus" button and selecting a file. Or, users can upload new files to be attached by dropping files into the marked area or by clicking the same area to select the files to upload.

This page also shows the history of file attachments for the page.

Page attachments can be disabled in the Page by adding the [[Manual:MagicWords|MagicWord]] "<nowiki>\_NOSTASH\_</nowiki>" to the page in source editing mode.

[[File:Anhang-en.png|alt=Attachments on a wiki page|center|thumb|650x650px|Attachments on a wiki page]]

==Discussions==

Like page attachments, BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page without having to switch to the discussions page. If it is the first entry in a discussion, the discussion page is automatically created at this time.

The discussion section can be disabled in the Page by adding the [[Manual:MagicWords|MagicWord]] "<nowiki>\_NODISCUSSION\_</nowiki>" to the page in source editing mode.

==Timeline==

Line 67:

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role "commenter."

<br />

{| class="contenttable-blue"

!Rechte/Rolle

!commenter

Line 136:

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page.

==Discussions==

BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page. If it is the first entry in a discussion, the discussion page is automatically created at this time if this is configured in the [[Manual:Extension/BlueSpiceConfigManager|Configuration manager]].

The discussion section can be disabled on the page-level by adding the [[Manual:MagicWords|MagicWord]] "<nowiki>\_NODISCUSSION\_</nowiki>" to the page in source editing mode.

==Timeline==

Line 55:

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role "commenter."

<br />

{| class="contenttable-blue" style=""

!Rechte/Rolle

!commenter

Line 124:



<br />{{Box Links-en

|Topic1=[[Manual:Extension/BlueSpiceSocialBlog|Blog]]

|Topic4=[[Manual:Extension/BlueSpiceSocialComments|Social comments]]

|Topic5=[[Manual:Extension/BlueSpiceSocialProfile|User Profile]]

|Topic2=[[Manual:Extension/BlueSpiceSocialWikiPage|Discussions and Attachments]]

|Topic6=[[Reference:BlueSpiceSocial]]

}}

<br />{{Box Links-en

|Topic1=[[Manual:Extension/BlueSpiceSocialBlog|Blog]]

|Topic4=[[Reference:BlueSpiceSocial]]

|Topic5=

|Topic2=[[Manual:Extension/BlueSpiceSocialWikiPage|Discussions and Attachments]]

|Topic6=

}}

**Latest revision as of 10:39, 29 September 2022**

---

**BlueSpiceSocial** is a set of extensions that add social features around a wiki page. It allows users to quickly communicate on the wiki and to express their opinion on pages.

## Contents

|  |    |
|--|----|
| 1 Scope .....                              | 35 |
| 2 User profile .....                       | 35 |
| 3 Discussions .....                        | 36 |
| 4 Timeline .....                           | 36 |
| 4.1 Creating new entries .....             | 36 |
| 4.2 Interacting with social entities ..... | 36 |
| 5 Blog .....                               | 37 |
| 6 Permissions .....                        | 37 |
| 7 Deactivating the comments feature .....  | 37 |
| 8 Related info .....                       | 38 |

## Scope

BlueSpice Social contains the following functionality:

- **User profile:** Provides the page *User:<username>*.
- **Attachments:** Connects uploaded files to wiki pages.
- **Discussions:** Enables discussions with comments created on wiki pages. Discussion entries can be marked as "closed".
- **Activities:** Automatically creates pages in the *SocialEntity* namespace to track page edits and creations.
- **Blog:** Provides the special page *Special:Blog*. A blog view can also be embedded into individual wiki pages.
- **Microblog:** Similar to blog entries, but without a headline.
- **Timeline:** A chronological list of all social entities. The timeline filter can be used for displaying social entities on wiki pages.

## User profile

Every user has a profile that is displayed on the page *User:<username>*. Users can access their user profile by clicking on *Profile* in the user menu (located in the [header bar](#)).

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page.

The screenshot displays a user profile for Sarah Naumann. At the top, there is a profile picture of a smiling woman. To the right of the picture, a table lists her details: Name (Sarah Naumann), Department (IT), Function (Senior Operations Engineer), Location (Ulm), and Telephone (+49 73 4860-94). An 'Edit' link is visible in the top right corner of this section. Below the profile information, there are four circular icons: a list, a funnel, a plus sign, and a refresh symbol. The main content area shows a comment by Greg Rundlett about BlueSpice, followed by a comment by Sarah Naumann. Sarah's comment includes a smaller version of her profile information table. At the bottom, a comment by Sarah Naumann is partially visible, mentioning 'Starker Kaffee'.

|            |                            |
|------------|----------------------------|
| Name       | Sarah Naumann              |
| Department | IT                         |
| Function   | Senior Operations Engineer |
| Location   | Ulm                        |
| Telephone  | +49 73 4860-94             |

Greg Rundlett über BlueSpice

Bei der EMWCon in Houston kam Greg Rundlett zu folgendem Ergebnis:BlueSpice is really the best option out there - I think globally - for MediaWiki Enterprise, MediaWiki hosting and support.

Comment (1) vor einem Monat • Sarah Naumann

Sarah Naumann

|            |                            |
|------------|----------------------------|
| Name       | Sarah Naumann              |
| Department | IT                         |
| Function   | Senior Operations Engineer |
| Location   | Ulm                        |
| Telephone  | +49 73 4860-94             |

vor einem Monat

Sarah Naumann commented "Starker Kaffee"

Die Pulvermenge steigt doch nicht linear mit der Wassermenge. Siehe zum Beispiel den


## Discussions

BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page. If it is the first entry in a discussion, the discussion page is automatically created at this time if this is configured in the [Configuration manager](#).

The discussion section can be disabled on the page-level by adding the [MagicWord](#) `__NODISCUSSION__` to the page in source editing mode.


## Timeline

Horst Schreiber commented "Greg Rundlett über BlueSpice"




Danke für den Hinweis! Eine Übersetzung wäre noch schön gewesen. Ich glaube auch nicht, dass jeder Leser schon versteht, was WebDAV bringt. Vielleicht kann man das noch etwas ausführlicher erklären?

vor einem Monat • Horst Schreiber



 Recommend (0)

Greg Rundlett über BlueSpice




Bei der EMWCon in Houston kam Greg Rundlett zu folgendem Ergebnis:BlueSpice is really the best option out there - I think globally - for MediaWiki Enterprise, MediaWiki hosting and support.

Comment (1) vor einem Monat • Sarah Naumann


 Recommend (0) 

Maik Kalb commented "Starker Kaffee"



Naja. 6g Kaffee pro Tasse sagt die Anleitung. Und linear mit den Tassen steigt dann schon die Pulvermenge. Übrigens: Wer den letzten Kaffee rauspresst, sollte gleich neuen kochen.

vor einem Monat • Maik Kalb

 Recommend (0)

Timeline

Timeline is a special page that provides an overview of all social conversations on the wiki.

By default, it is listed on the *Main navigation*. You can also access the page directly at [Special: Timeline](#). On this page, users can sort and filter existing social entries or create new entries.

## Creating new entries

To create a new entry, click on the "Plus" icon to add a new timeline entry:

- **Blog entry:** [Blog](#) is used for topics to be shared with other users on the wiki
- **Microblog:** Like a blog entry, but without titles. It should be used for a short entry, e.g., a quick announcement.
- **Discussion topic:** Adds a discussion entry to a particular wiki page.

## Interacting with social entities

Every entry in the timeline is called a social entity. Depending on the type of social entity, the following interaction options exist:

- **Comments:** Number of comments related to the entity. Clicking on *Comments* opens all current comments and allows users to add a comment (if user has the necessary permissions).

- **Recommend:** Number of users that recommended the entity. Users can add a recommendation by clicking on *Recommend*.
- **Linked articles:** Number of articles linked to this entity. Clicking on *Linked articles* shows the list of linked articles.
- **Watch/Unwatched:** Shows if the user is currently watching the entity (the receives notifications when the entity is changed). Clicking on Watch or Unwatch changes the state of watching.
- **Resolved/Unresolved:** The status of the entity. Some entities, like discussions on a question can have a status attached to them, so that other users know if the question is answered.

## Blog

**Blog** is a special page showing an overview of all blog entities available on the wiki. By default, it is listed on the *Main navigation*. You can also access the page directly at `Special:Blog`. Users can sort and filter the list entries by clicking on the icons above the list.

Learn how to [include the blog on any wiki page](#).

## Permissions

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role *commenter*.

| Rechte/Rolle                    | commenter | editor | admin | maintenance-admin | Berechtigung             |
|---------------------------------|-----------|--------|-------|-------------------|--------------------------|
| Create and edit blog entry      |           | x      | x     | x                 | social-blog              |
| Comment on blog entry           | x         | x      | x     | x                 | social-blog-comment      |
| Create and edit microblog entry | x         | x      | x     | x                 | social-microblog         |
| Comment on microblog entry      | x         | x      | x     | x                 | social-microblog-comment |
| Create discussion entry         | x         | x      | x     | x                 | social-topics            |
| Comment on discussion entry     | x         | x      | x     | x                 | social-topics-comment    |
| Create and edit attachments     | x         | x      | x     | x                 | social-stash             |

The comments function for blog, microblog and discussion entries can be deactivated in the LocalSettings-file on the server.

## Deactivating the comments feature

The comment function for comments on blog, microblog and discussion entries can be deactivated in the LocalSettings file on the server.

```
$bsgSocialCanHaveChildrenBlacklist = [  
    'blog', // disable comments on blog  
    'topic', // disable comments on discussion topics  
    'microblog' // disable comments on microblogs  
];
```

## Related info

- [Blog](#)
- [Discussions and Attachments](#)
- [Reference:BlueSpiceSocial](#)

➔ [Technical Reference: BlueSpiceSocial](#)

➔ [Technical Reference: BlueSpiceSocial](#)

➔ [Technical Reference: BlueSpiceDiscovery](#)

➔ [Technical Reference: BlueSpiceConfigManager](#)

→ Technical Reference: BlueSpiceSocialBlog

→ Technical Reference: BlueSpiceSocialBlog

## Manual:Extension/BlueSpiceSocial: Difference between revisions

[Browse history interactively](#)

[VisualWikitext](#)

**Revision as of 19:19, 18 March 2022** ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary

← Older edit

**Latest revision as of 10:39, 29 September 2022** ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary

Tag: [Visual edit](#)

**Line 19:**

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page.[[File:Profile1a-en.png|thumb|User profile|alt=User profile|center|650x650px]]

**==Attachments==**

For every content page on the wiki, BlueSpiceSocial integrates an attachments section. This section shows the files that are related to the particular page. Users can add or remove files to and from this section by clicking on the "..." icon at the bottom of the section. Clicking on this icon links to "Special:Attachments/Page\_name", which allows managing the files attached to a particular page.

**Line 19:**

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page.[[File:Profile1a-en.png|thumb|User profile|alt=User profile|center|650x650px]]

Users can attach files that are already uploaded to the wiki by clicking on the "Plus" button and selecting a file. Or, users can upload new files to be attached by dropping files into the marked area or by clicking the same area to select the files to upload.

This page also shows the history of file attachments for the page.

Page attachments can be disabled in the Page by adding the [[Manual:MagicWords|MagicWord]] "<nowiki>\_NOSTASH\_</nowiki>" to the page in source editing mode.

[[File:Anhang-en.png|alt=Attachments on a wiki page|center|thumb|650x650px|Attachments on a wiki page]]

==Discussions==

Like page attachments, BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page without having to switch to the discussions page. If it is the first entry in a discussion, the discussion page is automatically created at this time.

The discussion section can be disabled in the Page by adding the [[Manual:MagicWords|MagicWord]] "<nowiki>\_NODISCUSSION\_</nowiki>" to the page in source editing mode.

==Timeline==

Line 67:

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role "commenter."

Table with 1 column: !Rechte/Rolle. Row 1: !commenter

Line 136:

```
<br />{ {Box Links-en
|Topic1=[[Manual:Extension/BlueSpiceSocialBlog|Blog]]
|Topic4=[[Manual:Extension/BlueSpiceSocialComments|Social comments]]
|Topic5=[[Manual:Extension/BlueSpiceSocialProfile|User Profile]]
|Topic2=[[Manual:Extension/BlueSpiceSocialWikiPage|Discussions and Attachments]]
|Topic6=[[Reference:BlueSpiceSocial]]
}}
```

==Discussions==

BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page. If it is the first entry in a discussion, the discussion page is automatically created at this time if this is configured in the [[Manual:Extension/BlueSpiceConfigManager|Configuration manager]].

The discussion section can be disabled on the page-level by adding the [[Manual:MagicWords|MagicWord]] "<nowiki>\_NODISCUSSION\_</nowiki>" to the page in source editing mode.

==Timeline==

Line 55:

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role "commenter."

Table with 1 column: !Rechte/Rolle. Row 1: !commenter

Line 124:

```
<br />{ {Box Links-en
|Topic1=[[Manual:Extension/BlueSpiceSocialBlog|Blog]]
|Topic4=[[Reference:BlueSpiceSocial]]
|Topic5=
|Topic2=[[Manual:Extension/BlueSpiceSocialWikiPage|Discussions and Attachments]]
|Topic6=
}}
```





**Latest revision as of 10:39, 29 September 2022**

---

**BlueSpiceSocial** is a set of extensions that add social features around a wiki page. It allows users to quickly communicate on the wiki and to express their opinion on pages.

## Contents

|  |    |
|--|----|
| 1 Scope .....                              | 43 |
| 2 User profile .....                       | 43 |
| 3 Discussions .....                        | 44 |
| 4 Timeline .....                           | 44 |
| 4.1 Creating new entries .....             | 44 |
| 4.2 Interacting with social entities ..... | 44 |
| 5 Blog .....                               | 45 |
| 6 Permissions .....                        | 45 |
| 7 Deactivating the comments feature .....  | 45 |
| 8 Related info .....                       | 46 |

## Scope

BlueSpice Social contains the following functionality:

- **User profile:** Provides the page *User:<username>*.
- **Attachments:** Connects uploaded files to wiki pages.
- **Discussions:** Enables discussions with comments created on wiki pages. Discussion entries can be marked as "closed".
- **Activities:** Automatically creates pages in the *SocialEntity* namespace to track page edits and creations.
- **Blog:** Provides the special page *Special:Blog*. A blog view can also be embedded into individual wiki pages.
- **Microblog:** Similar to blog entries, but without a headline.
- **Timeline:** A chronological list of all social entities. The timeline filter can be used for displaying social entities on wiki pages.

## User profile

Every user has a profile that is displayed on the page *User:<username>*. Users can access their user profile by clicking on *Profile* in the user menu (located in the [header bar](#)).

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page.

The screenshot displays a user profile for Sarah Naumann. At the top, there is a profile picture of a smiling woman. To the right of the picture, a table lists her details: Name (Sarah Naumann), Department (IT), Function (Senior Operations Engineer), Location (Ulm), and Telephone (+49 73 4860-94). An 'Edit' link is visible in the top right corner of this section. Below the profile information, there are four circular icons: a list, a funnel, a plus sign, and a refresh symbol. The main content area shows a comment by Greg Rundlett about BlueSpice at the EMWCon in Houston, with a 'Recommend (0)' button. Below this, a comment by Sarah Naumann is shown, including her profile information table again. At the bottom, a comment by Sarah Naumann is partially visible, mentioning 'Starker Kaffee'.

|            |                            |
|------------|----------------------------|
| Name       | Sarah Naumann              |
| Department | IT                         |
| Function   | Senior Operations Engineer |
| Location   | Ulm                        |
| Telephone  | +49 73 4860-94             |

Greg Rundlett über BlueSpice

Bei der EMWCon in Houston kam Greg Rundlett zu folgendem Ergebnis:BlueSpice is really the best option out there - I think globally - for MediaWiki Enterprise, MediaWiki hosting and support.

Comment (1) vor einem Monat • Sarah Naumann

Sarah Naumann

|            |                            |
|------------|----------------------------|
| Name       | Sarah Naumann              |
| Department | IT                         |
| Function   | Senior Operations Engineer |
| Location   | Ulm                        |
| Telephone  | +49 73 4860-94             |

vor einem Monat

Sarah Naumann commented "Starker Kaffee"

Die Pulvermenge steigt doch nicht linear mit der Wassermenge. Siehe zum Beispiel den

## Discussions

BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page. If it is the first entry in a discussion, the discussion page is automatically created at this time if this is configured in the [Configuration manager](#).

The discussion section can be disabled on the page-level by adding the [MagicWord](#) `__NODISCUSSION__` to the page in source editing mode.

## Timeline

The screenshot shows a 'Timeline' section with three entries. Each entry includes a user profile picture, a title, a comment text, and a 'Recommend' button with a count. The first entry is by Horst Schreiber, the second by Greg Rundlett, and the third by Maik Kalb. The timeline is titled 'Timeline' at the bottom.

Horst Schreiber commented "Greg Rundlett über BlueSpice"

Danke für den Hinweis! Eine Übersetzung wäre noch schön gewesen. Ich glaube auch nicht, dass jeder Leser schon versteht, was WebDAV bringt. Vielleicht kann man das noch etwas ausführlicher erklären?

vor einem Monat • Horst Schreiber

Recommend (0)

Greg Rundlett über BlueSpice

Bei der EMWCon in Houston kam Greg Rundlett zu folgendem Ergebnis:BlueSpice is really the best option out there - I think globally - for MediaWiki Enterprise, MediaWiki hosting and support.

Comment (1) vor einem Monat • Sarah Naumann

More ▾

Recommend (0)

Maik Kalb commented "Starker Kaffee"

Naja. 6g Kaffee pro Tasse sagt die Anleitung. Und linear mit den Tassen steigt dann schon die Pulvermenge. Übrigens: Wer den letzten Kaffee rauspresst, sollte gleich neuen kochen.

vor einem Monat • Maik Kalb

Recommend (0)

Timeline

Timeline is a special page that provides an overview of all social conversations on the wiki.

By default, it is listed on the *Main navigation*. You can also access the page directly at [Special: Timeline](#). On this page, users can sort and filter existing social entries or create new entries.

## Creating new entries

To create a new entry, click on the "Plus" icon to add a new timeline entry:

- **Blog entry:** [Blog](#) is used for topics to be shared with other users on the wiki
- **Microblog:** Like a blog entry, but without titles. It should be used for a short entry, e.g., a quick announcement.
- **Discussion topic:** Adds a discussion entry to a particular wiki page.

## Interacting with social entities

Every entry in the timeline is called a social entity. Depending on the type of social entity, the following interaction options exist:

- **Comments:** Number of comments related to the entity. Clicking on *Comments* opens all current comments and allows users to add a comment (if user has the necessary permissions).

- **Recommend:** Number of users that recommended the entity. Users can add a recommendation by clicking on *Recommend*.
- **Linked articles:** Number of articles linked to this entity. Clicking on *Linked articles* shows the list of linked articles.
- **Watch/Unwatched:** Shows if the user is currently watching the entity (the receives notifications when the entity is changed). Clicking on Watch or Unwatch changes the state of watching.
- **Resolved/Unresolved:** The status of the entity. Some entities, like discussions on a question can have a status attached to them, so that other users know if the question is answered.

## Blog

---

**Blog** is a special page showing an overview of all blog entities available on the wiki. By default, it is listed on the *Main navigation*. You can also access the page directly at `Special:Blog`. Users can sort and filter the list entries by clicking on the icons above the list.

Learn how to [include the blog on any wiki page](#).

## Permissions

---

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role *commenter*.

| Rechte/Rolle                    | commenter | editor | admin | maintenance-admin | Berechtigung             |
|---------------------------------|-----------|--------|-------|-------------------|--------------------------|
| Create and edit blog entry      |           | x      | x     | x                 | social-blog              |
| Comment on blog entry           | x         | x      | x     | x                 | social-blog-comment      |
| Create and edit microblog entry | x         | x      | x     | x                 | social-microblog         |
| Comment on microblog entry      | x         | x      | x     | x                 | social-microblog-comment |
| Create discussion entry         | x         | x      | x     | x                 | social-topics            |
| Comment on discussion entry     | x         | x      | x     | x                 | social-topics-comment    |
| Create and edit attachments     | x         | x      | x     | x                 | social-stash             |

The comments function for blog, microblog and discussion entries can be deactivated in the LocalSettings-file on the server.

## Deactivating the comments feature

---

The comment function for comments on blog, microblog and discussion entries can be deactivated in the LocalSettings file on the server.

```
$bsgSocialCanHaveChildrenBlacklist = [  
    'blog', // disable comments on blog  
    'topic', // disable comments on discussion topics  
    'microblog' // disable comments on microblogs  
];
```

## Related info

- [Blog](#)
- [Discussions and Attachments](#)
- [Reference:BlueSpiceSocial](#)



[Technical Reference: BlueSpiceSocial](#)



[Technical Reference: BlueSpiceSocial](#)



[Technical Reference: BlueSpiceDiscovery](#)



[Technical Reference: BlueSpiceConfigManager](#)

➔ [Technical Reference: BlueSpiceSocialBlog](#)

➔ [Technical Reference: BlueSpiceSocialBlog](#)

➔ [Technical Reference: BlueSpiceSocialWikiPage](#)

Magic words

[Browse history interactively](#)  
[VisualWikitext](#)

Revision as of 19:19, 18 March 2022 ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary  
[← Older edit](#)

Latest revision as of 10:39, 29 September 2022 ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary  
[Tag: Visual edit](#)

Line 19:

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page.[[File:Profile1a-en.png|thumb|User profile|alt=User profile|center|650x650px]]

==Attachments==

Line 19:

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page.[[File:Profile1a-en.png|thumb|User profile|alt=User profile|center|650x650px]]

For every content page on the wiki, BlueSpiceSocial integrates an attachments section. This section shows the files that are related to the particular page. Users can add or remove files to and from this section by clicking on the "..." icon at the bottom of the section. Clicking on this icon links to "Special:Attachments/Page\_name", which allows managing the files attached to a particular page.

Users can attach files that are already uploaded to the wiki by clicking on the "Plus" button and selecting a file. Or, users can upload new files to be attached by dropping files into the marked area or by clicking the same area to select the files to upload.

This page also shows the history of file attachments for the page.

Page attachments can be disabled in the Page by adding the `[[Manual:MagicWords|MagicWord]] "<nowiki>__NOSTASH__</nowiki>"` to the page in source editing mode.

`[[File:Anhang-en.png|alt=Attachments on a wiki page|center|thumb|650x650px|Attachments on a wiki page]]`

==Discussions==

Like page attachments, BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki **page without having to switch to the discussions** page. If it is the first entry in a discussion, the discussion page is automatically created at this time.

The discussion section can be disabled **in** the **Page** by adding the `[[Manual:MagicWords|MagicWord]] "<nowiki>__NODISCUSSION__</nowiki>"` to the page in source editing mode.

==Timeline==

Line 67:

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role "commenter."

|                              |
|------------------------------|
| <br />                       |
| {  class="contenttable-blue" |
| !Rechte/Rolle                |
| !commenter                   |

Line 136:

|   |
|---|
| <br />{{Box Links-en  |
| Topic1=[[Manual:Extension/BlueSpiceSocialBlog Blog]]                |
| Topic4=[[Manual:Extension/BlueSpiceSocialComments Social comments]] |
| Topic5=[[Manual:Extension/BlueSpiceSocialProfile User Profile]]     |

==Discussions==

BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page. If it is the first entry in a discussion, the discussion page is automatically created at this time **if this is configured in the** `[[Manual:Extension/BlueSpiceConfigManager|Configuration manager]]`.

The discussion section can be disabled **on** the **page-level** by adding the `[[Manual:MagicWords|MagicWord]] "<nowiki>__NODISCUSSION__</nowiki>"` to the page in source editing mode.

==Timeline==

Line 55:

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role "commenter."

|                                       |
|---------------------------------------|
| <br />                                |
| {  class="contenttable-blue" style="" |
| !Rechte/Rolle                         |
| !commenter                            |

Line 124:

|  |
|--|
| <br />{{Box Links-en                                 |
| Topic1=[[Manual:Extension/BlueSpiceSocialBlog Blog]] |
| Topic4=[[Reference:BlueSpiceSocial]]                 |
| Topic5=  |



|Topic2=[[Manual:Extension/BlueSpiceSocialWikiPage|Discussions and Attachments]]

|Topic6=[[Reference:BlueSpiceSocial]]

}}

|Topic2=[[Manual:Extension/BlueSpiceSocialWikiPage|Discussions and Attachments]]

|Topic6=

}}

**Latest revision as of 10:39, 29 September 2022**

---

**BlueSpiceSocial** is a set of extensions that add social features around a wiki page. It allows users to quickly communicate on the wiki and to express their opinion on pages.

## Contents

|  |    |
|--|----|
| 1 Scope .....                              | 51 |
| 2 User profile .....                       | 51 |
| 3 Discussions .....                        | 52 |
| 4 Timeline .....                           | 52 |
| 4.1 Creating new entries .....             | 52 |
| 4.2 Interacting with social entities ..... | 52 |
| 5 Blog .....                               | 53 |
| 6 Permissions .....                        | 53 |
| 7 Deactivating the comments feature .....  | 53 |
| 8 Related info .....                       | 54 |

## Scope

BlueSpice Social contains the following functionality:

- **User profile:** Provides the page *User:<username>*.
- **Attachments:** Connects uploaded files to wiki pages.
- **Discussions:** Enables discussions with comments created on wiki pages. Discussion entries can be marked as "closed".
- **Activities:** Automatically creates pages in the *SocialEntity* namespace to track page edits and creations.
- **Blog:** Provides the special page *Special:Blog*. A blog view can also be embedded into individual wiki pages.
- **Microblog:** Similar to blog entries, but without a headline.
- **Timeline:** A chronological list of all social entities. The timeline filter can be used for displaying social entities on wiki pages.

## User profile

Every user has a profile that is displayed on the page *User:<username>*. Users can access their user profile by clicking on *Profile* in the user menu (located in the [header bar](#)).

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page.

The screenshot displays a user profile for Sarah Naumann. At the top, there is a profile picture of a smiling woman. To the right of the picture, a table lists her details: Name (Sarah Naumann), Department (IT), Function (Senior Operations Engineer), Location (Ulm), and Telephone (+49 73 4860-94). An 'Edit' link is visible in the top right corner of this section. Below the profile information, there are four circular icons: a list, a funnel, a plus sign, and a refresh symbol. The main content area shows a comment by Greg Rundlett about BlueSpice, followed by a comment by Sarah Naumann. Sarah's comment includes a smaller version of her profile information table. At the bottom, a comment by Sarah Naumann is partially visible, mentioning 'Starker Kaffee'.

|            |                            |
|------------|----------------------------|
| Name       | Sarah Naumann              |
| Department | IT                         |
| Function   | Senior Operations Engineer |
| Location   | Ulm                        |
| Telephone  | +49 73 4860-94             |

Greg Rundlett über BlueSpice

Bei der EMWCon in Houston kam Greg Rundlett zu folgendem Ergebnis:BlueSpice is really the best option out there - I think globally - for MediaWiki Enterprise, MediaWiki hosting and support.

Comment (1) vor einem Monat • Sarah Naumann

Sarah Naumann

|            |                            |
|------------|----------------------------|
| Name       | Sarah Naumann              |
| Department | IT                         |
| Function   | Senior Operations Engineer |
| Location   | Ulm                        |
| Telephone  | +49 73 4860-94             |

vor einem Monat

Sarah Naumann commented "Starker Kaffee"

Die Pulvermenge steigt doch nicht linear mit der Wassermenge. Siehe zum Beispiel den

## Discussions

BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page. If it is the first entry in a discussion, the discussion page is automatically created at this time if this is configured in the [Configuration manager](#).

The discussion section can be disabled on the page-level by adding the [MagicWord](#) `__NODISCUSSION__` to the page in source editing mode.

## Timeline

The screenshot shows a 'Timeline' section with three entries. Each entry includes a user profile picture, a title, a comment text, and a 'Recommend' button with a count. The first entry is by Horst Schreiber, the second by Greg Rundlett, and the third by Maik Kalb. The timeline is titled 'Timeline' at the bottom.

Horst Schreiber commented "Greg Rundlett über BlueSpice"

Danke für den Hinweis! Eine Übersetzung wäre noch schön gewesen. Ich glaube auch nicht, dass jeder Leser schon versteht, was WebDAV bringt. Vielleicht kann man das noch etwas ausführlicher erklären?

vor einem Monat • Horst Schreiber

Recommend (0)

Greg Rundlett über BlueSpice

Bei der EMWCon in Houston kam Greg Rundlett zu folgendem Ergebnis: BlueSpice is really the best option out there - I think globally - for MediaWiki Enterprise, MediaWiki hosting and support.

Comment (1) vor einem Monat • Sarah Naumann

More ▾

Recommend (0)

Maik Kalb commented "Starker Kaffee"

Naja. 6g Kaffee pro Tasse sagt die Anleitung. Und linear mit den Tassen steigt dann schon die Pulvermenge. Übrigens: Wer den letzten Kaffee rauspresst, sollte gleich neuen kochen.

vor einem Monat • Maik Kalb

Recommend (0)

Timeline

Timeline is a special page that provides an overview of all social conversations on the wiki.

By default, it is listed on the *Main navigation*. You can also access the page directly at [Special: Timeline](#). On this page, users can sort and filter existing social entries or create new entries.

## Creating new entries

To create a new entry, click on the "Plus" icon to add a new timeline entry:

- **Blog entry:** [Blog](#) is used for topics to be shared with other users on the wiki
- **Microblog:** Like a blog entry, but without titles. It should be used for a short entry, e.g., a quick announcement.
- **Discussion topic:** Adds a discussion entry to a particular wiki page.

## Interacting with social entities

Every entry in the timeline is called a social entity. Depending on the type of social entity, the following interaction options exist:

- **Comments:** Number of comments related to the entity. Clicking on *Comments* opens all current comments and allows users to add a comment (if user has the necessary permissions).

- **Recommend:** Number of users that recommended the entity. Users can add a recommendation by clicking on *Recommend*.
- **Linked articles:** Number of articles linked to this entity. Clicking on *Linked articles* shows the list of linked articles.
- **Watch/Unwatched:** Shows if the user is currently watching the entity (the user receives notifications when the entity is changed). Clicking on Watch or Unwatch changes the state of watching.
- **Resolved/Unresolved:** The status of the entity. Some entities, like discussions on a question can have a status attached to them, so that other users know if the question is answered.

## Blog

**Blog** is a special page showing an overview of all blog entities available on the wiki. By default, it is listed on the *Main navigation*. You can also access the page directly at `Special:Blog`. Users can sort and filter the list entries by clicking on the icons above the list.

Learn how to [include the blog on any wiki page](#).

## Permissions

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role *commenter*.

| Rechte/Rolle                    | commenter | editor | admin | maintenance-admin | Berechtigung             |
|---------------------------------|-----------|--------|-------|-------------------|--------------------------|
| Create and edit blog entry      |           | x      | x     | x                 | social-blog              |
| Comment on blog entry           | x         | x      | x     | x                 | social-blog-comment      |
| Create and edit microblog entry | x         | x      | x     | x                 | social-microblog         |
| Comment on microblog entry      | x         | x      | x     | x                 | social-microblog-comment |
| Create discussion entry         | x         | x      | x     | x                 | social-topics            |
| Comment on discussion entry     | x         | x      | x     | x                 | social-topics-comment    |
| Create and edit attachments     | x         | x      | x     | x                 | social-stash             |

The comments function for blog, microblog and discussion entries can be deactivated in the LocalSettings-file on the server.

## Deactivating the comments feature

The comment function for comments on blog, microblog and discussion entries can be deactivated in the LocalSettings file on the server.

```
$bsgSocialCanHaveChildrenBlacklist = [  
    'blog', // disable comments on blog  
    'topic', // disable comments on discussion topics  
    'microblog' // disable comments on microblogs  
];
```

## Related info

- [Blog](#)
- [Discussions and Attachments](#)
- [Reference:BlueSpiceSocial](#)

➔ [Technical Reference: BlueSpiceSocial](#)

➔ [Technical Reference: BlueSpiceSocial](#)

➔ [Technical Reference: BlueSpiceDiscovery](#)

➔ [Technical Reference: BlueSpiceConfigManager](#)

## Manual:Extension/BlueSpiceSocial: Difference between revisions

[Browse history interactively](#)  
[VisualWikitext](#)

**Revision as of 19:19, 18 March 2022** ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary

[← Older edit](#)

**Latest revision as of 10:39, 29 September 2022** ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary

[Tag: Visual edit](#)

**Line 19:**

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page.[[File:Profile1a-en.png|thumb|User profile|alt=User profile|center|650x650px]]

**==Attachments==**

For every content page on the wiki, BlueSpiceSocial integrates an attachments section. This section shows the files that are related to the particular page. Users can add or remove files to and from this section by clicking on the "... " icon at the bottom of the section. Clicking on this icon links to "Special:Attachments/Page\_name", which allows managing the files attached to a particular page.

Users can attach files that are already uploaded to the wiki by clicking on the "Plus" button and selecting a file. Or, users can upload new files to be attached by dropping files into the marked area or by clicking the same area to select the files to upload.

This page also shows the history of file attachments for the page.

Page attachments can be disabled in the Page by adding the [[Manual:MagicWords|MagicWord]] "<nowiki>\_NOSTASH\_</nowiki>" to the page in source editing mode.

[[File:Anhang-en.png|alt=Attachments on a wiki page|center|thumb|650x650px|Attachments on a wiki page]]

**==Discussions==**

**Line 19:**

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page.[[File:Profile1a-en.png|thumb|User profile|alt=User profile|center|650x650px]]

**==Discussions==**

**Like page attachments**, BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki **page without having to switch to the discussions** page. If it is the first entry in a discussion, the discussion page is automatically created at this time.

The discussion section can be disabled **in** the **Page** by adding the `[[Manual:MagicWords|MagicWord]]` `"<nowiki>_NODISCUSSION_</nowiki>"` to the page in source editing mode.

==Timeline==

Line 67:

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role "commenter."

<br />

{| class="contenttable-blue"

!Rechte/Rolle

!commenter

Line 136:

<br />{{Box Links-en

|Topic1=[[Manual:Extension/BlueSpiceSocialBlog|Blog]]

|Topic4=[[Manual:Extension/BlueSpiceSocialComments|Social comments]]

|Topic5=[[Manual:Extension/BlueSpiceSocialProfile|User Profile]]

|Topic2=[[Manual:Extension/BlueSpiceSocialWikiPage|Discussions and Attachments]]

|Topic6=[[Reference:BlueSpiceSocial]]

}}

BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page. If it is the first entry in a discussion, the discussion page is automatically created at this time **if this is configured in the [[Manual:Extension /BlueSpiceConfigManager|Configuration manager]]**.

The discussion section can be disabled **on** the **page-level** by adding the `[[Manual:MagicWords|MagicWord]]` `"<nowiki>_NODISCUSSION_</nowiki>"` to the page in source editing mode.

==Timeline==

Line 55:

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role "commenter."

<br />

{| class="contenttable-blue" style=""

!Rechte/Rolle

!commenter

Line 124:

<br />{{Box Links-en

|Topic1=[[Manual:Extension/BlueSpiceSocialBlog|Blog]]

|Topic4=[[Reference:BlueSpiceSocial]]

|Topic5=

|Topic2=[[Manual:Extension/BlueSpiceSocialWikiPage|Discussions and Attachments]]

|Topic6=

}}



**Latest revision as of 10:39, 29 September 2022**

---

**BlueSpiceSocial** is a set of extensions that add social features around a wiki page. It allows users to quickly communicate on the wiki and to express their opinion on pages.

## Contents

|  |    |
|--|----|
| 1 Scope .....                              | 58 |
| 2 User profile .....                       | 58 |
| 3 Discussions .....                        | 59 |
| 4 Timeline .....                           | 59 |
| 4.1 Creating new entries .....             | 59 |
| 4.2 Interacting with social entities ..... | 59 |
| 5 Blog .....                               | 60 |
| 6 Permissions .....                        | 60 |
| 7 Deactivating the comments feature .....  | 60 |
| 8 Related info .....                       | 61 |

## Scope

BlueSpice Social contains the following functionality:

- **User profile:** Provides the page *User:<username>*.
- **Attachments:** Connects uploaded files to wiki pages.
- **Discussions:** Enables discussions with comments created on wiki pages. Discussion entries can be marked as "closed".
- **Activities:** Automatically creates pages in the *SocialEntity* namespace to track page edits and creations.
- **Blog:** Provides the special page *Special:Blog*. A blog view can also be embedded into individual wiki pages.
- **Microblog:** Similar to blog entries, but without a headline.
- **Timeline:** A chronological list of all social entities. The timeline filter can be used for displaying social entities on wiki pages.

## User profile

Every user has a profile that is displayed on the page *User:<username>*. Users can access their user profile by clicking on *Profile* in the user menu (located in the [header bar](#)).

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page.

The screenshot displays a user profile for Sarah Naumann. At the top, there is a profile picture of a smiling woman. To the right of the picture, a table lists her details: Name (Sarah Naumann), Department (IT), Function (Senior Operations Engineer), Location (Ulm), and Telephone (+49 73 4860-94). An 'Edit' link is visible in the top right corner of this section. Below the profile information, there are four circular icons: a list, a funnel, a plus sign, and a refresh symbol. The main content area shows a comment by Greg Rundlett about BlueSpice, followed by a comment by Sarah Naumann. Sarah's comment includes a smaller version of her profile information table. At the bottom, another comment by Sarah Naumann is partially visible.

|            |                            |
|------------|----------------------------|
| Name       | Sarah Naumann              |
| Department | IT                         |
| Function   | Senior Operations Engineer |
| Location   | Ulm                        |
| Telephone  | +49 73 4860-94             |

Greg Rundlett über BlueSpice

Bei der EMWCon in Houston kam Greg Rundlett zu folgendem Ergebnis:BlueSpice is really the best option out there - I think globally - for MediaWiki Enterprise, MediaWiki hosting and support.

Comment (1) vor einem Monat • Sarah Naumann

Sarah Naumann

|            |                            |
|------------|----------------------------|
| Name       | Sarah Naumann              |
| Department | IT                         |
| Function   | Senior Operations Engineer |
| Location   | Ulm                        |
| Telephone  | +49 73 4860-94             |

vor einem Monat

Sarah Naumann commented "Starker Kaffee"

Die Pulvermenge steigt doch nicht linear mit der Wassermenge. Siehe zum Beispiel den

## Discussions

BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page. If it is the first entry in a discussion, the discussion page is automatically created at this time if this is configured in the [Configuration manager](#).

The discussion section can be disabled on the page-level by adding the [MagicWord](#) `__NODISCUSSION__` to the page in source editing mode.

## Timeline

The screenshot shows a 'Timeline' section with three entries. Each entry includes a user profile picture, a title, a comment text, a 'Recommend' button with a count, and a 'More' dropdown menu. The first entry is by Horst Schreiber, the second by Greg Rundlett, and the third by Maik Kalb. The timeline is titled 'Timeline' at the bottom.

Horst Schreiber commented "Greg Rundlett über BlueSpice"

Danke für den Hinweis! Eine Übersetzung wäre noch schön gewesen. Ich glaube auch nicht, dass jeder Leser schon versteht, was WebDAV bringt. Vielleicht kann man das noch etwas ausführlicher erklären?

vor einem Monat • Horst Schreiber

Recommend (0)

Greg Rundlett über BlueSpice

Bei der EMWCon in Houston kam Greg Rundlett zu folgendem Ergebnis:BlueSpice is really the best option out there - I think globally - for MediaWiki Enterprise, MediaWiki hosting and support.

Comment (1) vor einem Monat • Sarah Naumann

More

Recommend (0)

Maik Kalb commented "Starker Kaffee"

Naja. 6g Kaffee pro Tasse sagt die Anleitung. Und linear mit den Tassen steigt dann schon die Pulvermenge. Übrigens: Wer den letzten Kaffee rauspresst, sollte gleich neuen kochen.

vor einem Monat • Maik Kalb

Recommend (0)

Timeline

Timeline is a special page that provides an overview of all social conversations on the wiki.

By default, it is listed on the *Main navigation*. You can also access the page directly at [Special: Timeline](#). On this page, users can sort and filter existing social entries or create new entries.

## Creating new entries

To create a new entry, click on the "Plus" icon to add a new timeline entry:

- **Blog entry:** [Blog](#) is used for topics to be shared with other users on the wiki
- **Microblog:** Like a blog entry, but without titles. It should be used for a short entry, e.g., a quick announcement.
- **Discussion topic:** Adds a discussion entry to a particular wiki page.

## Interacting with social entities

Every entry in the timeline is called a social entity. Depending on the type of social entity, the following interaction options exist:

- **Comments:** Number of comments related to the entity. Clicking on *Comments* opens all current comments and allows users to add a comment (if user has the necessary permissions).

- **Recommend:** Number of users that recommended the entity. Users can add a recommendation by clicking on *Recommend*.
- **Linked articles:** Number of articles linked to this entity. Clicking on *Linked articles* shows the list of linked articles.
- **Watch/Unwatched:** Shows if the user is currently watching the entity (the user receives notifications when the entity is changed). Clicking on Watch or Unwatch changes the state of watching.
- **Resolved/Unresolved:** The status of the entity. Some entities, like discussions on a question can have a status attached to them, so that other users know if the question is answered.

## Blog

---

**Blog** is a special page showing an overview of all blog entities available on the wiki. By default, it is listed on the *Main navigation*. You can also access the page directly at `Special:Blog`. Users can sort and filter the list entries by clicking on the icons above the list.

Learn how to [include the blog on any wiki page](#).

## Permissions

---

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role *commenter*.

| Rechte/Rolle                    | commenter | editor | admin | maintenance-admin | Berechtigung             |
|---------------------------------|-----------|--------|-------|-------------------|--------------------------|
| Create and edit blog entry      |           | x      | x     | x                 | social-blog              |
| Comment on blog entry           | x         | x      | x     | x                 | social-blog-comment      |
| Create and edit microblog entry | x         | x      | x     | x                 | social-microblog         |
| Comment on microblog entry      | x         | x      | x     | x                 | social-microblog-comment |
| Create discussion entry         | x         | x      | x     | x                 | social-topics            |
| Comment on discussion entry     | x         | x      | x     | x                 | social-topics-comment    |
| Create and edit attachments     | x         | x      | x     | x                 | social-stash             |

The comments function for blog, microblog and discussion entries can be deactivated in the LocalSettings-file on the server.

## Deactivating the comments feature

---

The comment function for comments on blog, microblog and discussion entries can be deactivated in the LocalSettings file on the server.

```
$bsgSocialCanHaveChildrenBlacklist = [  
    'blog', // disable comments on blog  
    'topic', // disable comments on discussion topics  
    'microblog' // disable comments on microblogs  
];
```

## Related info

- [Blog](#)
- [Discussions and Attachments](#)
- [Reference:BlueSpiceSocial](#)



[Technical Reference: BlueSpiceSocial](#)



[Technical Reference: BlueSpiceSocial](#)



[Technical Reference: BlueSpiceDiscovery](#)



[Technical Reference: BlueSpiceConfigManager](#)

→ Technical Reference: BlueSpiceSocialBlog

→ Technical Reference: BlueSpiceSocialBlog

→ Technical Reference: BlueSpiceSocialWikiPage

## Manual:Extension/BlueSpiceSocial: Difference between revisions

[Browse history interactively](#)

[VisualWikitext](#)

**Revision as of 19:19, 18 March 2022** ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary

[← Older edit](#)

**Latest revision as of 10:39, 29 September 2022** ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary

[Tag: Visual edit](#)

**Line 19:**

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page. [[File:Profile1a-en.png|thumb|User profile|alt=User profile|center|650x650px]]

==Attachments==

**Line 19:**

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page. [[File:Profile1a-en.png|thumb|User profile|alt=User profile|center|650x650px]]

For every content page on the wiki, BlueSpiceSocial integrates an attachments section. This section shows the files that are related to the particular page. Users can add or remove files to and from this section by clicking on the "... " icon at the bottom of the section. Clicking on this icon links to "Special:Attachments/Page name", which allows managing the files attached to a particular page.

Users can attach files that are already uploaded to the wiki by clicking on the "Plus" button and selecting a file. Or, users can upload new files to be attached by dropping files into the marked area or by clicking the same area to select the files to upload.

This page also shows the history of file attachments for the page.

Page attachments can be disabled in the Page by adding the `[[Manual:MagicWords|MagicWord]] "<nowiki>__NOSTASH__</nowiki>"` to the page in source editing mode.

`[[File:Anhang-en.png|alt=Attachments on a wiki page|center|thumb|650x650px|Attachments on a wiki page]]`

==Discussions==

Like page attachments, BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki **page without having to switch to the discussions** page. If it is the first entry in a discussion, the discussion page is automatically created at this time.

The discussion section can be disabled in the **Page** by adding the `[[Manual:MagicWords|MagicWord]] "<nowiki>__NODISCUSSION__</nowiki>"` to the page in source editing mode.

==Timeline==

Line 67:

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role "commenter."

<br />

{| class="contenttable-blue"

!Rechte/Rolle

!commenter

Line 136:

<br />{ {Box Links-en

|Topic1=[[Manual:Extension/BlueSpiceSocialBlog|Blog]]

|Topic4=[[Manual:Extension/BlueSpiceSocialComments|Social comments]]

==Discussions==

BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page. If it is the first entry in a discussion, the discussion page is automatically created at this time **if this is configured in the [[Manual:Extension/BlueSpiceConfigManager|Configuration manager]]**.

The discussion section can be disabled **on the page-level** by adding the `[[Manual:MagicWords|MagicWord]] "<nowiki>__NODISCUSSION__</nowiki>"` to the page in source editing mode.

==Timeline==

Line 55:

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role "commenter."

<br />

{| class="contenttable-blue" style=""

!Rechte/Rolle

!commenter

Line 124:

<br />{ {Box Links-en

|Topic1=[[Manual:Extension/BlueSpiceSocialBlog|Blog]]

|Topic4=[[Reference:BlueSpiceSocial]]

|Topic5=

|   |   |
|---|---|
| Topic5=[[Manual:Extension/BlueSpiceSocialProfile User Profile]]                 |   |
| Topic2=[[Manual:Extension/BlueSpiceSocialWikiPage Discussions and Attachments]] | Topic2=[[Manual:Extension/BlueSpiceSocialWikiPage Discussions and Attachments]] |
| Topic6=[[Reference:BlueSpiceSocial]]  | Topic6=   |
| }}  | }}  |
|   |   |



**Latest revision as of 10:39, 29 September 2022**

---

**BlueSpiceSocial** is a set of extensions that add social features around a wiki page. It allows users to quickly communicate on the wiki and to express their opinion on pages.

## Contents

|  |    |
|--|----|
| 1 Scope .....                              | 66 |
| 2 User profile .....                       | 66 |
| 3 Discussions .....                        | 67 |
| 4 Timeline .....                           | 67 |
| 4.1 Creating new entries .....             | 67 |
| 4.2 Interacting with social entities ..... | 67 |
| 5 Blog .....                               | 68 |
| 6 Permissions .....                        | 68 |
| 7 Deactivating the comments feature .....  | 68 |
| 8 Related info .....                       | 69 |

## Scope

BlueSpice Social contains the following functionality:

- **User profile:** Provides the page *User:<username>*.
- **Attachments:** Connects uploaded files to wiki pages.
- **Discussions:** Enables discussions with comments created on wiki pages. Discussion entries can be marked as "closed".
- **Activities:** Automatically creates pages in the *SocialEntity* namespace to track page edits and creations.
- **Blog:** Provides the special page *Special:Blog*. A blog view can also be embedded into individual wiki pages.
- **Microblog:** Similar to blog entries, but without a headline.
- **Timeline:** A chronological list of all social entities. The timeline filter can be used for displaying social entities on wiki pages.

## User profile

Every user has a profile that is displayed on the page *User:<username>*. Users can access their user profile by clicking on *Profile* in the user menu (located in the [header bar](#)).

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page.

The screenshot displays a user profile for Sarah Naumann. At the top, there is a profile picture of a smiling woman. To the right of the picture, a table lists her details: Name (Sarah Naumann), Department (IT), Function (Senior Operations Engineer), Location (Ulm), and Telephone (+49 73 4860-94). An 'Edit' link is visible in the top right corner of this section. Below the profile information, there are four circular icons: a list, a funnel, a plus sign, and a refresh symbol. The main content area shows a comment by Greg Rundlett about BlueSpice, followed by a comment by Sarah Naumann. Sarah's comment includes a smaller version of her profile information table. At the bottom, another comment by Sarah Naumann is partially visible.

|            |                            |
|------------|----------------------------|
| Name       | Sarah Naumann              |
| Department | IT                         |
| Function   | Senior Operations Engineer |
| Location   | Ulm                        |
| Telephone  | +49 73 4860-94             |

Greg Rundlett über BlueSpice

Bei der EMWCon in Houston kam Greg Rundlett zu folgendem Ergebnis:BlueSpice is really the best option out there - I think globally - for MediaWiki Enterprise, MediaWiki hosting and support.

Comment (1) vor einem Monat • Sarah Naumann

Sarah Naumann

|            |                            |
|------------|----------------------------|
| Name       | Sarah Naumann              |
| Department | IT                         |
| Function   | Senior Operations Engineer |
| Location   | Ulm                        |
| Telephone  | +49 73 4860-94             |

vor einem Monat

Sarah Naumann commented "Starker Kaffee"

Die Pulvermenge steigt doch nicht linear mit der Wassermenge. Siehe zum Beispiel den


## Discussions

BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page. If it is the first entry in a discussion, the discussion page is automatically created at this time if this is configured in the [Configuration manager](#).

The discussion section can be disabled on the page-level by adding the [MagicWord](#) `__NODISCUSSION__` to the page in source editing mode.


## Timeline

Horst Schreiber commented "Greg Rundlett über BlueSpice"




Danke für den Hinweis! Eine Übersetzung wäre noch schön gewesen. Ich glaube auch nicht, dass jeder Leser schon versteht, was WebDAV bringt. Vielleicht kann man das noch etwas ausführlicher erklären?

vor einem Monat • Horst Schreiber



 Recommend (0)

Greg Rundlett über BlueSpice




Bei der EMWCon in Houston kam Greg Rundlett zu folgendem Ergebnis:BlueSpice is really the best option out there - I think globally - for MediaWiki Enterprise, MediaWiki hosting and support.

Comment (1) vor einem Monat • Sarah Naumann


 Recommend (0) 

Maik Kalb commented "Starker Kaffee"



Naja. 6g Kaffee pro Tasse sagt die Anleitung. Und linear mit den Tassen steigt dann schon die Pulvermenge. Übrigens: Wer den letzten Kaffee rauspresst, sollte gleich neuen kochen.

vor einem Monat • Maik Kalb

 Recommend (0)

Timeline

Timeline is a special page that provides an overview of all social conversations on the wiki.

By default, it is listed on the *Main navigation*. You can also access the page directly at [Special: Timeline](#). On this page, users can sort and filter existing social entries or create new entries.

## Creating new entries

To create a new entry, click on the "Plus" icon to add a new timeline entry:

- **Blog entry:** [Blog](#) is used for topics to be shared with other users on the wiki
- **Microblog:** Like a blog entry, but without titles. It should be used for a short entry, e.g., a quick announcement.
- **Discussion topic:** Adds a discussion entry to a particular wiki page.

## Interacting with social entities

Every entry in the timeline is called a social entity. Depending on the type of social entity, the following interaction options exist:

- **Comments:** Number of comments related to the entity. Clicking on *Comments* opens all current comments and allows users to add a comment (if user has the necessary permissions).

- **Recommend:** Number of users that recommended the entity. Users can add a recommendation by clicking on *Recommend*.
- **Linked articles:** Number of articles linked to this entity. Clicking on *Linked articles* shows the list of linked articles.
- **Watch/Unwatched:** Shows if the user is currently watching the entity (the user receives notifications when the entity is changed). Clicking on Watch or Unwatch changes the state of watching.
- **Resolved/Unresolved:** The status of the entity. Some entities, like discussions on a question can have a status attached to them, so that other users know if the question is answered.

## Blog

**Blog** is a special page showing an overview of all blog entities available on the wiki. By default, it is listed on the *Main navigation*. You can also access the page directly at `Special:Blog`. Users can sort and filter the list entries by clicking on the icons above the list.

Learn how to [include the blog on any wiki page](#).

## Permissions

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role *commenter*.

| Rechte/Rolle                    | commenter | editor | admin | maintenance-admin | Berechtigung             |
|---------------------------------|-----------|--------|-------|-------------------|--------------------------|
| Create and edit blog entry      |           | x      | x     | x                 | social-blog              |
| Comment on blog entry           | x         | x      | x     | x                 | social-blog-comment      |
| Create and edit microblog entry | x         | x      | x     | x                 | social-microblog         |
| Comment on microblog entry      | x         | x      | x     | x                 | social-microblog-comment |
| Create discussion entry         | x         | x      | x     | x                 | social-topics            |
| Comment on discussion entry     | x         | x      | x     | x                 | social-topics-comment    |
| Create and edit attachments     | x         | x      | x     | x                 | social-stash             |

The comments function for blog, microblog and discussion entries can be deactivated in the LocalSettings-file on the server.

## Deactivating the comments feature

The comment function for comments on blog, microblog and discussion entries can be deactivated in the LocalSettings file on the server.

```
$bsgSocialCanHaveChildrenBlacklist = [
    'blog', // disable comments on blog
    'topic', // disable comments on discussion topics
    'microblog' // disable comments on microblogs
];
```

## Related info

- [Blog](#)
- [Discussions and Attachments](#)
- [Reference:BlueSpiceSocial](#)

# Manual:Extension/BlueSpiceSocial: Difference between revisions

[Browse history interactively](#)

[VisualWikitext](#)

**Revision as of 19:19, 18 March 2022** ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary

[← Older edit](#)

**Latest revision as of 10:39, 29 September 2022** ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary

[Tag: Visual edit](#)

**Line 19:**

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page.[[File:Profile1a-en.png|thumb|User profile|alt=User profile|center|650x650px]]

**==Attachments==**

**For every content page on the wiki, BlueSpiceSocial integrates an attachments section. This section shows the files that are related to the particular page. Users can add or remove files to and from this section by clicking on the "..." icon at the bottom of the section. Clicking on this icon links to "Special:Attachments/Page\_name", which allows managing the files attached to a particular page.**

**Line 19:**

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page.[[File:Profile1a-en.png|thumb|User profile|alt=User profile|center|650x650px]]

Users can attach files that are already uploaded to the wiki by clicking on the "Plus" button and selecting a file. Or, users can upload new files to be attached by dropping files into the marked area or by clicking the same area to select the files to upload.

This page also shows the history of file attachments for the page.

Page attachments can be disabled in the Page by adding the `[[Manual:MagicWords|MagicWord]] "<nowiki>_NOSTASH_</nowiki>"` to the page in source editing mode.

`[[File:Anhang-en.png|alt=Attachments on a wiki page|center|thumb|650x650px|Attachments on a wiki page]]`

==Discussions==

Like page attachments, BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page without having to switch to the discussions page. If it is the first entry in a discussion, the discussion page is automatically created at this time.

The discussion section can be disabled in the Page by adding the `[[Manual:MagicWords|MagicWord]] "<nowiki>_NODISCUSSION_</nowiki>"` to the page in source editing mode.

==Timeline==

Line 67:

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role "commenter."

<br />

{| class="contenttable-blue"

!Rechte/Rolle

!commenter

Line 136:

<br />{ {Box Links-en

|Topic1=[[Manual:Extension/BlueSpiceSocialBlog|Blog]]

|Topic4=[[Manual:Extension/BlueSpiceSocialComments|Social comments]]

|Topic5=[[Manual:Extension/BlueSpiceSocialProfile|User Profile]]

|Topic2=[[Manual:Extension/BlueSpiceSocialWikiPage|Discussions and Attachments]]

|Topic6=[[Reference:BlueSpiceSocial]]

}}

Line 55:

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role "commenter."

<br />

{| class="contenttable-blue" style=""

!Rechte/Rolle

!commenter

Line 124:

<br />{ {Box Links-en

|Topic1=[[Manual:Extension/BlueSpiceSocialBlog|Blog]]

|Topic4=[[Reference:BlueSpiceSocial]]

|Topic5=

|Topic2=[[Manual:Extension/BlueSpiceSocialWikiPage|Discussions and Attachments]]

|Topic6=

}}



**Latest revision as of 10:39, 29 September 2022**

---

**BlueSpiceSocial** is a set of extensions that add social features around a wiki page. It allows users to quickly communicate on the wiki and to express their opinion on pages.

## Contents

|  |    |
|--|----|
| 1 Scope .....                              | 73 |
| 2 User profile .....                       | 73 |
| 3 Discussions .....                        | 74 |
| 4 Timeline .....                           | 74 |
| 4.1 Creating new entries .....             | 74 |
| 4.2 Interacting with social entities ..... | 74 |
| 5 Blog .....                               | 75 |
| 6 Permissions .....                        | 75 |
| 7 Deactivating the comments feature .....  | 75 |
| 8 Related info .....                       | 76 |



## Scope

BlueSpice Social contains the following functionality:

- **User profile:** Provides the page *User:<username>*.
- **Attachments:** Connects uploaded files to wiki pages.
- **Discussions:** Enables discussions with comments created on wiki pages. Discussion entries can be marked as "closed".
- **Activities:** Automatically creates pages in the *SocialEntity* namespace to track page edits and creations.
- **Blog:** Provides the special page *Special:Blog*. A blog view can also be embedded into individual wiki pages.
- **Microblog:** Similar to blog entries, but without a headline.
- **Timeline:** A chronological list of all social entities. The timeline filter can be used for displaying social entities on wiki pages.

## User profile

Every user has a profile that is displayed on the page *User:<username>*. Users can access their user profile by clicking on *Profile* in the user menu (located in the [header bar](#)).

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page.

The screenshot displays a user profile for Sarah Naumann. At the top, there is a profile picture of a smiling woman. To the right of the picture, a table lists her details: Name (Sarah Naumann), Department (IT), Function (Senior Operations Engineer), Location (Ulm), and Telephone (+49 73 4860-94). An 'Edit' button is visible in the top right corner of this section. Below the profile information, there are four circular icons: a list, a funnel, a plus sign, and a refresh symbol. The main content area shows a comment by Greg Rundlett about BlueSpice, followed by a comment by Sarah Naumann. Sarah's comment includes a smaller version of her profile information table. At the bottom, another comment by Sarah Naumann is partially visible.

|            |                            |
|------------|----------------------------|
| Name       | Sarah Naumann              |
| Department | IT                         |
| Function   | Senior Operations Engineer |
| Location   | Ulm                        |
| Telephone  | +49 73 4860-94             |

Greg Rundlett über BlueSpice

Bei der EMWCon in Houston kam Greg Rundlett zu folgendem Ergebnis:BlueSpice is really the best option out there - I think globally - for MediaWiki Enterprise, MediaWiki hosting and support.

Comment (1) vor einem Monat • Sarah Naumann

Sarah Naumann

|            |                            |
|------------|----------------------------|
| Name       | Sarah Naumann              |
| Department | IT                         |
| Function   | Senior Operations Engineer |
| Location   | Ulm                        |
| Telephone  | +49 73 4860-94             |

vor einem Monat

Sarah Naumann commented "Starker Kaffee"

Die Pulvermenge steigt doch nicht linear mit der Wassermenge. Siehe zum Beispiel den

## Discussions

BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page. If it is the first entry in a discussion, the discussion page is automatically created at this time if this is configured in the [Configuration manager](#).

The discussion section can be disabled on the page-level by adding the [MagicWord](#) `__NODISCUSSION__` to the page in source editing mode.

## Timeline

The screenshot shows a 'Timeline' section with three entries. Each entry includes a user profile picture, a title, a comment text, and a 'Recommend' button with a count. The first entry is by Horst Schreiber, the second by Greg Rundlett, and the third by Maik Kalb. The timeline is titled 'Timeline' at the bottom.

Horst Schreiber commented "Greg Rundlett über BlueSpice"

Danke für den Hinweis! Eine Übersetzung wäre noch schön gewesen. Ich glaube auch nicht, dass jeder Leser schon versteht, was WebDAV bringt. Vielleicht kann man das noch etwas ausführlicher erklären?

vor einem Monat • Horst Schreiber

Recommend (0)

Greg Rundlett über BlueSpice

Bei der EMWCon in Houston kam Greg Rundlett zu folgendem Ergebnis:BlueSpice is really the best option out there - I think globally - for MediaWiki Enterprise, MediaWiki hosting and support.

Comment (1) vor einem Monat • Sarah Naumann

More ▾

Recommend (0)

Maik Kalb commented "Starker Kaffee"

Naja. 6g Kaffee pro Tasse sagt die Anleitung. Und linear mit den Tassen steigt dann schon die Pulvermenge. Übrigens: Wer den letzten Kaffee rauspresst, sollte gleich neuen kochen.

vor einem Monat • Maik Kalb

Recommend (0)

Timeline

Timeline is a special page that provides an overview of all social conversations on the wiki.

By default, it is listed on the *Main navigation*. You can also access the page directly at [Special: Timeline](#). On this page, users can sort and filter existing social entries or create new entries.

## Creating new entries

To create a new entry, click on the "Plus" icon to add a new timeline entry:

- **Blog entry:** [Blog](#) is used for topics to be shared with other users on the wiki
- **Microblog:** Like a blog entry, but without titles. It should be used for a short entry, e.g., a quick announcement.
- **Discussion topic:** Adds a discussion entry to a particular wiki page.

## Interacting with social entities

Every entry in the timeline is called a social entity. Depending on the type of social entity, the following interaction options exist:

- **Comments:** Number of comments related to the entity. Clicking on *Comments* opens all current comments and allows users to add a comment (if user has the necessary permissions).

- **Recommend:** Number of users that recommended the entity. Users can add a recommendation by clicking on *Recommend*.
- **Linked articles:** Number of articles linked to this entity. Clicking on *Linked articles* shows the list of linked articles.
- **Watch/Unwatched:** Shows if the user is currently watching the entity (the user receives notifications when the entity is changed). Clicking on Watch or Unwatch changes the state of watching.
- **Resolved/Unresolved:** The status of the entity. Some entities, like discussions on a question can have a status attached to them, so that other users know if the question is answered.

## Blog

**Blog** is a special page showing an overview of all blog entities available on the wiki. By default, it is listed on the *Main navigation*. You can also access the page directly at `Special:Blog`. Users can sort and filter the list entries by clicking on the icons above the list.

Learn how to [include the blog on any wiki page](#).

## Permissions

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role *commenter*.

| Rechte/Rolle                    | commenter | editor | admin | maintenance-admin | Berechtigung             |
|---------------------------------|-----------|--------|-------|-------------------|--------------------------|
| Create and edit blog entry      |           | x      | x     | x                 | social-blog              |
| Comment on blog entry           | x         | x      | x     | x                 | social-blog-comment      |
| Create and edit microblog entry | x         | x      | x     | x                 | social-microblog         |
| Comment on microblog entry      | x         | x      | x     | x                 | social-microblog-comment |
| Create discussion entry         | x         | x      | x     | x                 | social-topics            |
| Comment on discussion entry     | x         | x      | x     | x                 | social-topics-comment    |
| Create and edit attachments     | x         | x      | x     | x                 | social-stash             |

The comments function for blog, microblog and discussion entries can be deactivated in the LocalSettings-file on the server.

## Deactivating the comments feature

The comment function for comments on blog, microblog and discussion entries can be deactivated in the LocalSettings file on the server.

```
$bsgSocialCanHaveChildrenBlacklist = [  
    'blog', // disable comments on blog  
    'topic', // disable comments on discussion topics  
    'microblog' // disable comments on microblogs  
];
```

## Related info

- [Blog](#)
- [Discussions and Attachments](#)
- [Reference:BlueSpiceSocial](#)



[Technical Reference: BlueSpiceSocial](#)



[Technical Reference: BlueSpiceSocial](#)