

Contents

1. Reference:BlueSpiceReadConfirmation	2
2. Category:Extension	7
3. Manual:Extension/BlueSpiceSocial	14
4. Reference:CodeEditor	16
5. User:Margit.link-rodrique	18

Reference:BlueSpiceReadConfirmation

VisualWikitext

Latest revision as of 10:39, 29 September 2022 (view source)

Margit Link-Rodrigue (talk | contribs)

No edit summary

Tag: Visual edit

Latest revision as of 14:08, 10 October 2022 (view source)

Margit Link-Rodrigue (talk | contribs)

No edit summary

Tag: 2017 source edit

Line 1:

```
<bookshelf src="Book:User manual" />
```

```
{{DISPLAYTITLE:Introduction to BlueSpice Social}}
```

Line 1:

```
{{BSExtensionInfobox
```

```
|desc=Syntax-highlighted editing for JavaScript and CSS  
pages using Ace editor
```

```
|status=stable
```

```
|developer=Brion Vibber, Derk-Jan Hartmann, and others
```

```
|type=MediaWiki
```

```
|edition=BlueSpice free, BlueSpice pro, BlueSpice Farm,  
BlueSpice Cloud
```

```
|active=Yes
```

```
|compatible=MediaWiki
```

```
|category=Editor
```

```
|license=GPL v2+ and BSD 3 Clause
```

```
|docu=https://www.mediawiki.org/wiki/Extension:CodeEditor
```

```
}}The '''CodeEditor''' extension extends the WikiEditor  
advanced editing toolbar with an embedded Ace editor  
widget, providing some handy features for user/site JS, CSS  
pages, and — when Extension:Scribunto is also installed —  
for pages in the "Module" namespace:
```

'''BlueSpiceSocial''' is a set of extensions that add social features around a wiki page. It allows users to quickly communicate on the wiki and to express their opinion on pages.

==Scope==

BlueSpice Social contains the following functionality:

'''User profile:''' Provides the page "User:<username>."

'''Attachments:''' Connects uploaded files to wiki pages.

'''Discussions:''' Enables discussions with comments created on wiki pages. Discussion entries can be marked as "closed".

'''Activities:''' Automatically creates pages in the "SocialEntity" namespace to track page edits and creations.

'''Blog:''' Provides the special page "Special:Blog". A blog view can also be embedded into individual wiki pages.

'''Microblog:''' Similar to blog entries, but without a headline.

*syntax highlighting for JavaScript, CSS and Lua

*auto-indent

*tab key produces tab indents (since 1.22), soft indents before.

*indent/unindent selection with tab/shift-tab

*syntax validity check for JavaScript

*Pair-matching for parenthesis, braces and square brackets

'''Timeline:''' A chronological list of all social entities. The timeline filter can be used for displaying social entities on wiki pages.

<section end="training-slides" /><section end="training-maintainer" />

==User profile==

Every user has a profile that is displayed on the page "User: <username>". Users can access their user profile by clicking on "Profile" in the user menu (located in the [[Manual: Extension/BlueSpiceDiscovery|header bar]]).

The user profile shows the user's basic information (depending on the wiki setup) and the user's profile image.

Below the user info, the user's wiki activities are listed: Comments the user made, actions on pages, and in general the user's activity on the wiki. It also allows other users to leave comments on the user's profile page. [[File:Profile1a-en.png|thumb|User profile|alt=User profile|center|650x650px]]

==Discussions==

BlueSpiceSocial integrates a discussion section at the bottom of every wiki page. This section allows users to create comments directly on a wiki page. If it is the first entry in a discussion, the discussion page is automatically created at this time if this is configured in the [[Manual: Extension/BlueSpiceConfigManager|Configuration manager]].

The discussion section can be disabled on the page-level by adding the [[Manual:MagicWords|MagicWord]] "<nowiki>_NODISCUSSION_</nowiki>" to the page in source editing mode.

==Timeline==

[[File:Timeline1a-en.png|thumb|alt=Timeline|center|650x650px|Timeline]]

Timeline is a special page that provides an overview of all social conversations on the wiki.

By default, it is listed on the "Main navigation". You can also access the page directly at <code>Special:Timeline</code>.

On this page, users can sort and filter existing social entries or create new entries.

===Creating new entries===

To create a new entry, click on the "Plus" icon to add a new timeline entry:

While this extension is licensed GNU General Public License v2.0 or later (GPL-2.0+) it makes use of the Ace editor software which is licensed BSD 3-clause "New" or "Revised" License (BSD-3-Clause).

'''Blog entry''': [[#Blog|Blog]] is used for topics to be shared with other users on the wiki

'''Microblog''': Like a blog entry, but without titles. It should be used for a short entry, e.g., a quick announcement.

'''Discussion topic''': Adds a discussion entry to a particular wiki page.

===Interacting with social entities===

Every entry in the timeline is called a social entity. Depending on the type of social entity, the following interaction options exist:

'''Comments''' Number of comments related to the entity. Clicking on "Comments" opens all current comments and allows users to add a comment (if user has the necessary permissions).

'''Recommend''' Number of users that recommended the entity. Users can add a recommendation by clicking on "Recommend".

'''Linked articles''' Number of articles linked to this entity. Clicking on "Linked articles" shows the list of linked articles.

'''Watch/Unwatched''' Shows if the user is currently watching the entity (the receives notifications when the entity is changed). Clicking on Watch or Unwatch changes the state of watching.

'''Resolved/Unresolved''': The status of the entity. Some entities, like discussions on a question can have a status attached to them, so that other users know if the question is answered.

==Blog==

[[Manual:Extension/Blog|Blog]] is a special page showing an overview of all blog entities available on the wiki. By default, it is listed on the "Main navigation." You can also access the page directly at `<code>Special:Blog</code>`.

Users can sort and filter the list entries by clicking on the icons above the list.

Learn how to [[Manual:Extension/BlueSpiceSocialBlog|include the blog on any wiki page]].

==Permissions==

From BlueSpice version 3.2.7 the following roles have associated "social" permissions. Earlier versions have no option to limit the creation and editing of blog entries by using the role "commenter."

{| class="contenttable-blue" style=""

!Rechte/Rolle

!commenter

!editor
!admin
!maintenance-
admin
!Berechtigung
-
Create and edit blog entry
x
x
x
social-blog
-
Comment on blog entry
x
x
x
x
social-blog-comment
-
Create and edit microblog entry
x
x
x
x
social-microblog
-
Comment on microblog entry
x
x
x
x
social-microblog-comment
-
Create discussion entry
x
x
x

x
social-topics
-
Comment on discussion entry
x
x
x
x
social-topics-comment
-
Create and edit attachments
x
x
x
x
social-stash
}
The comments function for blog, microblog and discussion entries can be deactivated in the LocalSettings-file on the server.
==Deactivating the comments feature==
The comment function for comments on blog, microblog and discussion entries can be deactivated in the LocalSettings file on the server.
\$bsgSocialCanHaveChildrenBlacklist = [
'blog', // disable comments on blog
'topic', // diable comments on discussion topics
'microblog' // disable comments on microblogs
];
 {{ Box Links-en
Topic1=[[Manual:Extension/BlueSpiceSocialBlog Blog]]
Topic4=[[Reference:BlueSpiceSocial]]
Topic5=
Topic2=[[Manual:Extension/BlueSpiceSocialWikiPage Discussions and Attachments]]
Topic6=
}}

[[en:{{FULLPAGENAME}}]]

[[de:Handbuch:Erweiterung/BlueSpiceSocial]]

[[Category:Social]]

Latest revision as of 14:08, 10 October 2022

Extension: CodeEditor

→ [all extensions](#)

Overview			
Description:	Syntax-highlighted editing for JavaScript and CSS pages using Ace editor		
State:	stable	Dependency:	MediaWiki
Developer:	Brion Vibber, Derk-Jan Hartmann, and others	License:	GPL v2+ and BSD 3 Clause
Type:	MediaWiki	Category:	Editor
Edition:	BlueSpice free, BlueSpice pro, BlueSpice Farm, BlueSpice Cloud	Version:	4.1+
For more info, visit Mediawiki .			

The **CodeEditor** extension extends the WikiEditor advanced editing toolbar with an embedded Ace editor widget, providing some handy features for user/site JS, CSS pages, and — when Extension:Scribunto is also installed — for pages in the *Module* namespace:

- syntax highlighting for JavaScript, CSS and Lua
- auto-indent
- tab key produces tab indents (since 1.22), soft indents before.
- indent/unindent selection with tab/shift-tab
- syntax validity check for JavaScript
- Pair-matching for parenthesis, braces and square brackets

While this extension is licensed GNU General Public License v2.0 or later (GPL-2.0+) it makes use of the Ace editor software which is licensed BSD 3-clause "New" or "Revised" License (BSD-3-Clause).

Reference:CodeEditor: Difference between revisions

Browse history interactively

VisualWikitext

Revision as of 12:34, 20 December 2021 (view source)

WikiSysop (talk | contribs)

m (1 revision imported)

[← Older edit](#)

Latest revision as of 14:08, 10 October 2022 (view source)

Margit Link-Rodrigue (talk | contribs)

No edit summary

Tag: 2017 source edit

Line 21:

While this extension is licensed GNU General Public License v2.0 or later (GPL-2.0+) it makes use of the Ace editor software which is licensed BSD 3-clause "New" or "Revised" License (BSD-3-Clause).

```
{{MWlink|https://www.mediawiki.org/wiki/Extension:CodeEditor}}
```

[[Category:Extension]]

[[Category:BlueSpice free]]

[[en:{{PAGENAME}}]]

[[de:Referenz:CodeEditor]]

Line 21:

While this extension is licensed GNU General Public License v2.0 or later (GPL-2.0+) it makes use of the Ace editor software which is licensed BSD 3-clause "New" or "Revised" License (BSD-3-Clause).

Latest revision as of 14:08, 10 October 2022

Extension: CodeEditor

- all extensions

Overview			
Description:	Syntax-highlighted editing for JavaScript and CSS pages using Ace editor		
State:	stable	Dependency:	MediaWiki
Developer:	Brion Vibber, Derk-Jan Hartmann, and others	License:	GPL v2+ and BSD 3 Clause
Type:	MediaWiki	Category:	Editor
Edition:	BlueSpice free, BlueSpice pro, BlueSpice Farm, BlueSpice Cloud	Version:	4.1+
For more info, visit Mediawiki .			

The **CodeEditor** extension extends the WikiEditor advanced editing toolbar with an embedded Ace editor widget, providing some handy features for user/site JS, CSS pages, and — when Extension:Scribunto is also installed — for pages in the *Module* namespace:

- syntax highlighting for JavaScript, CSS and Lua
- auto-indent
- tab key produces tab indents (since 1.22), soft indents before.
- indent/unindent selection with tab/shift-tab
- syntax validity check for JavaScript
- Pair-matching for parenthesis, braces and square brackets

While this extension is licensed GNU General Public License v2.0 or later (GPL-2.0+) it makes use of the Ace editor software which is licensed BSD 3-clause "New" or "Revised" License (BSD-3-Clause).

➔ [Technical Reference: BlueSpiceSocial](#)

➔ [Technical Reference: BlueSpiceSocial](#)

Pages in category "Extension"

The following 200 pages are in this category, out of 214 total.

(previous page) ([next page](#))

A

- [Reference:Arrays](#)
- [Reference:AtMentions](#)
- [Reference:Auth remoteuser](#)

B

- [Reference:BlueSpiceAbout](#)
- [Reference:BlueSpiceArticleInfo](#)
- [Reference:BlueSpiceArticlePreviewCapture](#)
- [Reference:BlueSpiceAvatars](#)

- [Reference:BlueSpiceBookshelf](#)
- [Reference:BlueSpiceCategoryCheck](#)
- [Reference:BlueSpiceCategoryManager](#)
- [Reference:BlueSpiceChecklist](#)
- [Reference:BlueSpiceCloudClient](#)
- [Reference:BlueSpiceConfigManager](#)
- [Reference:BlueSpiceContextMenu](#)
- [Reference:BlueSpiceCountThings](#)
- [Reference:BlueSpiceCustomMenu](#)
- [Reference:BlueSpiceDashboards](#)
- [Reference:BlueSpiceDiscovery](#)
- [Reference:BlueSpiceDistributionConnector](#)
- [Reference:BlueSpiceDrawioConnector](#)
- [Reference:BlueSpiceEchoConnector](#)
- [Reference:BlueSpiceEmoticons](#)
- [Reference:BlueSpiceExpiry](#)
- [Reference:BlueSpiceExportTables](#)
- [Reference:BlueSpiceExtendedFilelist](#)
- [Reference:BlueSpiceExtendedSearch](#)
- [Reference:BlueSpiceExtendedStatistics](#)
- [Reference:BlueSpiceFilterableTables](#)
- [Reference:BlueSpiceFlaggedRevsConnector](#)
- [Reference:BlueSpiceFoundation](#)
- [Reference:BlueSpiceGroupManager](#)
- [Reference:BlueSpiceHideTitle](#)
- [Reference:BlueSpiceInsertCategory](#)
- [Reference:BlueSpiceInsertFile](#)
- [Reference:BlueSpiceInsertLink](#)
- [Reference:BlueSpiceInsertMagic](#)
- [Reference:BlueSpiceInsertTemplate](#)
- [Reference:BlueSpiceInstanceStatus](#)
- [Reference:BlueSpiceInterWikiLinks](#)
- [Reference:BlueSpiceInterwikiSearch](#)
- [Reference:BlueSpiceMultiUpload](#)
- [Reference:BlueSpiceNamespaceManager](#)
- [Reference:BlueSpiceNSFileRepoConnector](#)
- [Reference:BlueSpicePageAccess](#)
- [Reference:BlueSpicePageAssignments](#)
- [Reference:BlueSpicePageFormsConnector](#)
- [Reference:BlueSpicePagesVisited](#)
- [Reference:BlueSpicePageTemplates](#)
- [Reference:BlueSpicePermissionManager](#)
- [Reference:BlueSpicePlayer](#)
- [Reference:BlueSpicePrivacy](#)
- [Reference:BlueSpiceProDistributionConnector](#)
- [Reference:BlueSpiceQrCode](#)
- [Reference:BlueSpiceRating](#)
- [Reference:BlueSpiceReadConfirmation](#)
- [Reference:BlueSpiceReaders](#)

- [Reference:BlueSpiceReminder](#)
- [Reference:BlueSpiceRSSFeeder](#)
- [Reference:BlueSpiceSaferEdit](#)
- [Reference:BlueSpiceSignHere](#)
- [Reference:BlueSpiceSmartList](#)
- [Reference:BlueSpiceSMWConnector](#)
- [Reference:BlueSpiceSocial](#)
- [Reference:BlueSpiceSocialBlog](#)
- [Reference:BlueSpiceSocialComments](#)
- [Reference:BlueSpiceSocialMicroBlog](#)
- [Reference:BlueSpiceSocialProfile](#)
- [Reference:BlueSpiceSocialRating](#)
- [Reference:BlueSpiceSocialResolve](#)
- [Reference:BlueSpiceSocialTags](#)
- [Reference:BlueSpiceSocialTimelineUpdate](#)
- [Reference:BlueSpiceSocialTopics](#)
- [Reference:BlueSpiceSocialWatch](#)
- [Reference:BlueSpiceTagCloud](#)
- [Reference:BlueSpiceUEModuleBookPDF](#)
- [Reference:BlueSpiceUEModuleDOCX](#)
- [Reference:BlueSpiceUEModuleHTML](#)
- [Reference:BlueSpiceUEModulePDF](#)
- [Reference:BlueSpiceUEModulePDFRecursive](#)
- [Reference:BlueSpiceUEModulePDFSubpages](#)
- [Reference:BlueSpiceUEModuleTable2Excel](#)
- [Reference:BlueSpiceUniversalExport](#)
- [Reference:BlueSpiceUsageTracker](#)
- [Reference:BlueSpiceUserInfo](#)
- [Reference:BlueSpiceUserManager](#)
- [Reference:BlueSpiceUserSidebar](#)
- [Reference:BlueSpiceVisualEditorConnector](#)
- [Reference:BlueSpiceWatchList](#)
- [Reference:BlueSpiceWebDAVClientIntegration](#)
- [Reference:BlueSpiceWebDAVMinorSave](#)
- [Reference:BlueSpiceWholsOnline](#)
- [Reference:BlueSpiceWikiExplorer](#)
- [Reference:BlueSpiceWikiFarm](#)

C

- [Reference:CategoryTree](#)
- [Reference:Checklists](#)
- [Reference:Cite](#)
- [Reference:CiteThisPage](#)
- [Reference:CodeEditor](#)
- [Reference:CodeMirror](#)
- [Reference:CognitiveProcessDesigner](#)
- [Reference:ConfirmAccount](#)
- [Reference:ConfirmEdit](#)

- [Reference:ContainerFilter](#)
- [Reference:ContentDroplets](#)
- [Reference:ContentProvisioning](#)
- [Reference:ContentStabilization](#)
- [Reference:ContentTransfer](#)
- [Reference:CreateUserPage](#)

D

- [Reference:Data Transfer](#)
- [Reference:DateTimeTools](#)
- [Reference:DrawioEditor](#)
- [Reference:DynamicPageList3](#)

E

- [Reference:Echo](#)
- [Reference:EmbedVideo](#)
- [Reference:EmbedVideo \(fork\)](#)
- [Reference:EnhancedUpload](#)
- [Reference:EventBus](#)
- [Reference:External Data](#)
- [Reference:ExtJSBase](#)

F

- [Reference:FilterSpecialPages](#)
- [Reference:FlaggedRevs](#)
- [Reference:FlexiSkin](#)
- [Reference:FontAwesome](#)
- [Reference:Forms](#)

G

- [Reference:Gadgets](#)

H

- [Template:Hdsk PT Extension HW](#)
- [Template:Hdsk PT Extension MW](#)
- [Reference:Header Tabs](#)
- [Reference:HeaderFooter](#)
- [Reference:HitCounters](#)

I

- [Reference:ImageMap](#)
- [Reference:ImageMapEdit](#)
- [Reference:ImportOfficeFiles](#)
- [Reference:InputBox](#)

- [Reference:Interwiki](#)
- [Reference:InviteSignup](#)

L

- [Reference:LDAP Authorization](#)
- [Reference:LDAPAuthentication2](#)
- [Reference:LDAPGroups](#)
- [Reference:LDAPProvider](#)
- [Reference:LDAPSynAll](#)
- [Reference:LDAPUserInfo](#)
- [Reference:Lingo](#)
- [Reference:LocalisationUpdate](#)
- [Reference:LoginNotify](#)
- [Reference:Loops](#)

M

- [Reference:Maps](#)
- [Reference:Math](#)
- [Reference:MediaWiki](#)
- [Reference:MenuEditor](#)
- [Reference:MergeArticles](#)
- [Reference:MultimediaViewer](#)

N

- [Reference:NSFileRepo](#)
- [Reference:Nuke](#)

O

- [Reference:OATHAuth](#)
- [Reference:OOJSPlus](#)
- [Reference:OpenID Connect](#)
- [Reference:OpenLayers](#)

P

- [Reference:Page Forms](#)
- [Reference:PageCheckout](#)
- [Reference:PageHeader](#)
- [Reference:PageImages](#)
- [Reference:ParserFunctions](#)
- [Reference:ParserHooks](#)
- [Reference:PDFEmbed](#)
- [Reference:PdfHandler](#)
- [Reference:PluggableAuth](#)
- [Reference:Poem](#)
- [Reference:Popups](#)

- [Reference:PreToClip](#)

R

- [Archive:Reference:BlueSpiceCalumma](#)
- [Archive:Reference:BlueSpiceLatexRenderer](#)
- [Archive:Reference:BlueSpiceMatomoConnector](#)
- [Archive:Reference:BlueSpiceNamespaceCSS](#)
- [Archive:Reference:BlueSpiceSocialWikiPage](#)
- [Archive:Reference:Bootstrap](#)
- [Archive:Reference:Chameleon](#)
- [Reference:Renameuser](#)
- [Reference:Replace Text](#)
- [Reference:RevisionSlider](#)
- [Reference:RSS](#)

S

- [Reference:Scribunto](#)
- [Reference:SectionAnchors](#)
- [Reference:SecureLinkFixer](#)
- [Reference:Semantic Compound Queries](#)
- [Reference:Semantic Extra Special Properties](#)
- [Reference:Semantic MediaWiki](#)
- [Reference:Semantic Result Formats](#)
- [Reference:Semantic Scribunto](#)
- [Reference:SimpleSAMLphp](#)
- [Reference:SimpleTasks](#)
- [Reference:SpamBlacklist](#)
- [Reference:StandardDialogs](#)
- [Reference:SubPageList](#)
- [Reference:SyntaxHighlight](#)

T

- [Reference:TabberNeue](#)
- [Reference:TemplateData](#)
- [Reference:TemplateStyles](#)
- [Reference:TextExtracts](#)
- [Reference:TitleBlacklist](#)

([previous page](#)) ([next page](#))

Social Wiki

[Browse history interactively](#)

[VisualWikitext](#)

Revision as of 12:34, 20 December 2021 ([view source](#))

[WikiSysop](#) ([talk](#) | [contribs](#))

Latest revision as of 14:08, 10 October 2022 ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

m (1 revision imported)
← Older edit

No edit summary
Tag: 2017 source edit

Line 21:

```
While this extension is licensed GNU General Public License v2.0 or
later (GPL-2.0+) it makes use of the Ace editor software which is
licensed BSD 3-clause "New" or "Revised" License (BSD-3-Clause).

{{MWlink|https://www.mediawiki.org/wiki/Extension:
CodeEditor}}

[[Category:Extension]]

[[Category:BlueSpice free]]

[[en:{{PAGENAME}}]]

[[de:Referenz:CodeEditor]]
```

Line 21:

```
While this extension is licensed GNU General Public License v2.0 or
later (GPL-2.0+) it makes use of the Ace editor software which is
licensed BSD 3-clause "New" or "Revised" License (BSD-3-Clause).
```

Latest revision as of 14:08, 10 October 2022

Extension: CodeEditor

→ [all extensions](#)

Overview			
Description:	Syntax-highlighted editing for JavaScript and CSS pages using Ace editor		
State:	stable	Dependency:	MediaWiki
Developer:	Brion Vibber, Derk-Jan Hartmann, and others	License:	GPL v2+ and BSD 3 Clause
Type:	MediaWiki	Category:	Editor
Edition:	BlueSpice free, BlueSpice pro, BlueSpice Farm, BlueSpice Cloud	Version:	4.1+
For more info, visit Mediawiki .			

The **CodeEditor** extension extends the WikiEditor advanced editing toolbar with an embedded Ace editor widget, providing some handy features for user/site JS, CSS pages, and — when Extension:Scribunto is also installed — for pages in the *Module* namespace:

- syntax highlighting for JavaScript, CSS and Lua

- auto-indent
- tab key produces tab indents (since 1.22), soft indents before.
- indent/unindent selection with tab/shift-tab
- syntax validity check for JavaScript
- Pair-matching for parenthesis, braces and square brackets

While this extension is licensed GNU General Public License v2.0 or later (GPL-2.0+) it makes use of the Ace editor software which is licensed BSD 3-clause "New" or "Revised" License (BSD-3-Clause).

→ [Technical Reference: BlueSpiceSocial](#)

→ [Technical Reference: BlueSpiceSocial](#)

Reference:CodeEditor: Difference between revisions

[Browse history interactively](#)

[VisualWikitext](#)

Revision as of 12:34, 20 December 2021 ([view source](#))

[WikiSysop](#) ([talk](#) | [contribs](#))

m (1 revision imported)

[← Older edit](#)

Latest revision as of 14:08, 10 October 2022 ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))

No edit summary

[Tag: 2017 source edit](#)

Line 21:

While this extension is licensed GNU General Public License v2.0 or later (GPL-2.0+) it makes use of the Ace editor software which is licensed BSD 3-clause "New" or "Revised" License (BSD-3-Clause).

{{MWlink|https://www.mediawiki.org/wiki/Extension:CodeEditor}}

[[Category:Extension]]

[[Category:BlueSpice free]]

[[en:{{PAGENAME}}]]

[[de:Referenz:CodeEditor]]

Line 21:

While this extension is licensed GNU General Public License v2.0 or later (GPL-2.0+) it makes use of the Ace editor software which is licensed BSD 3-clause "New" or "Revised" License (BSD-3-Clause).

Latest revision as of 14:08, 10 October 2022

Extension: CodeEditor

→ [all extensions](#)

Overview			
Description:	Syntax-highlighted editing for JavaScript and CSS pages using Ace editor		
State:	stable	Dependency:	MediaWiki
Developer:	Brion Vibber, Derk-Jan Hartmann, and others	License:	GPL v2+ and BSD 3 Clause
Type:	MediaWiki	Category:	Editor
Edition:	BlueSpice free, BlueSpice pro, BlueSpice Farm, BlueSpice Cloud	Version:	4.1+
For more info, visit Mediawiki .			

The **CodeEditor** extension extends the WikiEditor advanced editing toolbar with an embedded Ace editor widget, providing some handy features for user/site JS, CSS pages, and — when Extension:Scribunto is also installed — for pages in the *Module* namespace:

- syntax highlighting for JavaScript, CSS and Lua
- auto-indent
- tab key produces tab indents (since 1.22), soft indents before.
- indent/unindent selection with tab/shift-tab
- syntax validity check for JavaScript
- Pair-matching for parenthesis, braces and square brackets

While this extension is licensed GNU General Public License v2.0 or later (GPL-2.0+) it makes use of the Ace editor software which is licensed BSD 3-clause "New" or "Revised" License (BSD-3-Clause).

→ [Technical Reference: BlueSpiceSocial](#)

[→ Technical Reference: BlueSpiceSocial](#)

Reference:CodeEditor: Difference between revisions

[Browse history interactively](#)
[VisualWikitext](#)

Revision as of 12:34, 20 December 2021 ([view source](#))

[WikiSysop](#) ([talk](#) | [contribs](#))
m (1 revision imported)
[← Older edit](#)

Latest revision as of 14:08, 10 October 2022 ([view source](#))

[Margit Link-Rodrigue](#) ([talk](#) | [contribs](#))
No edit summary
[Tag: 2017 source edit](#)

Line 21:

While this extension is licensed GNU General Public License v2.0 or later (GPL-2.0+) it makes use of the Ace editor software which is licensed BSD 3-clause "New" or "Revised" License (BSD-3-Clause).

{{ MWlink|<https://www.mediawiki.org/wiki/Extension:CodeEditor> }}

[[Category:Extension]]

[[Category:BlueSpice free]]

[[en:{{ PAGENAME }}]]

[[de:Referenz:CodeEditor]]

Line 21:

While this extension is licensed GNU General Public License v2.0 or later (GPL-2.0+) it makes use of the Ace editor software which is licensed BSD 3-clause "New" or "Revised" License (BSD-3-Clause).

Latest revision as of 14:08, 10 October 2022

Extension: CodeEditor

[→ all extensions](#)

Overview			
Description:	Syntax-highlighted editing for JavaScript and CSS pages using Ace editor		
State:	stable	Dependency:	MediaWiki
Developer:	Brion Vibber, Derk-Jan Hartmann, and others	License:	GPL v2+ and BSD 3 Clause

Overview			
Type:	MediaWiki	Category:	Editor
Edition:	BlueSpice free, BlueSpice pro, BlueSpice Farm, BlueSpice Cloud	Version:	4.1+
For more info, visit Mediawiki .			

The **CodeEditor** extension extends the WikiEditor advanced editing toolbar with an embedded Ace editor widget, providing some handy features for user/site JS, CSS pages, and — when Extension:Scribunto is also installed — for pages in the *Module* namespace:

- syntax highlighting for JavaScript, CSS and Lua
- auto-indent
- tab key produces tab indents (since 1.22), soft indents before.
- indent/unindent selection with tab/shift-tab
- syntax validity check for JavaScript
- Pair-matching for parenthesis, braces and square brackets

While this extension is licensed GNU General Public License v2.0 or later (GPL-2.0+) it makes use of the Ace editor software which is licensed BSD 3-clause "New" or "Revised" License (BSD-3-Clause).

➔ [Technical Reference: BlueSpiceSocial](#)

➔ [Technical Reference: BlueSpiceSocial](#)