

## Contents

1. <a href="#">Reference:BlueSpiceReaders</a> .....	2
2. <a href="#">Category:Extension</a> .....	4
3. <a href="#">GPL-3.0-only</a> .....	9
4. <a href="#">Manual:Extension/BlueSpiceReaders</a> .....	10
5. <a href="#">Reference:BlueSpiceConfigManager</a> .....	12

## Reference:BlueSpiceReaders

### Extension: BlueSpiceReaders

[→ all extensions](#)

Overview			
<b>Description:</b>	Creates a list of the people who read a page		
<b>State:</b>	stable	<b>Dependency:</b>	BlueSpice
<b>Developer:</b>	HalloWelt	<b>License:</b>	<a href="#">GPL-3.0-only</a>
<b>Type:</b>	BlueSpice	<b>Category:</b>	Data Analysis
<b>Edition:</b>	BlueSpice free, BlueSpice pro, BlueSpice farm, BlueSpice cloud	<b>Version:</b>	4.1+
<a href="#">? View user help page</a>			

### Features

The extension **Readers** displays the readers of a wiki page to users with admin rights.

- Displays the readers of a page in the page information flyout of the page tools.
- The special page *Special:Readers/PageTitle* creates a list of all readers of a page along with the user name and the date of the last visit.
- By default, only users with role *admin* can view this information.

Wiki administrators can set the number of readers to be shown in the page information flyout in the [Config manager](#).

### Technical Information

This information applies to BlueSpice 4. Technical details for BlueSpice cloud can differ in some cases.

### Requirements

MediaWiki: 1.39.0  
BlueSpiceFoundation: 4.3

## Integrates into

- BlueSpicePrivacy

## Special pages

- Readers
- RevisionReaders

## Permissions

Name	Description	Role
viewreaders	View readers of a page	admin, maintenanceadmin
viewrevisionreaders	View readers of single page revisions	

## Configuration

Name	Value
ReadersCleanData	false
ReadersCleanDataTTL	1095
ReadersNamespaceBlacklist	array ( 0 => 6, 1 => 7, 2 => 8, 3 => 9, 4 => 14, 5 => 15, )
ReadersNumOfReaders	10

## API Modules

- bs-readers-data-store
- bs-readers-page-readers-store
- bs-readers-revision-readers-store
- bs-readers-tasks
- bs-readers-users-store

## Hooks

- [BeforePageDisplay](#)
- [LoadExtensionSchemaUpdates](#)
- [SkinTemplateNavigation::Universal](#)
- [StandardDialogsRegisterPageInfoPanelModules](#)
- [UserMergeAccountFields](#)

## Accessibility

---

<b>Test status:</b>	2-testing complete
<b>Checked for:</b>	Web, Authoring tool
<b>Last test date:</b>	2022-08-05
<b>WCAG level:</b>	AA
<b>WCAG support:</b>	partially supports (workaround: no)
<b>Comments:</b>	<p>keyboard access works.</p> <p>Screenreader: Extjs: Pagination in grids not announcing button labels at top and pagination buttons at bottom;</p> <p>switching between browse/focus modes enables finding out how many pages there are and moving to the next page.</p> <p><a href="#">erm:27716</a></p>
<b>Extension type:</b>	core
<b>Extension focus:</b>	admin

## Category:Extension

Extensions that are bundled with one or more BlueSpice pro editions.

## Pages in category "Extension"

---

The following 200 pages are in this category, out of 223 total.

([previous page](#)) ([next page](#))

### A

- [Reference:AIEditingAssistant](#)
- [Reference:Arrays](#)
- [Reference:AtMentions](#)
- [Reference:Auth remoteuser](#)

### B

- [Reference:BlueSpiceAbout](#)

- [Reference:BlueSpiceArticleInfo](#)
- [Reference:BlueSpiceArticlePreviewCapture](#)
- [Reference:BlueSpiceAvatars](#)
- [Reference:BlueSpiceBookshelf](#)
- [Reference:BlueSpiceCategoryCheck](#)
- [Reference:BlueSpiceCategoryManager](#)
- [Reference:BlueSpiceChecklist](#)
- [Reference:BlueSpiceCloudClient](#)
- [Reference:BlueSpiceConfigManager](#)
- [Reference:BlueSpiceContextMenu](#)
- [Reference:BlueSpiceCountThings](#)
- [Reference:BlueSpiceCustomMenu](#)
- [Reference:BlueSpiceDashboards](#)
- [Reference:BlueSpiceDiscovery](#)
- [Reference:BlueSpiceDistributionConnector](#)
- [Reference:BlueSpiceDrawioConnector](#)
- [Reference:BlueSpiceEchoConnector](#)
- [Reference:BlueSpiceEmoticons](#)
- [Reference:BlueSpiceExpiry](#)
- [Reference:BlueSpiceExportTables](#)
- [Reference:BlueSpiceExtendedFilelist](#)
- [Reference:BlueSpiceExtendedSearch](#)
- [Reference:BlueSpiceExtendedStatistics](#)
- [Reference:BlueSpiceFilterableTables](#)
- [Reference:BlueSpiceFlaggedRevsConnector](#)
- [Reference:BlueSpiceFoundation](#)
- [Reference:BlueSpiceGroupManager](#)
- [Reference:BlueSpiceHideTitle](#)
- [Reference:BlueSpiceInsertCategory](#)
- [Reference:BlueSpiceInsertFile](#)
- [Reference:BlueSpiceInsertLink](#)
- [Reference:BlueSpiceInsertMagic](#)
- [Reference:BlueSpiceInsertTemplate](#)
- [Reference:BlueSpiceInstanceStatus](#)
- [Reference:BlueSpiceInterWikiLinks](#)
- [Reference:BlueSpiceInterwikiSearch](#)
- [Reference:BlueSpiceMultiUpload](#)
- [Reference:BlueSpiceNamespaceManager](#)
- [Reference:BlueSpiceNSFileRepoConnector](#)
- [Reference:BlueSpicePageAccess](#)
- [Reference:BlueSpicePageAssignments](#)
- [Reference:BlueSpicePageFormsConnector](#)
- [Reference:BlueSpicePagesVisited](#)
- [Reference:BlueSpicePageTemplates](#)
- [Reference:BlueSpicePermissionManager](#)
- [Reference:BlueSpicePlayer](#)
- [Reference:BlueSpicePrivacy](#)
- [Reference:BlueSpiceProDistributionConnector](#)
- [Reference:BlueSpiceQrCode](#)

- [Reference:BlueSpiceRating](#)
- [Reference:BlueSpiceReadConfirmation](#)
- [Reference:BlueSpiceReaders](#)
- [Reference:BlueSpiceReminder](#)
- [Reference:BlueSpiceRSSFeeder](#)
- [Reference:BlueSpiceSaferEdit](#)
- [Reference:BlueSpiceSignHere](#)
- [Reference:BlueSpiceSmartList](#)
- [Reference:BlueSpiceSMWConnector](#)
- [Reference:BlueSpiceSocial](#)
- [Reference:BlueSpiceSocialBlog](#)
- [Reference:BlueSpiceSocialComments](#)
- [Reference:BlueSpiceSocialMicroBlog](#)
- [Reference:BlueSpiceSocialProfile](#)
- [Reference:BlueSpiceSocialRating](#)
- [Reference:BlueSpiceSocialResolve](#)
- [Reference:BlueSpiceSocialTags](#)
- [Reference:BlueSpiceSocialTimelineUpdate](#)
- [Reference:BlueSpiceSocialTopics](#)
- [Reference:BlueSpiceSocialWatch](#)
- [Reference:BlueSpiceTagCloud](#)
- [Reference:BlueSpiceUEModuleBookPDF](#)
- [Reference:BlueSpiceUEModuleDOCX](#)
- [Reference:BlueSpiceUEModuleHTML](#)
- [Reference:BlueSpiceUEModulePDF](#)
- [Reference:BlueSpiceUEModulePDFRecursive](#)
- [Reference:BlueSpiceUEModulePDFSubpages](#)
- [Reference:BlueSpiceUEModuleTable2Excel](#)
- [Reference:BlueSpiceUniversalExport](#)
- [Reference:BlueSpiceUsageTracker](#)
- [Reference:BlueSpiceUserInfo](#)
- [Reference:BlueSpiceUserManager](#)
- [Reference:BlueSpiceUserSidebar](#)
- [Reference:BlueSpiceVisualEditorConnector](#)
- [Reference:BlueSpiceWatchList](#)
- [Reference:BlueSpiceWholsOnline](#)
- [Reference:BlueSpiceWikiExplorer](#)
- [Reference:BlueSpiceWikiFarm](#)

## C

- [Reference:CategoryTree](#)
- [Reference:Checklists](#)
- [Reference:Cite](#)
- [Reference:CiteThisPage](#)
- [Reference:CodeEditor](#)
- [Reference:CodeMirror](#)
- [Reference:CognitiveProcessDesigner](#)
- [Reference:CollabPads](#)

- [Reference:ConfirmAccount](#)
- [Reference:ConfirmEdit](#)
- [Reference:ContainerFilter](#)
- [Reference:ContentDroplets](#)
- [Reference:ContentProvisioning](#)
- [Reference:ContentStabilization](#)
- [Reference:ContentTransfer](#)
- [Reference:CreateUserPage](#)

## D

- [Reference:Data Transfer](#)
- [Reference:DateTimeTools](#)
- [Reference:DrawioEditor](#)
- [Reference:DynamicPageList3](#)

## E

- [Reference:Echo](#)
- [Reference:EmbedVideo](#)
- [Reference:EmbedVideo \(fork\)](#)
- [Reference:EnhancedStandardUIs](#)
- [Reference:EnhancedUpload](#)
- [Reference:EventBus](#)
- [Reference:External Data](#)
- [Reference:ExtJSBase](#)

## F

- [Reference:FilterSpecialPages](#)
- [Reference:FlaggedRevs](#)
- [Reference:FlexiSkin](#)
- [Reference:FontAwesome](#)
- [Reference:Forms](#)

## G

- [Reference:Gadgets](#)

## H

- [Template:Hdsk PT Extension HW](#)
- [Template:Hdsk PT Extension MW](#)
- [Reference:Header Tabs](#)
- [Reference:HeaderFooter](#)
- [Reference:HitCounters](#)

## I

- [Reference:ImageMap](#)

- [Reference:ImageMapEdit](#)
- [Reference:ImportOfficeFiles](#)
- [Reference:InputBox](#)
- [Reference:Interwiki](#)
- [Reference:InviteSignup](#)

## L

- [Reference:LDAP Authorization](#)
- [Reference:LDAPAuthentication2](#)
- [Reference:LDAPGroups](#)
- [Reference:LDAPProvider](#)
- [Reference:LDAPSyncAll](#)
- [Reference:LDAPUserInfo](#)
- [Reference:Lingo](#)
- [Reference:LocalisationUpdate](#)
- [Reference>LoginNotify](#)
- [Reference:Loops](#)

## M

- [Reference:Maps](#)
- [Reference:Math](#)
- [Reference:MediaWiki](#)
- [Reference:MenuEditor](#)
- [Reference:MergeArticles](#)
- [Reference:MultimediaViewer](#)

## N

- [Reference:NotifyMe](#)
- [Reference:NSFileRepo](#)
- [Reference:Nuke](#)
- [Reference:NumberHeadings](#)

## O

- [Reference:OATHAuth](#)
- [Reference:OAuth](#)
- [Reference:OOJSPlus](#)
- [Reference:OpenID Connect](#)
- [Reference:OpenLayers](#)

## P

- [Reference:Page Forms](#)
- [Reference:PageCheckout](#)
- [Reference:PageHeader](#)
- [Reference:PageImages](#)
- [Reference:ParserFunctions](#)



- [Reference:ParserHooks](#)
- [Reference:PDFEmbed](#)
- [Reference:PdfHandler](#)
- [Reference:PluggableAuth](#)
- [Reference:Poem](#)
- [Reference:Popups](#)
- [Reference:PreToClip](#)

## R

- [Archive:Reference:BlueSpiceCalumma](#)
- [Archive:Reference:BlueSpiceLatexRenderer](#)
- [Archive:Reference:BlueSpiceMatomoConnector](#)
- [Archive:Reference:BlueSpiceNamespaceCSS](#)
- [Archive:Reference:BlueSpiceSocialWikiPage](#)
- [Archive:Reference:BlueSpiceWebDAVClientIntegration](#)
- [Archive:Reference:BlueSpiceWebDAVMinorSave](#)
- [Archive:Reference:Bootstrap](#)
- [Archive:Reference:Chameleon](#)
- [Archive:Reference:WebDAV](#)
- [Reference:Renameuser](#)
- [Reference:Replace Text](#)
- [Reference:RevisionSlider](#)
- [Reference:RSS](#)

## S

- [Reference:Scribunto](#)
- [Reference:SectionAnchors](#)
- [Reference:SecureLinkFixer](#)
- [Reference:Semantic Compound Queries](#)
- [Reference:Semantic Extra Special Properties](#)
- [Reference:Semantic MediaWiki](#)
- [Reference:Semantic Result Formats](#)
- [Reference:Semantic Scribunto](#)
- [Reference:SimpleSAMLphp](#)
- [Reference:SimpleTasks](#)
- [Reference:SpamBlacklist](#)
- [Reference:StandardDialogs](#)

([previous page](#)) ([next page](#))

## GPL-3.0-only

Redirect to:

- [GPL v3](#)

## Page info: readers


The extension **Readers** displays the readers of a wiki page.

### Contents

- 1 [Viewing the readers of a page](#) .....
- 2 [Configuration](#) .....
- 3 [Related info](#) .....

## Viewing the readers of a page


Users must have admin rights to see the readers of a page. The list of readers is shown on the page information, which can be accessed from the [page tools](#).



Admin users can also access the page *Special:Readers/Page\_Name*. This special page shows the list of all readers of a page with the date of their last visit.

## Configuration

In the [Config manager](#), wiki admins can change the settings for this feature. Here, the number of readers to be shown in the flyout can be changed (defaults to 10).



## Related info

- [Reference:BlueSpiceReaders](#)

[→ Technical Reference: BlueSpiceReaders](#)

## Reference:BlueSpiceConfigManager

### Extension: BlueSpiceConfigManager

[↻ all extensions](#)

Overview			
<b>Description:</b>	Offers the possibility to admins, to configurate the whole wiki from a single special page		
<b>State:</b>	beta	<b>Dependency:</b>	BlueSpice
<b>Developer:</b>	HalloWelt	<b>License:</b>	<a href="#">GPL-3.0-only</a>
<b>Type:</b>	BlueSpice	<b>Category:</b>	Administration
<b>Edition:</b>	BlueSpice pro, BlueSpice free, BlueSpice farm, BlueSpice cloud	<b>Version:</b>	4.1+
<a href="#">? View user help page</a>			

## Features

**BlueSpiceConfigManager** provides a special page that enables managing all global wiki settings in one place.

Once on the special page, all settings will be grouped by logical groups. There are three ways of grouping the settings:

- Feature - grouping by type of functionality setting belongs to (searching, administration...)
- Extension - grouping by the extension the setting is coming from

- Package - grouping by the package extension providing the setting comes from.

## Technical Information

---

This information applies to BlueSpice 4. Technical details for BlueSpice cloud can differ in some cases.

### Requirements

MediaWiki: 1.39.0  
BlueSpiceFoundation: 4.3

### Integrates into

### Special pages

- BlueSpiceConfigManager

### Permissions

Name	Description	Role
bluespiceconfigmanager-viewspecialpage	Access to the special page <a href="#">Special:BlueSpiceConfigManager</a>	admin, maintenanceadmin, structuremanager

### Configuration

Name	Value
ConfigManagerLogExcludeList	array ( 0 => 'DistributionConnectorEventBusEventServices', )

### API Modules

- bs-configmanager-store
- bs-configmanager-tasks

### Hooks

- [MWStakeCommonUIRegisterSkinSlotComponents](#)

## Accessibility

<b>Test status:</b>	2-testing complete
<b>Checked for:</b>	Authoring tool
<b>Last test date:</b>	2022-08-08
<b>WCAG level:</b>	AA
<b>WCAG support:</b>	partially supports (workaround: no)
<b>Comments:</b>	<p>Keyboard/screenreader:</p> <ul style="list-style-type: none"> <li>• search field needs aria-role "search"</li> <li>• infoboxes don't open</li> <li>• save button does not get focus. Workaround: Focus via browser search function (not useful for screenreader users)</li> </ul> <p><a href="#">erm:27702</a></p>
<b>Extension type:</b>	core
<b>Extension focus:</b>	admin