

Contents

1. Reference:BlueSpiceReminder	2
2. Category:Extension	4
3. Manual:Extension/BlueSpiceReminder	8

Reference:BlueSpiceReminder

Extension\>: BlueSpiceReminder

[all extensions](#)

Overview			
Description:	Gives the user the opportunity to create reminders.		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	GPL-3.0-only
Type:	BlueSpice	Category:	Quality Assurance
Edition:	BlueSpice pro, BlueSpice Farm, BlueSpice Cloud		
View help page			

Features

The extension **Reminder** allows users to keep track of pages by adding a notification date for themselves or for other users.

Set a reminder date for yourself or for other users

Make the date a recurring event

View and manage a list of your personal reminders

View a filterable list of all reminders on the wiki

In the user preferences, users can set if and how they want to be notified a week before the event and on the day of the event.

Technical Information

This information applies to BlueSpice 4. Technical details for BlueSpice Cloud can differ in some cases.

Requirements

MediaWiki: 1.35.0

BlueSpiceFoundation: 4.0

Integrates into

BlueSpiceEchoConnector

BlueSpicePrivacy

BlueSpiceReminder

Special pages

Reminder

Permissions

Name	Description	Role
remindeditall	Edit others reminders	admin, maintenanceadmin

User options

Name	Value
bs-reminder-forns	"
bs-reminder-oncreate	false
bs-reminder-period	6
echo-subscriptions-email-notification-bs-reminder-cat	1
echo-subscriptions-web-notification-bs-reminder-cat	1

API Modules

bs-reminder-store

bs-reminder-tasks

Hooks

[BSUserManagerAfterDeleteUser](#)

[BeforePageDisplay](#)

[BlueSpiceDiscoveryTemplateDataProviderAfterInit](#)

[ChameleonSkinTemplateOutputPageBeforeExec](#)

[GetPreferences](#)

[LoadExtensionSchemaUpdates](#)

[MWStakeCommonUIRegisterSkinSlotComponents](#)

[PageSaveComplete](#)

[PersonalUrls](#)

[SkinTemplateNavigation::Universal](#)

[StandardDialogsRegisterPageInfoPanelModules](#)

[UserMergeAccountFields](#)

Accessibility

Test status:	2-testing complete
Checked for:	Web, Authoring tool
Last test date:	2022-08-05
WCAG level:	AA

WCAG support:	partially supports (workaround: no)
Comments:	keyboard access works. Screenreader: Extjs: Pagination in grids not announcing button labels at top and pagination buttons at bottom; switching between browse/focus modes enables finding out how many pages there are and moving to the next page. erm:27716
Extension type:	core
Extension focus:	reader

Category:Extension

Extensions that are bundled with one or more BlueSpice pro editions.

Pages in category "Extension"

The following 198 pages are in this category, out of 198 total.

A

[Reference:Arrays](#)

[Reference:Auth remoteuser](#)

B

[Reference:BlueSpiceAbout](#)

[Reference:BlueSpiceArticleInfo](#)

[Reference:BlueSpiceArticlePreviewCapture](#)

[Reference:BlueSpiceAuthors](#)

[Reference:BlueSpiceAvatars](#)

[Reference:BlueSpiceBookshelf](#)

[Reference:BlueSpiceCategoryCheck](#)

[Reference:BlueSpiceCategoryManager](#)

[Reference:BlueSpiceChecklist](#)

[Reference:BlueSpiceCloudClient](#)

[Reference:BlueSpiceConfigManager](#)

[Reference:BlueSpiceContextMenu](#)

[Reference:BlueSpiceCountThings](#)

[Reference:BlueSpiceCustomMenu](#)

[Reference:BlueSpiceDashboards](#)

[Reference:BlueSpiceDiscovery](#)

[Reference:BlueSpiceDistributionConnector](#)

[Reference:BlueSpiceDrawioConnector](#)

[Reference:BlueSpiceEchoConnector](#)

[Reference:BlueSpiceEmoticons](#)

[Reference:BlueSpiceExpiry](#)

[Reference:BlueSpiceExportTables](#)

[Reference:BlueSpiceExtendedFilelist](#)

[Reference:BlueSpiceExtendedSearch](#)

[Reference:BlueSpiceExtendedStatistics](#)

[Reference:BlueSpiceFilterableTables](#)

[Reference:BlueSpiceFlaggedRevsConnector](#)

[Reference:BlueSpiceFoundation](#)
[Reference:BlueSpiceGroupManager](#)
[Reference:BlueSpiceHideTitle](#)
[Reference:BlueSpiceInsertCategory](#)
[Reference:BlueSpiceInsertFile](#)
[Reference:BlueSpiceInsertLink](#)
[Reference:BlueSpiceInsertMagic](#)
[Reference:BlueSpiceInsertTemplate](#)
[Reference:BlueSpiceInterWikiLinks](#)
[Reference:BlueSpiceInterwikiSearch](#)
[Reference:BlueSpiceMultiUpload](#)
[Reference:BlueSpiceNamespaceManager](#)
[Reference:BlueSpiceNSFileRepoConnector](#)
[Reference:BlueSpicePageAccess](#)
[Reference:BlueSpicePageAssignments](#)
[Reference:BlueSpicePageFormsConnector](#)
[Reference:BlueSpicePagesVisited](#)
[Reference:BlueSpicePageTemplates](#)
[Reference:BlueSpicePermissionManager](#)
[Reference:BlueSpicePlayer](#)
[Reference:BlueSpicePrivacy](#)
[Reference:BlueSpiceProDistributionConnector](#)
[Reference:BlueSpiceQrCode](#)
[Reference:BlueSpiceRating](#)
[Reference:BlueSpiceReadConfirmation](#)
[Reference:BlueSpiceReaders](#)
[Reference:BlueSpiceReminder](#)
[Reference:BlueSpiceRSSFeeder](#)
[Reference:BlueSpiceSaferEdit](#)
[Reference:BlueSpiceSignHere](#)
[Reference:BlueSpiceSmartList](#)
[Reference:BlueSpiceSMWConnector](#)
[Reference:BlueSpiceSocial](#)
[Reference:BlueSpiceSocialBlog](#)
[Reference:BlueSpiceSocialComments](#)
[Reference:BlueSpiceSocialMicroBlog](#)
[Reference:BlueSpiceSocialProfile](#)
[Reference:BlueSpiceSocialRating](#)
[Reference:BlueSpiceSocialResolve](#)
[Reference:BlueSpiceSocialTags](#)
[Reference:BlueSpiceSocialTimelineUpdate](#)
[Reference:BlueSpiceSocialTopics](#)
[Reference:BlueSpiceSocialWatch](#)
[Reference:BlueSpiceTagCloud](#)
[Reference:BlueSpiceJEModuleBookPDF](#)
[Reference:BlueSpiceJEModuleDOCX](#)
[Reference:BlueSpiceJEModuleHTML](#)
[Reference:BlueSpiceJEModulePDF](#)
[Reference:BlueSpiceJEModulePDFRecursive](#)
[Reference:BlueSpiceJEModulePDFSubpages](#)
[Reference:BlueSpiceJEModuleTable2Excel](#)
[Reference:BlueSpiceUniversalExport](#)
[Reference:BlueSpiceUsageTracker](#)

[Reference:BlueSpiceUserInfo](#)
[Reference:BlueSpiceUserManager](#)
[Reference:BlueSpiceUserSidebar](#)
[Reference:BlueSpiceVisualEditorConnector](#)
[Reference:BlueSpiceWatchList](#)
[Reference:BlueSpiceWebDAVClientIntegration](#)
[Reference:BlueSpiceWebDAVMinorSave](#)
[Reference:BlueSpiceWholsOnline](#)
[Reference:BlueSpiceWikiExplorer](#)
[Reference:BlueSpiceWikiFarm](#)

C

[Reference:CategoryTree](#)
[Reference:Cite](#)
[Reference:CiteThisPage](#)
[Reference:CodeEditor](#)
[Reference:CodeMirror](#)
[Reference:CognitiveProcessDesigner](#)
[Reference:ConfirmAccount](#)
[Reference:ConfirmEdit](#)
[Reference:ContentTransfer](#)
[Reference:CreateUserPage](#)

D

[Reference:Data Transfer](#)
[Reference:DrawioEditor](#)
[Reference:DynamicPageList3](#)

E

[Reference:Echo](#)
[Reference:EmbedVideo](#)
[Reference:EnhancedUpload](#)
[Reference:EventBus](#)
[Reference:External Data](#)
[Reference:ExtJSBase](#)

F

[Reference:FilterSpecialPages](#)
[Reference:FlaggedRevs](#)
[Reference:FlexiSkin](#)
[Reference:Forms](#)

G

[Reference:Gadgets](#)

H

[Reference:Header Tabs](#)
[Reference:HeaderFooter](#)
[Reference:HitCounters](#)

I

[Reference:ImageMap](#)
[Reference:ImageMapEdit](#)
[Reference:ImportOfficeFiles](#)
[Reference:InputBox](#)
[Reference:Interwiki](#)
[Reference:InviteSignup](#)

L

[Reference:LDAP Authorization](#)
[Reference:LDAPAuthentication2](#)
[Reference:LDAPGroups](#)
[Reference:LDAPProvider](#)
[Reference:LDAPSyncAll](#)
[Reference:LDAPUserInfo](#)
[Reference:Lingo](#)
[Reference:LocalisationUpdate](#)
[Reference>LoginNotify](#)
[Reference:Loops](#)

M

[Reference:Maps](#)
[Reference:Math](#)
[Reference:MediaWiki](#)
[Reference:MenuEditor](#)
[Reference:MergeArticles](#)
[Reference:MultimediaViewer](#)

N

[Reference:NSFileRepo](#)
[Reference:Nuke](#)

O

[Reference:OATHAuth](#)
[Reference:OOJSPlus](#)
[Reference:OpenID Connect](#)
[Reference:OpenLayers](#)

P

[Reference:Page Forms](#)
[Reference:PageCheckout](#)
[Reference:PageHeader](#)
[Reference:PageImages](#)
[Reference:ParserFunctions](#)
[Reference:ParserHooks](#)
[Reference:PdfHandler](#)
[Reference:PluggableAuth](#)
[Reference:Poem](#)
[Reference:Popups](#)

R

[Archive:Reference:BlueSpiceCalumma](#)
[Archive:Reference:BlueSpiceLatexRenderer](#)
[Archive:Reference:BlueSpiceMatomoConnector](#)
[Archive:Reference:BlueSpiceNamespaceCSS](#)
[Archive:Reference:BlueSpiceSocialWikiPage](#)
[Archive:Reference:Bootstrap](#)
[Archive:Reference:Chameleon](#)
[Reference:Renameuser](#)
[Reference:Replace Text](#)
[Reference:RevisionSlider](#)
[Reference:RSS](#)

S

[Reference:Scribunto](#)
[Reference:SecureLinkFixer](#)
[Reference:Semantic Compound Queries](#)
[Reference:Semantic Extra Special Properties](#)
[Reference:Semantic MediaWiki](#)
[Reference:Semantic Result Formats](#)
[Reference:Semantic Scribunto](#)
[Reference:SimpleSAMLphp](#)
[Reference:SpamBlacklist](#)
[Reference:StandardDialogs](#)
[Reference:SubPageList](#)
[Reference:SyntaxHighlight](#)

T

[Reference:TemplateData](#)
[Reference:TemplateStyles](#)
[Reference:TextExtracts](#)
[Reference:TitleBlacklist](#)
[Reference:TitleKey](#)
[Reference:TwoColConflict](#)

U

[Reference:UnifiedTaskOverview](#)
[Reference:UrlGetParameters](#)
[Reference:UserFunctions](#)
[Reference:UserMerge](#)

V

[Reference:Validator](#)
[Reference:Variables](#)
[Reference:VisualEditor](#)

W

[Reference:WebAuthn](#)
[Reference:WebDAV](#)
[Reference:Widgets](#)
[Reference:WikiEditor](#)
[Reference:Workflows](#)

7.4 Reminders


The extension **Reminder** allows users to keep track of pages by creating reminders for a particular date. By default, the wiki sends out a notification one week before and on the day that was set in the reminder.

Contents


1	Setting a reminder	9
2	My reminders	9
3	Managing all wiki reminders	10
4	Benachrichtigungen	10
5	Related info	10

Setting a reminder

To create a reminder, click *Set reminder* in the page tools.



A dialog window opens. After entering the reminder data, the reminder is saved after clicking *Done*.




My reminders

Users can view and manage a list of their own reminders. The list can be loaded in the following ways.

In the editing dialog (see image above) via the *My reminders* button.

Via the User menu > *Personal Tools* > *Reminders*.



Here, reminders can be edited (wrench icon) or deleted (x icon).

<input type="checkbox"/>	Page	Type	Remind on	Is repeating	Actions
<input type="checkbox"/>	Main Page	Page	2022-03-01	no	

My reminders

Managing all wiki reminders

The Special:Reminder page is available to wiki administrators. It displays a list of all reminders for all sites and all users. Wiki admins can delete reminders here or edit the due date and other details. Users in the admin role can theoretically create reminders for other users. This ability should be used with caution, however, as users may not expect others to create reminders on their behalf.

Benachrichtigungen

By default, users receive a notification in the wiki and via email a week before or on the due date. This behavior can be disabled in the [user preferences](#).

Related info

- [Reference:BlueSpiceReminder](#)

[Technical reference: BlueSpiceReminder](#)