

Contents

1. Reference:BlueSpiceSaferEdit	2
2. GPL v3 only	3
3. Reference:BlueSpiceFoundation	3
4. Manual:Extension/SaferEdit	4

BlueSpiceSaferEdit

BlueSpiceSaferEdit

It saves the article automatically while you are editing at predetermined intervals.

Status:	stable
Developer:	HalloWelt
Extension type:	BlueSpice
Edition:	BlueSpice free
Dependencies:	BlueSpice
License:	GPL v3 only
Activated:	Yes
Category:	Infrastructure

Contents

1 Description	2
2 Usage / Features	2
3 Technical information	3
3.1 Configuration	3
3.2 Rights (permissions)	3
3.3 Requirements	3
4 User manual	3
5 Try free our BlueSpice	3

Description

SaferEdit saves the article automatically while you are editing at predetermined intervals.

Usage / Features

Enables an built-in browser confirmation dialog when trying to leave a page with unsaved changes.

Technical information

Configuration

Some aspects of this extension can be configured on [Special:BlueSpiceConfigManager](#), under section "Safer editing". Here wiki administrators can configure:

- Default recovery interval.
- Whether to show name of current editor.

Rights (permissions)

This extension does not require any special rights.

Requirements

SaferEdit requires [BlueSpiceFoundation](#).

User manual

For detailed description and usage, visit our [user manual](#).

Try free our BlueSpice

[BlueSpiceDemo](#).

GPL v3 only

Redirect to:

- [GPL v3](#)

Reference:BlueSpiceFoundation

BlueSpiceFoundation	
Makes MediaWiki enterprise ready	
Status:	stable



NOTE

This page is currently under construction and will be finished shortly.

In the meantime, if you need help or information about this extension, please contact our support at support@hallowelt.com.

Manual:Extension/SaferEdit

Contents



1 What is SaferEdit? hhh	4
2 Where to find SaferEdit?	5
2.1 Additional functions	6
3 Tips for working with SaferEdit	7
4 Related info	7


What is SaferEdit? hhh

SaferEdit saves the article automatically at predefined intervals. Users can set in there preferences, if they want to see a warning message when they leave the page without saving pending changes.


My change

Where to find SaferEdit?





And next time when you will leave your article without saving:



Additional functions

The recovery versions are saved for the user and are only available to this user. They are not, however, deleted when he or she logs off, and are available when the user logs on again. The issue of edit conflicts often comes up here: If the page has been edited by another author, then this is shown in the StateBar, in order to let other authors know.

Tips for working with SaferEdit

SafeEdit is useful when you have just accidentally closed the input box or left it. If, on the other hand, you open a page for the first time and find old recovery versions, you can generally just delete them.

If the page is intentionally left, however, i.e. you have saved the page or clicked on "Cancel", then the existing recovery versions are deleted and are not available.

Incidentally, MagicWord can be used to switch saving off.

Related info

- [Reference:BlueSpiceSaferEdit](#)