

Contents

1. Reference:BlueSpiceUserInfo	2
2. Category:Extension	3
3. GPL-3.0-only	8
4. Reference:BlueSpiceSocialProfile	8

Reference:BlueSpiceUserInfo

Extension: BlueSpiceUserInfo

→ [all extensions](#)

Overview			
Description:	Provides flyouts with user informations for user images and links		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	GPL-3.0-only
Type:	BlueSpice	Category:	Search and Navigation
Edition:	BlueSpice pro, BlueSpice Farm, BlueSpice Cloud	Version:	4.1+

Features

UserInfo shows the profile information and the profile picture when hovering over a link to the corresponding user page. This extension allows to quickly view a user's contact information without having to switch to the profile page. This information corresponds to information in the user's profile page and is handled by [SocialProfile](#).

Technical Information

This information applies to BlueSpice 4. Technical details for BlueSpice Cloud can differ in some cases.

Requirements

MediaWiki: 1.39.0
BlueSpiceFoundation: 4.1

Integrates into

- BlueSpiceUserInfo

Special pages

Configuration

Name	Value
UserInfoHiddenMeta	array (0 => 'email',)

API Modules

- bs-userinfometa

Hooks

- [BSFoundationRendererMakeTagAttribs](#)
- [BeforePageDisplay](#)

Category:Extension

Extensions that are bundled with one or more BlueSpice pro editions.

Pages in category "Extension"

The following 200 pages are in this category, out of 214 total.

(previous page) ([next page](#))

A

- [Reference:Arrays](#)
- [Reference:AtMentions](#)
- [Reference:Auth remoteuser](#)

B

- [Reference:BlueSpiceAbout](#)
- [Reference:BlueSpiceArticleInfo](#)
- [Reference:BlueSpiceArticlePreviewCapture](#)
- [Reference:BlueSpiceAvatars](#)
- [Reference:BlueSpiceBookshelf](#)
- [Reference:BlueSpiceCategoryCheck](#)
- [Reference:BlueSpiceCategoryManager](#)
- [Reference:BlueSpiceChecklist](#)
- [Reference:BlueSpiceCloudClient](#)

- [Reference:BlueSpiceConfigManager](#)
- [Reference:BlueSpiceContextMenu](#)
- [Reference:BlueSpiceCountThings](#)
- [Reference:BlueSpiceCustomMenu](#)
- [Reference:BlueSpiceDashboards](#)
- [Reference:BlueSpiceDiscovery](#)
- [Reference:BlueSpiceDistributionConnector](#)
- [Reference:BlueSpiceDrawioConnector](#)
- [Reference:BlueSpiceEchoConnector](#)
- [Reference:BlueSpiceEmoticons](#)
- [Reference:BlueSpiceExpiry](#)
- [Reference:BlueSpiceExportTables](#)
- [Reference:BlueSpiceExtendedFilelist](#)
- [Reference:BlueSpiceExtendedSearch](#)
- [Reference:BlueSpiceExtendedStatistics](#)
- [Reference:BlueSpiceFilterableTables](#)
- [Reference:BlueSpiceFlaggedRevsConnector](#)
- [Reference:BlueSpiceFoundation](#)
- [Reference:BlueSpiceGroupManager](#)
- [Reference:BlueSpiceHideTitle](#)
- [Reference:BlueSpiceInsertCategory](#)
- [Reference:BlueSpiceInsertFile](#)
- [Reference:BlueSpiceInsertLink](#)
- [Reference:BlueSpiceInsertMagic](#)
- [Reference:BlueSpiceInsertTemplate](#)
- [Reference:BlueSpiceInstanceStatus](#)
- [Reference:BlueSpiceInterWikiLinks](#)
- [Reference:BlueSpiceInterwikiSearch](#)
- [Reference:BlueSpiceMultiUpload](#)
- [Reference:BlueSpiceNamespaceManager](#)
- [Reference:BlueSpiceNSFileRepoConnector](#)
- [Reference:BlueSpicePageAccess](#)
- [Reference:BlueSpicePageAssignments](#)
- [Reference:BlueSpicePageFormsConnector](#)
- [Reference:BlueSpicePagesVisited](#)
- [Reference:BlueSpicePageTemplates](#)
- [Reference:BlueSpicePermissionManager](#)
- [Reference:BlueSpicePlayer](#)
- [Reference:BlueSpicePrivacy](#)
- [Reference:BlueSpiceProDistributionConnector](#)
- [Reference:BlueSpiceQrCode](#)
- [Reference:BlueSpiceRating](#)
- [Reference:BlueSpiceReadConfirmation](#)
- [Reference:BlueSpiceReaders](#)
- [Reference:BlueSpiceReminder](#)
- [Reference:BlueSpiceRSSFeeder](#)
- [Reference:BlueSpiceSaferEdit](#)
- [Reference:BlueSpiceSignHere](#)
- [Reference:BlueSpiceSmartList](#)

- [Reference:BlueSpiceSMWConnector](#)
- [Reference:BlueSpiceSocial](#)
- [Reference:BlueSpiceSocialBlog](#)
- [Reference:BlueSpiceSocialComments](#)
- [Reference:BlueSpiceSocialMicroBlog](#)
- [Reference:BlueSpiceSocialProfile](#)
- [Reference:BlueSpiceSocialRating](#)
- [Reference:BlueSpiceSocialResolve](#)
- [Reference:BlueSpiceSocialTags](#)
- [Reference:BlueSpiceSocialTimelineUpdate](#)
- [Reference:BlueSpiceSocialTopics](#)
- [Reference:BlueSpiceSocialWatch](#)
- [Reference:BlueSpiceTagCloud](#)
- [Reference:BlueSpiceUEModuleBookPDF](#)
- [Reference:BlueSpiceUEModuleDOCX](#)
- [Reference:BlueSpiceUEModuleHTML](#)
- [Reference:BlueSpiceUEModulePDF](#)
- [Reference:BlueSpiceUEModulePDFRecursive](#)
- [Reference:BlueSpiceUEModulePDFSubpages](#)
- [Reference:BlueSpiceUEModuleTable2Excel](#)
- [Reference:BlueSpiceUniversalExport](#)
- [Reference:BlueSpiceUsageTracker](#)
- [Reference:BlueSpiceUserInfo](#)
- [Reference:BlueSpiceUserManager](#)
- [Reference:BlueSpiceUserSidebar](#)
- [Reference:BlueSpiceVisualEditorConnector](#)
- [Reference:BlueSpiceWatchList](#)
- [Reference:BlueSpiceWebDAVClientIntegration](#)
- [Reference:BlueSpiceWebDAVMinorSave](#)
- [Reference:BlueSpiceWholsOnline](#)
- [Reference:BlueSpiceWikiExplorer](#)
- [Reference:BlueSpiceWikiFarm](#)

C

- [Reference:CategoryTree](#)
- [Reference:Checklists](#)
- [Reference:Cite](#)
- [Reference:CiteThisPage](#)
- [Reference:CodeEditor](#)
- [Reference:CodeMirror](#)
- [Reference:CognitiveProcessDesigner](#)
- [Reference:ConfirmAccount](#)
- [Reference:ConfirmEdit](#)
- [Reference:ContainerFilter](#)
- [Reference:ContentDroplets](#)
- [Reference:ContentProvisioning](#)
- [Reference:ContentStabilization](#)
- [Reference:ContentTransfer](#)

- [Reference:CreateUserPage](#)

D

- [Reference:Data Transfer](#)
- [Reference:DateTimeTools](#)
- [Reference:DrawioEditor](#)
- [Reference:DynamicPageList3](#)

E

- [Reference:Echo](#)
- [Reference:EmbedVideo](#)
- [Reference:EmbedVideo \(fork\)](#)
- [Reference:EnhancedUpload](#)
- [Reference:EventBus](#)
- [Reference:External Data](#)
- [Reference:ExtJSBase](#)

F

- [Reference:FilterSpecialPages](#)
- [Reference:FlaggedRevs](#)
- [Reference:FlexiSkin](#)
- [Reference:FontAwesome](#)
- [Reference:Forms](#)

G

- [Reference:Gadgets](#)

H

- [Template:Hdsk PT Extension HW](#)
- [Template:Hdsk PT Extension MW](#)
- [Reference:Header Tabs](#)
- [Reference:HeaderFooter](#)
- [Reference:HitCounters](#)

I

- [Reference:ImageMap](#)
- [Reference:ImageMapEdit](#)
- [Reference:ImportOfficeFiles](#)
- [Reference:InputBox](#)
- [Reference:Interwiki](#)
- [Reference:InviteSignup](#)

L

- [Reference:LDAP Authorization](#)
- [Reference:LDAPAuthentication2](#)
- [Reference:LDAPGroups](#)
- [Reference:LDAPProvider](#)
- [Reference:LDAPSncAll](#)
- [Reference:LDAPUserInfo](#)
- [Reference:Lingo](#)
- [Reference:LocalisationUpdate](#)
- [Reference>LoginNotify](#)
- [Reference:Loops](#)

M

- [Reference:Maps](#)
- [Reference:Math](#)
- [Reference:MediaWiki](#)
- [Reference:MenuEditor](#)
- [Reference:MergeArticles](#)
- [Reference:MultimediaViewer](#)

N

- [Reference:NSFileRepo](#)
- [Reference:Nuke](#)

O

- [Reference:OATHAuth](#)
- [Reference:OOJSPlus](#)
- [Reference:OpenID Connect](#)
- [Reference:OpenLayers](#)

P

- [Reference:Page Forms](#)
- [Reference:PageCheckout](#)
- [Reference:PageHeader](#)
- [Reference:PageImages](#)
- [Reference:ParserFunctions](#)
- [Reference:ParserHooks](#)
- [Reference:PDFEmbed](#)
- [Reference:PdfHandler](#)
- [Reference:PluggableAuth](#)
- [Reference:Poem](#)
- [Reference:Popups](#)
- [Reference:PreToClip](#)

R

- [Archive:Reference:BlueSpiceCalumma](#)
- [Archive:Reference:BlueSpiceLatexRenderer](#)
- [Archive:Reference:BlueSpiceMatomoConnector](#)
- [Archive:Reference:BlueSpiceNamespaceCSS](#)
- [Archive:Reference:BlueSpiceSocialWikiPage](#)
- [Archive:Reference:Bootstrap](#)
- [Archive:Reference:Chameleon](#)
- [Reference:Renameuser](#)
- [Reference:Replace Text](#)
- [Reference:RevisionSlider](#)
- [Reference:RSS](#)

S

- [Reference:Scribunto](#)
- [Reference:SectionAnchors](#)
- [Reference:SecureLinkFixer](#)
- [Reference:Semantic Compound Queries](#)
- [Reference:Semantic Extra Special Properties](#)
- [Reference:Semantic MediaWiki](#)
- [Reference:Semantic Result Formats](#)
- [Reference:Semantic Scribunto](#)
- [Reference:SimpleSAMLphp](#)
- [Reference:SimpleTasks](#)
- [Reference:SpamBlacklist](#)
- [Reference:StandardDialogs](#)
- [Reference:SubPageList](#)
- [Reference:SyntaxHighlight](#)

T

- [Reference:TabberNeue](#)
- [Reference:TemplateData](#)
- [Reference:TemplateStyles](#)
- [Reference:TextExtracts](#)
- [Reference:TitleBlacklist](#)

([previous page](#)) ([next page](#))

GPL-3.0-only

Redirect to:

- [GPL v3](#)

Reference:BlueSpiceSocialProfile

Extension: BlueSpiceSocialProfile

→ [all extensions](#)

Overview			
Description:	Profile entity for BlueSpiceSocial		
State:	stable	Dependency:	BlueSpice
Developer:	HalloWelt	License:	GPL-3.0-only
Type:	BlueSpice	Category:	Communication
Edition:	BlueSpice pro, BlueSpice Farm, BlueSpice Cloud	Version:	4.1+

Features

BlueSpiceSocialProfile provides the SocialEntity of type profile. Furthermore, the user page is converted into a complete user profile.

Warning! Pages in the namespaces *SocialEntity* and *User* are indexed by search engines by default until prior to version 3.1.13. If you run a public wiki with an earlier version, you should [exclude these namespaces from being searchable](#) unless you want these pages to be indexed by public search engines.

- the user page is converted into a complete user profile
- the content of the original user page is also shown as a description field below the profile section
- provides the page *Special:SocialProfiles*
- a user profile can be included in a page with the tag `<bs:socialentityprofile username="Testuser" rendertype="Short" />`
- users can update their profile information and upload a profile picture

Technical Information

This information applies to BlueSpice 4. Technical details for BlueSpice Cloud can differ in some cases.

Requirements

MediaWiki: 1.37.0

BlueSpiceAvatars: 4.1

- BlueSpiceFoundation: 4.1 BlueSpiceSocial: 4.1

Integrates into

- BlueSpicePrivacy
- BlueSpiceSMWConnector
- BlueSpiceSocialProfile
- BlueSpiceVisualEditorConnector
- ContentDroplets

Special pages

- SocialProfiles

Permissions

Name	Description	Role
social-editothersprofile	Edit other users' profile	admin, maintenanceadmin
socialprofile-viewspecialpage	View the special page "Profiles"	accountmanager, admin, author, bot, commenter, editor, maintenanceadmin, reader, reviewer, structuremanager

Configuration

Name	Value
BSSocialProfileCustomFields	array ('social-profile-department' => array ('i18n' => 'bs-social-profile-field-department', 'type' => 'string',), 'social-profile-function' => array ('i18n' => 'bs-social-profile-field-function', 'type' => 'string',), 'social-profile-location' => array ('i18n' => 'bs-social-profile-field-location', 'type' => 'string',), 'social-profile-phone' => array ('i18n' => 'bs-social-profile-field-phone', 'type' => 'string',),)
	array ('social-profile-title' => array ('i18n' => 'bs-social-profile-field-title', 'callback' => '\\BlueSpice\\Social\\Profile\\Field\\Title::getInstance',), 'social-profile-name' => array ('i18n' => 'bs-social-profile-field-name', 'callback' => '\\BlueSpice\\Social\\Profile\\Field\\Name::getInstance',), 'social-profile-email' => array ('i18n' => 'bs-social-

Name	Value
BSSocialProfileFields	profile-field-email', 'callback' => '\\BlueSpice\\Social\\Profile\\Field\\Email::getInstance',),)

User options

Name	Value
bs-social-profile-infoshowemail	false

Hooks

- [ArticleViewHeader](#)
- [BSPageTemplatesModifyTargetUrl](#)
- [BSUserInfoMetaDataFactoryAllKeys](#)
- [BSUserInfoMetaDataFactoryCallback](#)
- [DeleteAccount](#)
- [GetPreferences](#)
- [HtmlPageLinkRendererBegin](#)
- [LocalUserCreated](#)
- [PageSaveComplete](#)
- [UserLoadAfterLoadFromSession](#)
- [UserSaveSettings](#)

Configuration

Name	Description	Type	Default	Scope
<i>bsgBSSocialProfileFields</i>	system-defined profile fields	array	"social-profile-title" => ["i18n" => "bs-social-profile-field-title", "callback" => "\\BlueSpice\\Social\\Profile\\Field\\Title::getInstance"], "social-profile-name" => ["i18n" => "bs-social-profile-field-name", "callback" => "\\BlueSpice\\Social\\Profile\\Field\\Name::getInstance"],	LocalSession / Custom

Name	Description	Type	Default	Scope
			"social-profile-email" => ["i18n" => "bs-social-profile-field-email", "callback" => "\BlueSpice\Social\Profile\Field\Email::getInstance"]	
<i>bsg</i> BSSocialProfileCustomFields	user-defined profile fields	array	"social-profile-department" => ["i18n" => "bs-social-profile-field-department", "type" => "string"], "social-profile-function" => ["i18n" => "bs-social-profile-field-function", "type" => "string"], "social-profile-location" => ["i18n" => "bs-social-profile-field-location", "type" => "string"], "social-profile-phone" => ["i18n" => "bs-social-profile-field-phone", "type" => "string"]	LocalServer php
bs-social-profile-infoshowemail	is the email address shown in the profile	bool	false	useropt

