Reference:BlueSpiceWebDAVClientIntegration

Extension: BlueSpiceWebDAVClientIntegration

all extensions

Overview			
Description:	Allows opening files from the browser directly in the client application (Requires WebDAV)		
State:	stable	**Dependency:**	BlueSpice
Developer:	HalloWelt	**License:**	GPL-3.0-only
Type:	BlueSpice	**Category:**	Document Management
Edition:	BlueSpice pro (deactivated), BlueSpice Farm (deactivated), BlueSpice Cloud (deactivated)	**Version:**	4.1+

Features

BlueSpiceWebDAVClientIntegration provides a user interface for WebDAV on the wiki. It integrates into BlueSpiceContextMenu to add a menu option for opening files in a client application.

Technical Information

This information applies to BlueSpice 4. Technical details for BlueSpice Cloud can differ in some cases.

Requirements

MediaWiki: 1.36.0
BlueSpiceFoundation: 3.4

Integrates into

Special pages

Configuration

Name	Value
WebDAVCIClientApps	array ('bs-webdav-ci-ms-word' => array ('icon' => 'icon-file-word', 'extensions' => array (0 => 'doc', 1 => 'docx', 2 => 'dot', 3 => 'dotx', 4 => 'rtf', 5 => 'docm', 6 => 'dotm', 7 => 'odt',), 'protocol' => 'ms-word',), 'bs-webdav-ci-ms-excel' => array ('icon' => 'icon-file-excel', 'extensions' => array (0 => 'xls', 1 => 'xlsx', 2 => 'csv', 3 => 'tsv', 4 => 'xlsm',), 'protocol' => 'ms-excel',), 'bs-webdav-ci-ms-powerpoint' => array ('icon' => 'icon-file-powerpoint', 'extensions' => array (0 => 'ppt', 1 => 'pptx',), 'protocol' => 'ms-powerpoint',), 'bs-webdav-ci-archive' => array ('icon' => 'icon-file-zip', 'extensions' => array (0 => 'zip',),), 'bs-webdav-ci-generic' => array ('icon' => 'icon-file',), '@Not yet supported!' => '', '@bs-webdav-ci-ms-visio' => array ('icon' => 'icon-file-visio', 'extensions' => array ( ), 'protocol' => 'ms-visio',), '@bs-webdav-ci-ms-access' => array ('icon' => 'icon-file-access', 'extensions' => array ( ), 'protocol' => 'ms-access',), '@bs-webdav-ci-ms-project' => array ('icon' => 'icon-file-project', 'extensions' => array ( ), 'protocol' => 'ms-project',), '@bs-webdav-ci-ms-publisher' => array ('icon' => 'icon-file-publisher', 'extensions' => array ( ), 'protocol' => 'ms-publisher',), '@bs-webdav-ci-ms-spd' => array ('icon' => 'icon-file-spd', 'extensions' => array ( ), 'protocol' => 'ms-spd',), '@bs-webdav-ci-ms-infopath' => array ('icon' => 'icon-file-infopath', 'extensions' => array ( ), 'protocol' => 'ms-infopath',),)

API Modules

- bs-file-tasks
- bs-filehistory-store

Hooks

- BeforePageDisplay
- BsContextMenuGetItems

Accessibility

Test status:	2-testing complete
Checked for:	Web
Last test date:	2022-08-09

WCAG level:	AA
WCAG support:	does not support (workaround: yes)
Comments:	context menu can receive keyboard focus with lots of tricks: • set context-menu to right-click in preferences -> focus on link -> press "Document" button on keybaord -> with ctrl+f search for the menu item and focus on it. no screenreader accessibility.
Extension type:	extended
Extension focus:	editor