

Contents

1. Reference:DynamicPageList3	2
2. Category:Extension	3
3. Manual:Extension/DynamicPageList3	8

Reference:DynamicPageList3

Extension: DynamicPageList3

→ [all extensions](#)

Overview			
Description:	Create lists of other articles based on their category, namespace, title, references or template usage and include contents or arguments of template calls of those articles into your page.		
State:	stable	Dependency:	MediaWiki
Developer:	Alexia E. Smith, Algorithmix, Dangerville, IlyaHaykinson, Theaitetos, Unendlich	License:	GPL v2+
Type:	MediaWiki	Category:	Reporting
Edition:	BlueSpice pro, BlueSpice free, BlueSpice Farm, BlueSpice Cloud	Version:	4.1+
? View help page			

Features

DynamicPageList3 extension is a reporting tool for MediaWiki, which allows to include lists of pages, based on various selection criteria, on any content page.

{{Messagebox|boxtype=note|Note text=In MediaWiki 1.35 (BlueSpice Cloud), this extension can cause a database error. <https://phabricator.miraheze.org/T6402>}}

A typical application is the inclusion of a list of pages from certain categories or namespaces on a wiki page. The selection and sorting criteria can be applied using various parameters.

Technical info

The standard module for this extension is `{{#dpl: ... }}`.

Configuration

- There are no configuration options for this extension.

More Info

Examples for how to use this extension are included on the related [help page](#).

A complete user manual can be found on [Gamepedia](#).

Accessibility

Test status:	2-testing complete
Checked for:	Web, Authoring tool
Last test date:	2022-08-04
WCAG level:	AA
WCAG support:	supports
Comments:	text-based edit functionality, output formats can be created in accessible formats
Extension type:	core
Extension focus:	organizer

Category:Extension

Extensions that are bundled with one or more BlueSpice pro editions.

Pages in category "Extension"

The following 200 pages are in this category, out of 214 total.

(previous page) ([next page](#))

A

- [Reference:Arrays](#)
- [Reference:AtMentions](#)
- [Reference:Auth remoteuser](#)

B

- [Reference:BlueSpiceAbout](#)

- [Reference:BlueSpiceArticleInfo](#)
- [Reference:BlueSpiceArticlePreviewCapture](#)
- [Reference:BlueSpiceAvatars](#)
- [Reference:BlueSpiceBookshelf](#)
- [Reference:BlueSpiceCategoryCheck](#)
- [Reference:BlueSpiceCategoryManager](#)
- [Reference:BlueSpiceChecklist](#)
- [Reference:BlueSpiceCloudClient](#)
- [Reference:BlueSpiceConfigManager](#)
- [Reference:BlueSpiceContextMenu](#)
- [Reference:BlueSpiceCountThings](#)
- [Reference:BlueSpiceCustomMenu](#)
- [Reference:BlueSpiceDashboards](#)
- [Reference:BlueSpiceDiscovery](#)
- [Reference:BlueSpiceDistributionConnector](#)
- [Reference:BlueSpiceDrawioConnector](#)
- [Reference:BlueSpiceEchoConnector](#)
- [Reference:BlueSpiceEmoticons](#)
- [Reference:BlueSpiceExpiry](#)
- [Reference:BlueSpiceExportTables](#)
- [Reference:BlueSpiceExtendedFilelist](#)
- [Reference:BlueSpiceExtendedSearch](#)
- [Reference:BlueSpiceExtendedStatistics](#)
- [Reference:BlueSpiceFilterableTables](#)
- [Reference:BlueSpiceFlaggedRevsConnector](#)
- [Reference:BlueSpiceFoundation](#)
- [Reference:BlueSpiceGroupManager](#)
- [Reference:BlueSpiceHideTitle](#)
- [Reference:BlueSpiceInsertCategory](#)
- [Reference:BlueSpiceInsertFile](#)
- [Reference:BlueSpiceInsertLink](#)
- [Reference:BlueSpiceInsertMagic](#)
- [Reference:BlueSpiceInsertTemplate](#)
- [Reference:BlueSpiceInstanceStatus](#)
- [Reference:BlueSpiceInterWikiLinks](#)
- [Reference:BlueSpiceInterwikiSearch](#)
- [Reference:BlueSpiceMultiUpload](#)
- [Reference:BlueSpiceNamespaceManager](#)
- [Reference:BlueSpiceNSFileRepoConnector](#)
- [Reference:BlueSpicePageAccess](#)
- [Reference:BlueSpicePageAssignments](#)
- [Reference:BlueSpicePageFormsConnector](#)
- [Reference:BlueSpicePagesVisited](#)
- [Reference:BlueSpicePageTemplates](#)
- [Reference:BlueSpicePermissionManager](#)
- [Reference:BlueSpicePlayer](#)
- [Reference:BlueSpicePrivacy](#)
- [Reference:BlueSpiceProDistributionConnector](#)
- [Reference:BlueSpiceQrCode](#)

- [Reference:BlueSpiceRating](#)
- [Reference:BlueSpiceReadConfirmation](#)
- [Reference:BlueSpiceReaders](#)
- [Reference:BlueSpiceReminder](#)
- [Reference:BlueSpiceRSSFeeder](#)
- [Reference:BlueSpiceSaferEdit](#)
- [Reference:BlueSpiceSignHere](#)
- [Reference:BlueSpiceSmartList](#)
- [Reference:BlueSpiceSMWConnector](#)
- [Reference:BlueSpiceSocial](#)
- [Reference:BlueSpiceSocialBlog](#)
- [Reference:BlueSpiceSocialComments](#)
- [Reference:BlueSpiceSocialMicroBlog](#)
- [Reference:BlueSpiceSocialProfile](#)
- [Reference:BlueSpiceSocialRating](#)
- [Reference:BlueSpiceSocialResolve](#)
- [Reference:BlueSpiceSocialTags](#)
- [Reference:BlueSpiceSocialTimelineUpdate](#)
- [Reference:BlueSpiceSocialTopics](#)
- [Reference:BlueSpiceSocialWatch](#)
- [Reference:BlueSpiceTagCloud](#)
- [Reference:BlueSpiceUEModuleBookPDF](#)
- [Reference:BlueSpiceUEModuleDOCX](#)
- [Reference:BlueSpiceUEModuleHTML](#)
- [Reference:BlueSpiceUEModulePDF](#)
- [Reference:BlueSpiceUEModulePDFRecursive](#)
- [Reference:BlueSpiceUEModulePDFSubpages](#)
- [Reference:BlueSpiceUEModuleTable2Excel](#)
- [Reference:BlueSpiceUniversalExport](#)
- [Reference:BlueSpiceUsageTracker](#)
- [Reference:BlueSpiceUserInfo](#)
- [Reference:BlueSpiceUserManager](#)
- [Reference:BlueSpiceUserSidebar](#)
- [Reference:BlueSpiceVisualEditorConnector](#)
- [Reference:BlueSpiceWatchList](#)
- [Reference:BlueSpiceWebDAVClientIntegration](#)
- [Reference:BlueSpiceWebDAVMinorSave](#)
- [Reference:BlueSpiceWholsOnline](#)
- [Reference:BlueSpiceWikiExplorer](#)
- [Reference:BlueSpiceWikiFarm](#)

C

- [Reference:CategoryTree](#)
- [Reference:Checklists](#)
- [Reference:Cite](#)
- [Reference:CiteThisPage](#)
- [Reference:CodeEditor](#)
- [Reference:CodeMirror](#)

- [Reference:CognitiveProcessDesigner](#)
- [Reference:ConfirmAccount](#)
- [Reference:ConfirmEdit](#)
- [Reference:ContainerFilter](#)
- [Reference:ContentDroplets](#)
- [Reference:ContentProvisioning](#)
- [Reference:ContentStabilization](#)
- [Reference:ContentTransfer](#)
- [Reference:CreateUserPage](#)

D

- [Reference:Data Transfer](#)
- [Reference:DateTimeTools](#)
- [Reference:DrawioEditor](#)
- [Reference:DynamicPageList3](#)

E

- [Reference:Echo](#)
- [Reference:EmbedVideo](#)
- [Reference:EmbedVideo \(fork\)](#)
- [Reference:EnhancedUpload](#)
- [Reference:EventBus](#)
- [Reference:External Data](#)
- [Reference:ExtJSBase](#)

F

- [Reference:FilterSpecialPages](#)
- [Reference:FlaggedRevs](#)
- [Reference:FlexiSkin](#)
- [Reference:FontAwesome](#)
- [Reference:Forms](#)

G

- [Reference:Gadgets](#)

H

- [Template:Hdsk PT Extension HW](#)
- [Template:Hdsk PT Extension MW](#)
- [Reference:Header Tabs](#)
- [Reference:HeaderFooter](#)
- [Reference:HitCounters](#)

I

- [Reference:ImageMap](#)

- [Reference:ImageMapEdit](#)
- [Reference:ImportOfficeFiles](#)
- [Reference:InputBox](#)
- [Reference:Interwiki](#)
- [Reference:InviteSignup](#)

L

- [Reference:LDAP Authorization](#)
- [Reference:LDAPAuthentication2](#)
- [Reference:LDAPGroups](#)
- [Reference:LDAPProvider](#)
- [Reference:LDAPSyncAll](#)
- [Reference:LDAPUserInfo](#)
- [Reference:Lingo](#)
- [Reference:LocalisationUpdate](#)
- [Reference:LoginNotify](#)
- [Reference:Loops](#)

M

- [Reference:Maps](#)
- [Reference:Math](#)
- [Reference:MediaWiki](#)
- [Reference:MenuEditor](#)
- [Reference:MergeArticles](#)
- [Reference:MultimediaViewer](#)

N

- [Reference:NSFileRepo](#)
- [Reference:Nuke](#)

O

- [Reference:OATHAuth](#)
- [Reference:OOJSPlus](#)
- [Reference:OpenID Connect](#)
- [Reference:OpenLayers](#)

P

- [Reference:Page Forms](#)
- [Reference:PageCheckout](#)
- [Reference:PageHeader](#)
- [Reference:PageImages](#)
- [Reference:ParserFunctions](#)
- [Reference:ParserHooks](#)
- [Reference:PDFEmbed](#)
- [Reference:PdfHandler](#)

- [Reference:PluggableAuth](#)
- [Reference:Poem](#)
- [Reference:Popups](#)
- [Reference:PreToClip](#)

R

- [Archive:Reference:BlueSpiceCalumma](#)
- [Archive:Reference:BlueSpiceLatexRenderer](#)
- [Archive:Reference:BlueSpiceMatomoConnector](#)
- [Archive:Reference:BlueSpiceNamespaceCSS](#)
- [Archive:Reference:BlueSpiceSocialWikiPage](#)
- [Archive:Reference:Bootstrap](#)
- [Archive:Reference:Chameleon](#)
- [Reference:Renameuser](#)
- [Reference:Replace Text](#)
- [Reference:RevisionSlider](#)
- [Reference:RSS](#)

S

- [Reference:Scribunto](#)
- [Reference:SectionAnchors](#)
- [Reference:SecureLinkFixer](#)
- [Reference:Semantic Compound Queries](#)
- [Reference:Semantic Extra Special Properties](#)
- [Reference:Semantic MediaWiki](#)
- [Reference:Semantic Result Formats](#)
- [Reference:Semantic Scribunto](#)
- [Reference:SimpleSAMLphp](#)
- [Reference:SimpleTasks](#)
- [Reference:SpamBlacklist](#)
- [Reference:StandardDialogs](#)
- [Reference:SubPageList](#)
- [Reference:SyntaxHighlight](#)

T

- [Reference:TabberNeue](#)
- [Reference:TemplateData](#)
- [Reference:TemplateStyles](#)
- [Reference:TextExtracts](#)
- [Reference:TitleBlacklist](#)

([previous page](#)) ([next page](#))

Creating page lists with DPL3

The extension **DynamicPageList3** allows you to display lists of wiki pages on other pages. In addition, individual page sections from one wiki page can be included (=transcluded) in another page.

Contents

1 Examples	10
1.1 Transcluding page sections	10
1.2 List of subpages	10
1.3 Selecting pages by namespace	11
1.3.1 Category format	11
1.3.2 Category layout	12
1.4 Selecting pages by category	12
1.5 Selecting pages with specific naming patterns	12
2 List of common parameters	13
2.1 Criteria for page selection	13
2.2 Output-Format	13
2.3 Sorting	14
2.4 Display of meta data	14
3 Disabling automatically generated DPL categories	14

Examples

You can view a documentation of all selection criteria and formatting options at [Gamepedia](#).

This help page contains some typical examples as well as a [list of common parameters and their values](#).

Transcluding page sections

To display a section of one wiki page on another page, provide the page name (title) and the section header (include) as parameters:

```
{{#dpl:|title=Manual:Semantic_MediaWiki|include=#Defining attributes}}
```

List of subpages

The following code shows the subpages of the current page in a 3-column layout:

```
{{#dpl:
|titlematch={{PAGENAME}}/%
|shownamespace=false
|replaceintitle={{PAGENAME}}\\/,
|columns=3
|mode=none
|rowcolformat=width=100%
}}
```

Example: Display the subpages of the page *VisualEditor* in the namespace *Manual* in a 1-column layout:

```
{{#dpl:
|titlematch=VisualEditor/%
|shownamespace=false
|namespace= Manual
|replaceintitle=/VisualEditor\\/,
|columns=1
|mode=unordered
|rowcolformat=width=100%
}}
```

Output:

If you want to limit the output to the first level of subpages, you can add:

```
|nottitlematch={{PAGENAME}}/%/%
```

Selecting pages by namespace

```
{{#dpl:
|namespace=Manual
|includesubpages=true
|shownamespace=false
|count=5
|ordermethod=title
}}
```

Output:

- [Admin Manual Introduction](#)
- [All topics](#)
- [Content organisation](#)
- [Content organization](#)
- [Create Pages](#)

Category format

```
<div class="dplcategory">
{{#dpl:
|namespace=Manual
|includesubpages=true
|shownamespace=false
|mode=category
|ordermethod=titlewithoutnamespace
}}
</div>
```

Output:

A	<ul style="list-style-type: none">• BeHandbuch Einführung• Begutachtungsprozess• Benutzereinstellungen• Benutzerhandbuch Einführung	<ul style="list-style-type: none">• Erweiterung/BlueSpiceArticleInfo• Erweiterung/BlueSpiceAuthors• Erweiterung/BlueSpiceAvatars• Erweiterung/BlueSpiceBookshelf• Erweiterung/BlueSpiceCategoryCheck• Erweiterung/BlueSpiceCategoryManager• Erweiterung/BlueSpiceChecklist• Erweiterung/BlueSpiceConfigManager• Erweiterung/BlueSpiceContextMenu• Erweiterung/BlueSpiceCountThings• Erweiterung/BlueSpiceCustomMenu
<ul style="list-style-type: none">• Adminhandbuch Einführung• Alle Themen• Andere Admin-Seiten• Artikel Löschen	D <ul style="list-style-type: none">• Das Konzept der Namensräume	
B	E	

If the sorting letters are displayed at the end of a column, the display can be improved by inserting css declarations on the page *MediaWiki:Common.css* :

```
/*dpl column layout - avoid header orphans */
.dplcategory {-webkit-column-count:3;column-count:3;}
.dplcategory .mw-category .mw-category-group {display:block}
.dplcategory .mw-category-group {margin:0 2em 2em 2em;}
.dplcategory .mw-category-group h3 {break-after:avoid}
.dplcategory .mw-category-group h3 {margin:0 0 0.3em; border-bottom:1px solid #e2e2e2}
```

Improved output:

A

- [Adminhandbuch Einführung](#)
- [Alle Themen](#)
- [Andere Admin-Seiten](#)
- [Artikel Löschen](#)

B

- [BeHandbuch Einführung](#)
- [Begutachtungsprozess](#)

- [Benutzereinstellungen](#)
- [Benutzerhandbuch Einführung](#)

D

- [Das Konzept der Namensräume](#)

E

- [Erweiterung/BlueSpiceArticleInfo](#)

- [Erweiterung/BlueSpiceAuthors](#)
- [Erweiterung/BlueSpiceAvatars](#)
- [Erweiterung/BlueSpiceBookshelf](#)
- [Erweiterung/BlueSpiceCategoryCheck](#)
- [Erweiterung/BlueSpiceCategoryManager](#)
- [Erweiterung/BlueSpiceChecklist](#)
- [Erweiterung/BlueSpiceConfigManager](#)
- [Erweiterung/BlueSpiceContextMenu](#)
- [Erweiterung/BlueSpiceCountThings](#)
- [Erweiterung/BlueSpiceCustomMenu](#)

Category layout

Selecting pages by category

```
{{#dpl:
|category=Editing
|addcategories=true
|includesubpages=true
|shownamespace=false
|count=5
|ordermethod=title
|mode=ordered
}}
```

Output:

1. [Create Pages](#) . . Categories: [Editing](#)
2. [Create pages](#) . . Categories: [Editing](#)
3. [Delete article](#) . . Categories: [Editing](#)
4. [Extension/BlueSpiceCategoryCheck](#) . . Categories: [Advanced](#) | [Editing](#)
5. [Extension/BlueSpiceContextMenu](#) . . Categories: [Editing](#)

Selecting pages with specific naming patterns

```
{{#dpl:
|namespace=File
|titlematch=A%
|count=5
}}
```

Output:

- [File:Anhang-en.png](#)
- [File:Attribut-erstellen1-EN.png](#)
- [File:Attribut-erstellen2-EN.png](#)
- [File:Attribute-spezialseite-EN.png](#)
- [File:Aufbau des Dockercontainers.drawio.png](#)

List of common parameters

Criteria for page selection

Parameter	Syntax	Description
category	<i> category=QM Setup...</i>	Pages in the category QM OR Setup
	<i> category=QM&Setup&...</i>	Pages in the categories QM AND Setup
	<i> category=QM Setup...</i> <i> category=Admin</i>	Pages in the categories QM OR Setup, and pages in the category Admin
notcategory	<i> notcategory=QM</i>	Pages that are not in the category QM
categoriesminmax	<i> category=QM categoriesminmax=2</i>	Pages that are in the category QM and in at least 2 more categories
	<i> category=QM categoriesminmax=, 1</i>	Pages that are only in the category QM and in no other category
namespace	<i> namespace=</i>	Pages in the namespace (Main)
	<i> namespace=Help Manual</i>	Pages in the namespace Help OR Manual
namespacenot	<i> namespacenot=Help</i>	Pages that are not in the namespace Help
	<i> namespacenot={{NAMESPACE}}}</i>	Pages that are not in the namespace of the current wiki page

Output-Format

Parameter	Syntax	Description
mode	<i> mode=ordered</i>	Unordered list
	<i> mode=unordered</i>	Numbered list
	<i> mode=none</i>	Line breaks
	<i> mode=category</i>	Pages are grouped alphabetically with a letter heading (similar to category pages)
	<i> mode=inline inlinetext=&nbsp; &bull; &nbsp;</i>	Page names are listed on the same line and separated with a bullet point

Sorting

Parameter	Syntax	Description
ordermethod	<i> ordermethod=title</i>	Ordered by page (prefix+)title
	<i> ordermethod=titlewithoutnamespace</i>	Ordered by page name independent of namespace
	<i> ordermethod=counter</i>	Ordered by number of page views (popularity)
	<i> ordermethod=size</i>	Ordered by page size
	<i> ordermethod=firstedit</i>	Ordered by creation date
	<i> ordermethod=lastedit</i>	Ordered by last edit date
	<i> ordermethod=user,firstedit</i>	Ordered by author, then by creation date
	<i> ordermethod=user,lastedit</i>	Ordered by last editor, then by last edit date
order	<i> order=ascending</i>	Sorted in ascending order
	<i> order=descending</i>	Sorted in descending order

Display of meta data

Parameter	Syntax	Description
addcategories	<i> addcategories=true</i>	Shows all categories of a page after the page name
addpagecounter	<i> category:QM ordermethod=counter order=descending</i> <i> addpagecounter=true count=5</i>	Shows the 5 most popular pages in the category QM
adduser	<i> category=QM ordermethod=lastedit adduser=true</i>	Adds the name of the last editor in front of the page name
addauthor	<i> category=QM addauthor=true</i>	Adds the name of the original author in front of the page name.

Disabling automatically generated DPL categories

This extension is creating some sometimes unwanted automatic system categories that are then displayed on each wiki page that includes a DPL parser function.

To hide these categories, follow these steps:

1. **Go** to page *Special:TrackingCategories* in your wiki
2. **Click** on *dpl-parserfunc-tracking-category* in the column *Message name*
3. **Replace** the text *Pages using DynamicPageList parser function not wanted* with a dash ("-"). The category will no longer be displayed on your wiki pages.
4. **Save** the page.

The system category is no longer displayed on your wiki pages.

See also: <https://www.mediawiki.org/wiki/Help:Tracking%20categories>

➔ [Technical Reference: DynamicPageList3](#)

➔ [Technical Reference: DynamicPageList3](#)