

## Reference:LDAPSyncAll

### Extension: LDAPSyncAll

→ [all extensions](#)

Overview			
<b>Description:</b>	Mechanism by which users in the database and users in Active Directory are synchronized.		
<b>State:</b>	stable	<b>Dependency:</b>	MediaWiki
<b>Developer:</b>	Robert Vogel	<b>License:</b>	<a href="#">GPL-3.0-only</a>
<b>Type:</b>	MediaWiki	<b>Category:</b>	Infrastructure
<b>Edition:</b>	BlueSpice pro (deactivated), BlueSpice Farm (deactivated)	<b>Version:</b>	4.1+
For more info, visit <a href="#">Mediawiki</a> .			

### Features

This extension provides a mechanism which synchronizes users in the database and users in Active Directory:

- If a user is not in the database, but is in LDAP => the user will be added to the database
- If a user is in the database, but is not in LDAP => the user will be disabled in the database

### Technical Information

This information applies to BlueSpice 4. Technical details for BlueSpice Cloud can differ in some cases.

### Requirements

MediaWiki: 1.39.0  
LDAPGroups: 2.0

- LDAPProvider: 2.0 LDAPUserInfo: 2.0

## Integrates into

## Special pages

## Configuration

Name	Value
BlockExecutorUsername	'MediaWiki default'
ExcludedGroups	array ( 0 => 'bot', )
ExcludedUsernames	array ( 0 => 'WikiSysop', )
UserPageContent	'{{User}}'
UsersSyncMechanism	'\\LDAPSyncAll\\UserSyncMechanism\\SyncAllMechanism::factory'

## Hooks

- [ChangeTagsAllowedAdd](#)

## Accessibility

<b>Test status:</b>	2-testing complete
<b>Last test date:</b>	2022-08-05
<b>Extension type:</b>	backend