

Contents

1. Setup:Installation Guide/Advanced	2
2. Setup:Installation Guide/Advanced/Backup	2
3. Setup:Installation Guide/Advanced/Configuration Folder settings.d	2
4. Setup:Installation Guide/Advanced/ExtendedSearch Configuration	3
5. Setup:Installation Guide/Advanced/Folder structure under Windows	3
6. Setup:Installation Guide/Advanced/Mathoid	5
7. Setup:Installation Guide/Advanced/Performance Optimization	5
8. Setup:Installation Guide/Advanced/Performance Optimization/ManualRecache	5
9. Setup:Installation Guide/Advanced/Performance Optimization/MySQL	6
10. Setup:Installation Guide/Advanced/Performance Optimization/PHP	6
11. Setup:Installation Guide/Advanced/VisualEditor Configuration	7
12. Setup:Installation Guide/Advanced/Windows Folder Structure	9

Setup:Installation Guide/Advanced

[Backup](#)

[Configuration Folder settings.d](#)

[ExtendedSearch Configuration](#)

[Folder structure under Windows](#)

[Mathoid](#)

[Performance Optimization](#)

[ManualRecache](#)

[MySQL](#)

[PHP](#)

[VisualEditor Configuration](#)

[Windows Folder Structure](#)

Setup:Installation Guide/Advanced/Backup

Backup of the database

To back up your database, use the native program "mysqldump" of MySQL/MariaDB: Open a console, switch to the directory `<installpath-bluespice>` and backup your database with the following command:

```
mysqldump -u <username> -p --lock-tables <datenbank> > database.sql
```

For `<username>`, use the administrative database user (usually "root"), and for `<datenbank>`, use the database of your MediaWiki/BlueSpice installation.

Hinweis: In Windows, make sure that your environment variables are set correctly, so that you can access the command "mysqldump".

Backup of the file system

Back up the complete directory `<installpath-bluespice>`, which now also includes the database image, to a different location on your server.

For security reasons, immediately delete the file `<installpath-bluespice>/database.sql`, since it can be accessed from the browser.

Setup:Installation Guide/Advanced/Configuration Folder settings.d

Hinweis: This document provides background information for advanced users. We recommend not to make any changes on BlueSpice, if you are not familiar with the following information.

For editing the configuration files with a text editor, the files must be saved in UTF-8 coding without BOM (Byte Order Mark).

The placeholder `<installpath-bluespice>` stands for the path to your BlueSpice installation, e.g `C:\inetpub\wwwroot\bluespice` (Windows) or `/var/www/bluespice` (Linux).

Explanation For the Folder settings\d

Starting with BlueSpice version 2.27.1, all default settings as well as the modules of BlueSpice are outsourced. All configurations can now be found in separate files in the /settings.d folder. The files in this folder integrate the standard MediaWiki extensions required for BlueSpice, perform recommended default configurations, and also integrate all BlueSpice-related extensions (free or pro).

The files in the /settings.d folder are automatically integrated in alphabetical order and are therefore prefixed with numbers.

If you want to add additional configurations yourself, you can save your own files here. For this, it is recommended to use the prefix 001-.

Additional configurations, which are not packed per default but can be used, can be found at [auf github.com](https://github.com).

Update\safe changing of default configuration files

If you want to change the files delivered by default in the settings.d folder, we strongly recommend that you choose the following method so as not to lose this configuration after an update:

Create a copy of the respective configuration file with the extension `.local.php` - e.g. *020-VisualEditor.local.php*

Only edit this file

Files with this file extension are generally preferred in the loading process.

ExtendedSearch configuration

If the [ElasticSearch service is up and running](#), you can enable BlueSpice Extended Search.

Go to your BlueSpice install path. For example:

```
cd /var/www/bluespice
```

Go to the folder *settings.d*:

```
cd settings.d
```

Create a file in this folder and name it *020-BlueSpiceExtendedSearch.local.php*.

Put the following content in the newly created file.

```
<?php
wfLoadExtension( 'BlueSpiceExtendedSearch' );
$GLOBALS['wgSearchType'] = 'BS\\ExtendedSearch\\MediaWiki\\Backend\\BlueSpiceSearch';
```

Go to your BlueSpice install path again. For example:

```
cd /var/www/bluespice
```

Run the following scripts to build the search index.

```
php extensions/BlueSpiceExtendedSearch/maintenance/initBackends.php --quick
php extensions/BlueSpiceExtendedSearch/maintenance/rebuildIndex.php --quick
php maintenance/runJobs.php
```

Done! The extended search functionality is now active.

Folder structure under Windows

Contents

1 Preface	5
2 Folder structure	5
3 Folder names for program installations	5

Preface

Microsoft Windows distributes program installations and configurations, the Webroot under IIS etc. to various folders in the file system. Since BlueSpice is a web application based on PHP, it is not always easy to use the Windows default system paths in the application.

For this reason, we recommend creating your own folder structure for BlueSpice, all related data and additional program installations.

In the following we describe a proven folder structure. This is recommended by us.

Folder structure

In the following, "\bluespice\" is defined as the base directory for the installation in the root directory of the drive (e.g. C:\bluespice or D:\bluespice).

The folder structure is based on Unix operating systems:

```
bluespice/
├── backup/           # for backups
├── bin/             # for additional programs and own scripts
├── etc/            # for configuration files
├── opt/
│   └── bluespice/
│       ├── cache/   # BlueSpice cache
│       ├── images/  # File uploads
│       └── widgets/ # Rendered widgets
├── tmp/           # Temporary files
└── var/
    ├── log/       # LOG files of the web server
    └── www/       # Actual BlueSpice application
```

Folder names for program installations

When installing programs in \bluespice\, please make sure to install these programs in subfolders that do not contain special characters and/or spaces.

Setup:Installation Guide/Advanced/Mathoid

Mathoid is a nodjs service which takes various forms of math input and converts it to MathML + SVG or PNG output.

BlueSpice has everything already preconfigured in <https://gitlab.hallowelt.com/BlueSpice/mediawiki/-/blob/4.1.2/settings.d/050-Math.php>

If mathematical formulas are not rendered in your wiki, please check that `extensions/Math/webservices/mathoid.tar.gz` is deployed in the correct folder:

Linux: `/opt/mathoid`

Windows: `C:\BlueSpice\bin\mathoid`

Setup:Installation Guide/Advanced/Performance Optimization

[Installation Guide/Advanced/Performance Optimization/ManualRecache](#)

[Installation Guide/Advanced/Performance Optimization/MySQL](#)

[Installation Guide/Advanced/Performance Optimization/PHP](#)

Performance Optimization: ManualRecache of LanguageCache

To prevent Rebuilding LocalizationCache with every page call, apply the following configuration:

Important! When following these instructions, make sure that the `$wgCacheDirectory` variable is set in advance. This is already the case in the BlueSpice standard delivery in the file `settings.d/005-Directories.php`.

Note: This performance optimization achieves the best performance by enabling and configuring [opcache in PHP](#).

In the `settings.d` folder of your codebase, create the file `006-ManualRecache.php` with the following contents:

```
<?php
$wgLocalisationCacheConf = [
    'class' => LocalisationCache::class,
    'store' => 'array',
    'storeClass' => false,
    'storeDirectory' => $wgCacheDirectory,
    'manualRecache' => true,
];
```

Then delete all existing files in the `cache` folder of your codebase. Then manually re-create the LocalizationCache by entering the following on your console:

```
php /pfad/zur/installation/maintenance/rebuildLocalisationCache.php --force
```

Finally, make sure that this is done regularly in the background via cronjob ("Task Scheduler" under Windows). We recommend this twice a day, for example at 6am and 6pm.

Performance Optimization: MySQL (MariaDB)

Match MySQL or MariaDB directly to your memory and CPU cores. To do this, apply the following configuration in your `my.ini`:

```
[mysqld]
; with 16GB RAM
innodb_buffer_pool_size=4096M
tmp-table-size=1024M
max-heap-table-size=1024M
query_cache_size=1024M

; with 12 CPU cores
innodb-buffer-pool-instances=12
max_connections=12000

; Only use "127.0.0.1", not "localhost" when accessing MySQL
; Remember to also make these changes in the $wgDBserver variable in LocalSettings.php.
skip-name-resolve
```

Performance Optimization: PHP

Contents

1	opcache	7
2	zlib	7

opcache

Enable the Zend extension opcache in PHP. In the php.ini, we recommend the following configuration:

```
opcache.enable=1
opcache.memory_consumption=512
opcache.max_accelerated_files=100000
opcache.validate_timestamps=1
opcache.revalidate_freq=2
opcache.optimization_level=0x7FFF9FFF
```

In addition, you should include the BlueSpice configuration files (`extensions/BlueSpiceFoundation/config/*`) in the Opcache blacklist (`opcache.blacklist_filename`). You can find more information in the [official PHP documentation](#) for configuration.php.

zlib

Activate the extension zlib. In the php.ini we recommend the following configuration:

```
zlib.output_compression = 0n
zlib.output_compression_level = 9
```

You can find more information in the [official PHP documentation](#) for zlib.

VisualEditor configuration

Contents

1 Server settings	8
2 Checking the Configuration manager	8
3 Activating VisualEditor for a namespace	8
4 Customizing the link to the help pages	8


Server settings

Before you can use VisualEditor in BlueSpice, you have to activate it in your installation:

In the BlueSpice installation directory, locate the following files inside the folder


„var\www\settings.d“:

020-VisualEditor.php:



```
1 <?php
2 return;
3
4 //Config decription can
5 //https://www.mediawiki.
6 wfLoadExtension( 'Visual
```

020-BlueSpiceVisualEditorConnector.php:



```
<?php
return;
wfLoadExtension( "BlueSpiceVisualEditorConnector" );
$GLOBALS['bsgVisualEditorConnectorUploadDialogType'] = 'simple';

$GLOBALS['wgUploadDialog']['fields']['categories'] = true;
$GLOBALS['wgUploadDialog']['format']['filepage'] = '$DESCRIPTION $CATEGORIES';
```

Remove the line containing the „return;“ command in both files and save them.

Restart your web server (recommended).

Checking the Configuration manager

In case the VisualEditor is still not appearing, check if VisualEditor is shown as activated in the configuration manager of your wiki:

Go to *Global actions > Config manager*

Make sure the checkbox "Enable VisualEditor for BlueSpice extensions" is activated:

650x650px

By default, VisualEditor is only activated in the main (Pages) and the User namespaces.

Activating VisualEditor for a namespace

Go to Global actions > Namespace manager In the column "VisualEditor", you can see which namespaces have VisualEditor activated. They have a green check mark.

Click the wrench icon in the "Actions" column. The wrench appears, when you hover over the row of the namespace:

650x650px

Activate the checkbox for VisualEditor in the dialog window and click "Done":

650x650px

Refresh the Namespace manager page (F5) to confirm the change.

VisualEditor should now be working correctly in all namespaces that actively use it.

Customizing the link to the help pages

By default, the help link for VisualEditor links to the help page for VisualEditor on the BlueSpice helpdesk.

File:Setup:installation-ve-
helplink.png
VisualEditor help link

The link can be changed to go to a custom URL:

To configure the url, add:

```
`$GLOBALS['bsgVisualEditorConnectorHelpUrl'] = 'https://your_url';`
```

to 'LocalSettings.php' or the appropriate config file.

Windows Folder Structure

Contents

1 Introduction	10
2 Folder structure	10
3 Folder names for program installations	10

Introduction

Microsoft Windows distributes program installations and configurations, the Webroot under IIS etc. to various folders in the file system. Since BlueSpice is a web application based on PHP, it is not always easy to use the Windows default system paths in the application.

For this reason, we recommend creating a separate folder structure for BlueSpice, all related data and additional program installations.

In the following we describe a proven folder structure that is also recommended by us.

Folder structure

In the following, "\bluespice\" is specified as the base directory for the installation in the root directory of the drive (e.g. C:\bluespice or D:\bluespice).

The folder structure based on Unix operating systems is:

```
bluespice/
├── backup/           # für Backups
├── bin/             # für Zusätzliche Programme sowie eigene Scripte
├── etc/            # für Konfigurationsdateien
├── opt/
│   └── bluespice/
│       ├── cache/   # BlueSpice-eigener Cache
│       ├── images/  # Datei-Uploads
│       └── widgets/ # Gerenderte Widgets
├── tmp/           # Temporäre Dateien
└── var/
    ├── log/       # LOG-Dateien des Webservers
    └── www/       # Die eigentliche BlueSpice-Applikation
```

Folder names for program installations

When installing programs in \bluespice\bin, please always ensure that these programs are installed in subfolders that do not contain any special characters and/or spaces.