VisualEditor configuration

Latest revision as of 17:00, 22 December 2021 (view source)
Margit Link-Rodrigue (talk | contribs)
(Created page with "{{DISPLAYTITLE:VisualEditor configuration}} ==Server settings== Before you can use VisualEditor in BlueSpice, you have to activate it in your installation: In the BlueSpice...")
Tag: 2017 source edit

(No difference)

Latest revision as of 17:00, 22 December 2021

Contents

1 Server settings 2
2 Checking the Configuration manager 2
3 Activating VisualEditor for a namespace 2
4 Customizing the link to the help pages 3

Server settings

Before you can use VisualEditor in BlueSpice, you have to activate it in your installation:

In the BlueSpice installation directory, locate the following files inside the folder „var\www\settings.d“:

020-VisualEditor.php:

```
<?php
return;

//Config decription can
//https://www.mediawiki.
wfLoadExtension( 'Visual
```

020-BlueSpiceVisualEditorConnector.php:

```
<?php
return;
wfLoadExtension( "BlueSpiceVisualEditorConnector" );
$GLOBALS['bsgVisualEditorConnectorUploadDialogType'] = 'simple';

$GLOBALS['wgUploadDialog']['fields']['categories'] = true;
$GLOBALS['wgUploadDialog']['format']['filepage'] = '$DESCRIPTION $CATEGORIES';
```

1. Remove the line containing the „return;“ command in both files and save them.
2. Restart your web server (recommended).

Checking the Configuration manager

In case the VisualEditor is still not appearing, check if VisualEditor is shown as activated in the configuration manager of your wiki:

1. Go to *Global actions > Config manager*
2. Make sure the checkbox "Enable VisualEditor for BlueSpice extensions" is activated:

File:ve-config.png

By default, VisualEditor is only activated in the main (Pages) and the User namespaces.

Activating VisualEditor for a namespace

1. Go to Global actions > Namespace manager In the column "VisualEditor", you can see which namespaces have VisualEditor activated. They have a green check mark.
2. Click the wrench icon in the "Actions" column. The wrench appears, when you hover over the row of the namespace:

File:ve-config-namespace.png

1. Activate the checkbox for VisualEditor in the dialog window and click "Done":

File:ve-config-namespace-edit.png

1. Refresh the Namespace manager page (F5) to confirm the change.

VisualEditor should now be working correctly in all namespaces that actively use it.

Customizing the link to the help pages

By default, the help link for VisualEditor links to the help page for VisualEditor on the BlueSpice helpdesk.

File:Setup:installation-ve-helplink.png

VisualEditor help link

The link can be changed to go to a custom URL:

To configure the url, add:

```
`$GLOBALS['bsgVisualEditorConnectorHelpUrl'] = 'https://your_url';`
```

to 'LocalSettings.php' or the appropriate config file.