

# Setup:Installation Guide/Advanced/VisualEditor Configuration

**Latest revision as of 17:00, 22 December 2021 (view source)**

[Margit.link-rodrigue](#) ([talk](#) | [contribs](#))

(Created page with "{{DISPLAYTITLE:VisualEditor configuration}} ==Server settings== Before you can use VisualEditor in BlueSpice, you have to activate it in your installation: In the BlueSpice...")

[Tag: 2017 source edit](#)

(No difference)

---

## Latest revision as of 17:00, 22 December 2021

---

### Contents

<a href="#">1 Server settings</a>	2
<a href="#">2 Checking the Configuration manager</a>	2
<a href="#">3 Activating VisualEditor for a namespace</a>	2
<a href="#">4 Customizing the link to the help pages</a>	2

## Server settings


---

Before you can use VisualEditor in BlueSpice, you have to activate it in your installation:

In the BlueSpice installation directory, locate the following files inside the folder


„var\www\settings.d“:

### 020-VisualEditor.php:



```
1 <?php
2 return;
3
4 //Config decription can
5 //https://www.mediawiki.
6 wfLoadExtension( 'Visual
```

### 020-BlueSpiceVisualEditorConnector.php:



```
<?php
return;
wfLoadExtension( "BlueSpiceVisualEditorConnector" );
$GLOBALS['bsgVisualEditorConnectorUploadDialogType'] = 'simple';

$GLOBALS['wgUploadDialog']['fields']['categories'] = true;
$GLOBALS['wgUploadDialog']['format']['filepage'] = '$DESCRIPTION $CATEGORIES';
```

Remove the line containing the „return;“ command in both files and save them.

Restart your web server (recommended).

## Checking the Configuration manager

---

In case the VisualEditor is still not appearing, check if VisualEditor is shown as activated in the configuration manager of your wiki:

Go to *Global actions > Config manager*

Make sure the checkbox "Enable VisualEditor for BlueSpice extensions" is activated:

### 650x650px

By default, VisualEditor is only activated in the main (Pages) and the User namespaces.

## Activating VisualEditor for a namespace

---

Go to Global actions > Namespace manager In the column "VisualEditor", you can see which namespaces have VisualEditor activated. They have a green check mark.

Click the wrench icon in the "Actions" column. The wrench appears, when you hover over the row of the namespace:

### 650x650px

Activate the checkbox for VisualEditor in the dialog window and click "Done":

### 650x650px

Refresh the Namespace manager page (F5) to confirm the change.

VisualEditor should now be working correctly in all namespaces that actively use it.

## Customizing the link to the help pages

---

By default, the help link for VisualEditor links to the help page for VisualEditor on the BlueSpice helpdesk.

File:Setup:installation-ve-  
helplink.png  
VisualEditor help link

The link can be changed to go to a custom URL:

To configure the url, add:

```
`$GLOBALS['bsgVisualEditorConnectorHelpUrl'] = 'https://your_url';`
```

to 'LocalSettings.php' or the appropriate config file.