

## VisualEditor configuration

### Contents

1	<a href="#">Server settings</a>	.....
2	<a href="#">Checking the Configuration manager</a>	.....
3	<a href="#">Activating VisualEditor for a namespace</a>	.....
4	<a href="#">Customizing the link to the help pages</a>	.....


## Server settings

---

Before you can use VisualEditor in BlueSpice, you have to activate it in your installation:


In the BlueSpice installation directory, locate the following files inside the folder „var\www\settings.d“:

### 020-VisualEditor.php:



```
1 <?php
2 return;
3
4 //Config decription can
5 //https://www.mediawiki.
6 wfLoadExtension( 'Visual
```

### 020-BlueSpiceVisualEditorConnector.php:



```
<?php
return;
wfLoadExtension( "BlueSpiceVisualEditorConnector" );
$GLOBALS['bsgVisualEditorConnectorUploadDialogType'] = 'simple';

$GLOBALS['wgUploadDialog']['fields']['categories'] = true;
$GLOBALS['wgUploadDialog']['format']['filepage'] = '$DESCRIPTION $CATEGORIES';
```

1. Remove the line containing the „return;“ command in both files and save them.
2. Restart your web server (recommended).

## Checking the Configuration manager

---

In case the VisualEditor is still not appearing, check if VisualEditor is shown as activated in the configuration manager of your wiki:

1. Go to *Global actions > Config manager*
2. Make sure the checkbox "Enable VisualEditor for BlueSpice extensions" is activated:

[File:ve-config.png](#)

By default, VisualEditor is only activated in the main (Pages) and the User namespaces.

## Activating VisualEditor for a namespace

---

1. Go to *Global actions > Namespace manager* In the column "VisualEditor", you can see which namespaces have VisualEditor activated. They have a green check mark.
2. Click the wrench icon in the "Actions" column. The wrench appears, when you hover over the row of the namespace:

[File:ve-config-namespace.png](#)

1. Activate the checkbox for VisualEditor in the dialog window and click "Done":

[File:ve-config-namespace-edit.png](#)

1. Refresh the Namespace manager page (F5) to confirm the change.

VisualEditor should now be working correctly in all namespaces that actively use it.

## Customizing the link to the help pages

---

By default, the help link for VisualEditor links to the help page for VisualEditor on the BlueSpice helpdesk.

[File:Setup:installation-ve-helplink.png](#)  
VisualEditor help link

The link can be changed to go to a custom URL:

To configure the url, add:

```
`$GLOBALS['bsgVisualEditorConnectorHelpUrl'] = 'https://your_url';`
```

to 'LocalSettings.php' or the appropriate config file.