



Parsoid is the rendering service for VisualEditor. Make sure to install and configure Parsoid before configuring VisualEditor. See the instructions for Windows and Linux.

Contents

1 Server settings	1
2 Checking the Configuration manager	2
3 Activating VisualEditor for a namespace	3

Server settings

Before you can use VisualEditor in BlueSpice, you have to activate it in your installation:

In the BlueSpice installation directory, locate the following files inside the folder „var\www\settings.d“:

020-VisualEditor.php:

```
020-VisualEditor.php x 020-BlueSpice Visual
1 <?php
2 return;
3
4 //Config decription can
5 //https://www.mediawiki.
6 wfLoadExtension( 'Visual
```

020-BlueSpiceVisualEditorConnector.php:

```
visualeditor.php x 020-blue-spice-visual-editor-connector.php x
<?php
return;
wfLoadExtension( "BlueSpiceVisualEditorConnector" );
$GLOBALS['bsgVisualEditorConnectorUploadDialogType'] = 'simple';


$GLOBALS['wgUploadDialog']['fields']['categories'] = true;
$GLOBALS['wgUploadDialog']['format']['filepage'] = '$DESCRIPTION $CATEGORIES';
```

1. Remove the line containing the „return;“ command in both files and save them.
2. Restart your web server (recommended).

Checking the Configuration manager

In case the VisualEditor is still not appearing, check if VisualEditor is shown as activated in the configuration manager of your wiki:

1. Go to *Global actions > Config manager*
2. Make sure the checkbox "Enable VisualEditor for BlueSpice extensions" is activated:



By default, VisualEditor is only activated in the main (Pages) and the User namespaces.

Activating VisualEditor for a namespace

1. Go to Global actions > Namespace manager In the column "VisualEditor", you can see which namespaces have VisualEditor activated. They have a green check mark.
2. Click the wrench icon in the "Actions" column. The wrench appears, when you hover over the row of the namespace:


SpecialPages: NamespaceManager

Namespace manager

Hide talk namespaces
 Export table ▾

ID	Namespace	Pages	Subpages	Content namespace	CategoryCheck	Secured page assignments	Page template	Visual editor	Rating	Recommendations	Read Confirmation	Semantic MediaWiki	FlaggedRevs	Actions
3004	Legal	4	✓	✓	✗	✗	✓	✓	✗	✗	✗	✓	✗	
3005	Legal_Talk	2	✓	✗	✗	—	—	✗	—	—	✗	✗	✗	
3008	Setup	87	✓	✓	✗	✗	✓	✓	✗	✗	✗	✓	✓	
3009	Setup_Talk	4	✓	✗	✗	—	—	✗	—	—	✗	✗	✗	
3010	Reference	279	✓	✓	✗	✗	✓	✓	✗	✗	✗	✓	✓	
3011	Reference_Talk	9	✓	✗	✗	—	—	✗	—	—	✗	✗	✗	
3012	FAQ	75	✓	✓	✗	✗	✓	✗	✗	✗	✗	✓	✗	Edit
3013	FAQ_Talk	1	✓	✗	✗	—	—	✗	—	—	✗	✗	✗	

1. Activate the checkbox for VisualEditor in the dialog window and click "Done":



1. Refresh the Namespace manager page (F5) to confirm the change.

VisualEditor should now be working correctly in all namespaces that actively use it.