

## Setup:Installation Guide/Installation BlueSpice WikiFarm

### Contents

1 PHP prerequisites .....	2
2 Ensuring the correct path in the file system .....	2
3 Creating the necessary folders for BlueSpiceWikiFarm .....	2
4 Creating the LocalSettingsAppend.php .....	2
5 Including the extension "BlueSpiceWikiFarm" .....	2
6 Configuring the web server .....	3
7 Adding new permissions in MySQL .....	3
8 Important for Windows farming .....	3
9 cronjobs .....	3
10 Completion .....	3

An existing BlueSpice pro installation can easily be extended with BlueSpiceWikiFarm. The existing installation assumes the role of the main wiki (=farm management). The contents remain there and can be maintained as usually.

**Note:** WikiFarm is not a standard feature of BlueSpice pro and needs to be acquired separately.

## PHP prerequisites

---

Please ensure that the PHP extension ZIP is archived, which is required for BlueSpiceWikiFarm.

## Ensuring the correct path in the file system

---

Important for the operation of BlueSpiceWikiFarm is that BlueSpice is located in the directory `/w` of the DocumentRoot of your web server or VirtualHost.

If this is not the case, you have to move the entire codebase there.

After that, the variable `$wgScriptPath` in the `LocalSettings.php` contains the path `/w`.

```
$ wgScriptPath = "/w";
```

## Creating the necessary folders for BlueSpiceWikiFarm

---

BlueSpiceWikiFarm needs two additional folders in the folder `/w` at the same level as the `LocalSettings.php`. You have to create these two folders:

- `_sf_instances` - all data and configurations for the respective instances are stored here
- `_sf_archive` - deleted farm instances including your database dump are stored here as ZIP archive

Make sure that these folders are writable by the web server. See also our ([notes in the helpdesk](#)) for this purpose.

## Creating the LocalSettingsAppend.php

---

Including the extension "BlueSpiceWikiFarm" first requires an additional configuration file with the name `LocalSettingsAppend.php`. Create this file on the same level as the `LocalSettings.php` and add the following content:

```
<?php
require_once "$IP/LocalSettings.BlueSpice.php";
```

## Including the extension "BlueSpiceWikiFarm"

---

In the `LocalSettings.php` replace the line

```
require_once "$IP/LocalSettings.BlueSpice.php";
```

with

```
require_once "$IP/extensions/BlueSpiceWikiFarm/BlueSpiceWikiFarm.php";
```

## Configuring the web server

---

In the folder `extensions/BlueSpiceWikiFarm/SimpleFarmer/doc` you will find example files for RewriteRules, which are necessary for BlueSpiceWikiFarm:

- `htaccess.template` - RewriteRules for Apache
- `web.config.template` - RewriteRules for IIS

Configure these RewriteRules for the DocumentRoot level of your Web server or VirtualHost.



If you experience issues with spaces in page names: Add `RewriteRule ^([\^\ ]*)\ (.*)$ $1_$2 [E=rspace:yes,N]` if it is not already included in your rewrite rules.

## Adding new permissions in MySql

---

```
GRANT ALL ON `sfr\_%`.* to `bluespice`@`127.0.0.1` identified by `password`;
```

## Important for Windows farming

---

[https://www.mediawiki.org/wiki/Manual:\\$wgPhpCli](https://www.mediawiki.org/wiki/Manual:$wgPhpCli)

## cronjobs

---

Has to be executed as Apache user:

```
*/* * * * * php /var/www/bluespice/w/extensions/BlueSpiceWikiFarm/SimpleFarmer/maintenance/RunForAll.php --script=maintenance/runJobs.php
*/1 * * * * php /var/www/bluespice/w/extensions/BlueSpiceWikiFarm/SimpleFarmer/maintenance/FarmProcessRunner.php
```

## Completion

---

The installation of BlueSpiceWikiFarm is now complete. From now on, you can reach the farm administration in the main wiki under the special page "Special:SimpleFarmer".

**Important!** If localhost is not available, download the IIS extension "URL Rewrite". <https://www.iis.net/downloads/microsoft/url-rewrite>