

OpenJDK on Windows

Contents



OpenJDK on Windows

Contents

1	Download	. 3
2	Unpacking the ZIP archive	. 4
3	Setting the environment variable	. 4
4	Next step	. 6





OpenJDK is a prerequisite for operating the Extended Search and the PDF export. The steps listed here are therefore optional and only required if you want to use one or more of these services in your BlueSpice installation.



In the following documentation, we work with OpenJDK in version 17.0.2, the current version at the time of writing. You can also use other versions as long as they meet the system requirements we have published. Please note that you then have to adjust the information in this documentation accordingly.


Download



🕂 🔃 🔁 JDK Builds from Oracl...


The content of this section refers to external sources and is current at the time of writing this documentation. We cannot guarantee how long these sources will remain unchanged. Please let us know if you notice any discrepancies to the information provided here.

Open the official website at java.net (1) and click "JDK 17" (2):





Download the ZIP archive for Windows:



Unpacking the ZIP archive



This documentation is based on the folder structure recommended by us. If you want to adjust this individually, you have to adjust the paths yourself according to your own level of knowledge.


Unpack the downloaded ZIP archive to *C:\BlueSpice\bin*. The file structure *C:\BlueSpice\bin\jdk-17.0.2* should be the result.

Setting the environment variable

Enter the key combination Windows+R.

Enter "SystemPropertiesAdvanced.exe" (1) in the dialog window and click "OK" (2):





Click "Environment Variables...":

System Propertie	S			2	
Computer Name	Hardware	Advanced	Remote		
You must be lo	gged on as a	an Administra	or to make most of these cha	nges.	
Performance				_	
Visual effects, processor scheduling, memory usage, and virtual memory					
				_	
			<u>S</u> ettings.		
User Profiles					
Desktop settings related to your sign-in					
	-				
			S <u>e</u> ttings.		
Startup and R	ecoverv				
System startup, system failure, and debugging information					
			Settings.		
			Enviro <u>n</u> ment Variab	les	
		014			
		OK	Cancel A	pply	

Click "New...":



Variable	Value				
Path	C:\Users\ \AppData\Local\Microsoft\WindowsApps;				
TEMP	C:\Users\ \AppData\Local\Temp				
TMP	C:\Users\\AppData\Local\Temp				
	New Edit Delete				
Variable	Value				
Variable ComSpec	Value C:\Windows\system32\cmd.exe				
Variable ComSpec DriverData	Value C:\Windows\system32\cmd.exe C:\Windows\System32\Drivers\DriverData				
Variable ComSpec DriverData NUMBER_OF_PROCESSORS	Value C:\Windows\system32\cmd.exe C:\Windows\System32\Drivers\DriverData 8				
Variable ComSpec DriverData NUMBER_OF_PROCESSORS OS	Value C:\Windows\system32\cmd.exe C:\Windows\System32\Drivers\DriverData				
/stem variables Variable ComSpec DriverData NUMBER_OF_PROCESSORS OS Path PATHEXT	Value C:\Windows\system32\cmd.exe C:\Windows\System32\DriverS\DriverData 8 Windows_NT				

Set the variable name to "JAVA_HOME" (1), and the variable value to the directory of your OpenJDK installation that you just copied to *C:\bluespice\bin* (2).

You can use the "Browse directory" button (3) for that.

Click "OK" (4):

New System Variable		×
Variable name:	JAVA_HOME	
Variable value:	C:\BlueSpice\bin\jdk-17.0.2	
Browse Directory	. 3Browse File	4 OK Cancel

Close all newly opened windows one after the other by clicking "OK".

Next step

If you have successfully completed all of the above steps, proceed to the next step: Apache Tomcat.